



HARYANA STATE POLLUTION CONTROL BOARD

Lala Nemi Chand Singhal Enc. Sohna Road, Near
Hanuman Mandir, Dharuhera Ph. 01274-244440-
41(O) Email:- hspcbrodr@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313102620REWCTO8058727

Dated: 05/10/2020

To,

M/s : ARCOTECH LIMITED

PLOT NO. 181, SECTOR-3, INDUSTRIAL GROWTH CENTRE, BAWAL,
REWARI

Subject: Grant of consent to operate to M/s ARCOTECH LIMITED.

Please refer to your application no. 8058727 received on dated 2020-08-24 in regional office Dharuhera. With reference to your above application for consent to operate, M/s ARCOTECH LIMITED is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2020 - 30/09/2021
Industry Type	Industry or process involving metal surface treatment or process such as pickling/ electroplating/paint stripping/ heat treatment using cyanide bath/ phosphating or finishing and anodizing / enamellings/ galvanizing
Category	RED
Investment(In Lakh)	19732.311
Total Land Area(Sq. meter)	2080.0
Total Builtup Area(Sq. meter)	12480.0
Quantity of effluent	
1. Trade	40.0 KL/Day
2. Domestic	12.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	SEWER
2. Trade	SEWER
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l

Number of stacks	2
Height of stack	
1. ATTACHED TO ELECTRICAL FURNACE (2 NOS.)	33 METER
2. ATTACHED TO DG SET (03 NOS.)	25 METER
Emission parameters	
1. SPM	150 mg/m ³
Product Details	
1. SHEET METAL COMPONENTS	150 Metric Tonnes/day
Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. ELECTRICAL FURNACE	
Type of Fuel	
1. Diesel	0.2 KL/day
Raw Material Details	
COPPER	60 Metric Tonnes/Day
ZINC	25 Metric Tonnes/Day
BRASS	25 Metric Tonnes/Day

Regional Officer, Dharuhera
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1) Unit will operation APCM & ETP, stp properly & will maintain logbook containing detail of chemical consumption, flow meter reading, energy meter readings. 2. Unit will obtained All necessary permission/Authorization/registrations done well in time from all the concerned departments. 3. Unit will maintain good house keeping, will follow the SWM Rules & will not mix any hazardous waste with solid waste. 4. CTO so granted is without prejudice to the any violation caused by the unit in past and will be deemed cancelled automatically, If at any stage to come to the notice of the board & further necessary action as per Environmental Laws will be initiated without giving any further notice. 5. Unit will deposit balance CTO fee as per prescribed schedule, if found pending at in later stage.

KULDEEP SINGH Digitally signed by KULDEEP
516231
Date: 2020.10.05 12:03:34 +05'30'

*Regional Officer, Dharuhera
Haryana State Pollution Control Board.*