



NOTE: ALL SUNKEN SLAB TO BE FILLED WITH LIGHT WT. CONCRETE.
DENESITY NOT MORE THAN 800KG/M²

FOURTH FLOOR FRAMING PLAN

SCALE:- 1 : 150

SLAB THICKNESS 150MM U.N.O

SCHEDULE OF BEAMS

BEAM NO.S	SIZE D x W (mm)	BEAM NO.S	SIZE D x W (mm)
HB1	750 x 300	VB1	750/900x300/250
HB2	600 x 200	VB2	600 x 200
HB3	500 x 450	VB3	600 x 300
HB4	750 x 300	VB4	500 x 450
HB4A	600 x 400	VB4A	600 x 400
HB5	750 x 450	VB5	750 x 400
HB5a	500 x 300	VB6	600 x 400
HB6	600 x 400	VB7	600 x 400
HB7	600 x 400	VB8	600 x 250
HB8	600 x 250	VB9	500 x 450
HB8a	600 x 250	VB10	600 x 250
HB9	600 x 300	VB11	NOT IN USE
HB9A	600 x 300	VB12	REMOVE
HB10	750 x 300	VB13	750 x 300
HB11	750 x 300	VB14	NOT IN USE
HB12	750 x 300	VB15	REMOVE
HB13	600 x 400	VB16	REMOVE
HB13a	750 x 400	VB17	750 x 450
HB13b	450 x 300	VB17A	450 x 300
HB14	750 x 300	VB18	750 x 300
HB14a	450 x 300	VB19	750 x 250
HB14b	REMOVE	VB20	600 x 200
HB15	REMOVE	VB21	750 x 450
HB15b	REMOVE	VB21a	600 x 400
HB16	600 x 200	VB22	600 x 200
HB17	600 x 200	VB23	600 x 250
HB18	750 x 300	VB24	600 x 300
HB19	600 x 400	VB25	600 x 250
HB20	400 x 150	VB25a	600 x 250
		VB26	400 x 150

NOTES:-

UNLESS NOTED OTHERWISE

1. FOR GENERAL NOTES REFER DRG. NO.1020.01/S/GN/001, GN/002,
2. FOR STANDARD DETAILS REFER DRG.NO.1020.01/S/SD/001
3. COLUMN DETAIL AND SIZES REFER DRG.NO.1020.01/S/C-1
4. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES.
5. DIMENSIONS ARE NOT TO BE SCALED AND FOLLOW THE WRITTEN DIMENSIONS ONLY.
6. ALL SETTINGS OUT COLUMNS WALLS, DIMENSION AND LEVELS SHALL BE READ IN CONJUCTION WITH ARCH. DRAWINGS.
7. FOR ALL THE OPENINGS DROPS.SUMPS.& PITS REF.RELE-VANT CONSULTANT DRG. TO BE CONFIRMED BY ARCHITECTS /ENGINEER INCHARGE.
8. CONC. MIX = M 30
9. CLEAR COVER.
   BEAM - 25MM
   SLAB - 20MM

LEGEND:-

(XXX) SLAB THICKNESS

RC COLUMN UNDER/OVER

SLAB LEVEL

SHEAR WALL

DATE OF ISSUE
06.07.09
MEINHARDT

FOR CONSTRUCTION

REV	DATE	NAME	DESCRIPTION	CHK'D
19	06.07.09	SHARMA	REVISED AS PER CLOUDED	SDK
18	30.06.09	SHARMA	REVISED AS PER CLOUDED	SDK
17	19.06.09	SHARMA	REVISED AS PER CLOUDED	SDK
16	16.06.09	SHARMA	REVISED AS PER CLOUDED	SDK
15	03.06.09	SHARMA	REVISED AS PER CLOUDED	SDK
14	01.06.09	SHARMA	REVISED AS PER CLOUDED	SDK
13	27.05.09	SHARMA	REVISED AS PER CLOUDED	SDK

AMENDMENTS

THIS DRAWING IS COPYRIGHT

CLIENT:-

EMPEE HOTELS LIMITED

PROJECT:-

PROPOSED
EMPEE-EKKATUTHANGAL
HOTEL AT CHENNAI
INDIA

MEINHARDT
MEINHARDT (SINGAPORE) PTE. LTD.
INDIA BRANCH
PROJECT MANAGEMENT CONSULTANTS
STRUCTURAL ENGINEERS.
MECHANICAL & ELECTRICAL ENGINEERS.
(Consulting Engineers,Planners & Managers)
A-8, SECTOR 16
NOIDA-201301, UTTAR PRADESH (INDIA)
Telephone 91 1202516185, Facsimile: 91 1202515745
E-Mail:- info@meinhardtindia.com
http:// www.meinhardtgroup.com

ARCHITECT:-

THOMAS CONSULTANTS
ARCHITECTURE
ENGINEERING
PROJECT MANAGEMENT

ph.: 080-22240544 e m a i l : mail2@ta-arch.com
fax: 080-22238396

DRG. TITLE

FOURTH FLOOR
FRAMING PLAN

SCALE	AS SHOWN	SHEET	OF
	BY		DATE
DRAWN	ANIL		JULAY 2006
DESIGNED	RAVI		JULAY 2006
CHECKED	SDK		JULAY 2006
APPROVED	CC TAY		JULAY 2006
JOB NO.	DISCIPLINE	DRAWING NO.	REVISION
1020.01	S	4-1	19

Drawings dt 9/7/09