

BEAM HB11
(900x400)



BEAM HB12a
(600x400)

BEAM HB12
(900x400)



BEAM HB13
(900x400)



BEAM HB14a
(600x400)

BEAM HB14
(900x400)

BEAM HB14
(900x400)



BEAM HB14
(900x400)



BEAM HB16
(600x400)

BEAM HB15
(900x400)



BEAM HB15
(900x400)



BEAM HB17
(600x300)



BEAM HB18
(900x400)

Ref 25/11/06 of 12.3.07 from HO

NOTES:–

UNLESS NOTED OTHERWISE

1. FOR GENERAL NOTES REFER DRG. NO.1020.01/S/GN/001, GN/002,
2. FOR STANDARD DETAILS REFER DRG.NO.1020.01/S/SD/001
3. COLUMN DETAIL AND SIZES REFER DRG.NO.1020.01/S/C–1
4. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES.
5. DIMENSIONS ARE NOT TO BE SCALED AND FOLLOW THE WRITTEN DIMENSIONS ONLY.
6. ALL SETTINGS OUT COLUMNS WALLS, DIMENSION AND LEVELS SHALL BE READ IN CONJUCTION WITH ARCH. DRAWINGS.
7. FOR ALL THE OPENINGS DROPS.SUMPS.& PITS REF.RELE–VANT CONSULTANT DRG. TO BE CONFIRMED BY ARCHITECTS /ENGINEER INCHARGE.
8. CONC. MIX = M 30
9. CLEAR COVER.
   BEAM – 25MM
   SLAB – 20MM
10. FOR FRAMING PLAN REFER DRG. NO.1020.01/S/B–1–1
11. BEAM SIZE INDICATED AS DEPTH (D) x WIDTH (W)

DATE OF ISSUE
22–09–2006
MEINHARDT

FOR CONSTRUCTION

REV	DATE	NAME	DESCRIPTION	CHK'D
0	22.09.06	RSR	CONSTRUCTION	SDK

AMENDMENTS

THIS DRAWING IS COPYRIGHT

CLIENT:–

EXCEL OFFSHORE LTD.
SINGAPORE

PROJECT:–

PROPOSED
EMPEE-EKKATUTHANGAL
HOTEL AT CHENNAI
INDIA

MEINHARDT
MEINHARDT (SINGAPORE) PTE. LTD.
INDIA BRANCH
PROJECT MANAGEMENT CONSULTANTS
STRUCTURAL ENGINEERS.
MECHANICAL & ELECTRICAL ENGINEERS.
(Consulting Engineers,Planners & Managers)
A–8, SECTOR 16
NOIDA–201301, UTTAR PRADESH (INDIA)
Telephone 91 1202516165, Facsimile: 91 1202515745
E–Mail:– info@meinhardtindia.com
http:// www.meinhardtgroup.com

ARCHITECT:–

THOMAS CONSULTANTS
ARCHITECTURE
ENGINEERING
PROJECT MANAGEMENT
ph.: 080–22240544
fax: 080–22238396
e m a i l : mail2tca–arch.com

DRG. TITLE

FIRST BASEMENT LVL.
BEAM DETAILS

SCALE	AS SHOWN	SHEET 2 OF 5	
	BY		DATE
DRAWN	RSR		SEP. 2006
DESIGNED	SK		SEP. 2006
CHECKED	SDK		SEP. 2006
APPROVED			SEP. 2006

JOB NO.	DISCIPLINE	DRAWING NO.	REV
1020.01	S	B–	