| | | <u>Consent Order</u> | | M.P. Pollution Control Board E-5, Arera Colony avaran Parisar, Bhopal - 16 MP 0755-2466191, Fax-0755-2463742 |
|---|-------------------------|----------------------|-----------------|---|
| | RED-LARGE | CCA-Renewal | CONSENT NO: *** | PCB ID: 11925 |
| C | Outward No:114183,08/12 | 2/2021 | Consent No | 0:AW-54797 |

To,

The Occupier, M/s. J K Tyre & Industries, C-1 Industrial area Banmore, Tehsil-Morena Distt. Morena, M.P-476444.

Subject: Grant of Renewal of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your Consent to Operate Application Receipt No. 1100762 Dt. 23/11/2021 and last communication received on Dt. 25/11/2021.

With reference to your above application for renewal of consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant renewal of consent **up to 30/09/2022**, subject to the fulfillment of the terms & conditions, enclosed with this letter.

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location: C-1 Industrial area Banmore, Tehsil-Morena Distt. Morena, M.P-476444.
- b. The capital investment : Rs. 745.97 Crore
- c. Product & Production Capacity:

| Product | Production Quantity |
|---|---|
| Automobile Radial Tyres | 5190000.000 Nos./Year |
| | [Fifty One Lakh Ninety Thousand Numbers per Year] |
| Establishment of Liquid Nitrogen Storage Facility | 40.000 KL/Year (Storage Tank - 2X20 KL) |
| | [Forty Kilo Liter per Year] |

Note: - 1. For any change in above industry shall obtain fresh consent from the Board.

The Validity of the consent is **up to 30/09/2022** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act
- * Conditions under Air Act
- * General conditions



(Organic Authentication on AADHAR from UIDAI Server) TPAV # UKGT85X3I2

Signature Not Verified Digitally Signed by : A. A Mishra, Member Secretary Date: 08/12/2021 09:33:05 PM JIDAI Server)

Achyel minhrg

ACHYUT ANAND MISHRA Member Secretary



CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent generation shall not exceed 150.000 KL/day, and the daily quantity of sewage generation shall not exceed 130.000 KL/day.

2. Trade Effluent Treatment:-

The applicant shall provide and operate Effluent Treatment System and maintain the same properly to achieve following standards-

| pН | Between | 5.5 - 9.0 | TDS | Not exceed | 2100 mg/l. |
|---|------------|-----------|-----------|------------|------------|
| Suspended Solids | Not exceed | 100 mg/l. | Chlorides | Not exceed | 1000 mg/l. |
| BOD ₃ Days 27 ⁰ C | Not exceed | 30 mg/l. | | | |
| COD | Not exceed | 250 mg/l. | | | |
| Oil and grease | Not exceed | 10 mg/l. | | | |

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall provide and operate Sewage Treatment System and maintain the same properly to achieve following standards-

| pН | Between | 6.5 – 9.0 |
|---|------------|-----------|
| Suspended Solids | Not exceed | 100 mg/l. |
| BOD ₃ Days 27 ⁰ C | Not exceed | 30 mg/l. |
| COD | Not exceed | 50 mg/l. |
| Oil and grease | Not exceed | 10 mg/l. |
| Fecal Coliform (FC) MPN/100ml | Not exceed | 1000 |
| | | |

Consent Order

| S. No. | Water Code (Quantity in Klpd.) | WC:1345.000 | WWG : 280.000 | Water Source |
|--------|--------------------------------|-------------|---------------|--------------|
| 1 | Boiler Feed | 450.000 | 0.000 | Jal Sansthan |
| 2 | Cooling Water | 300.000 | 0.000 | Jal Sansthan |
| 3 | Domestic Purpose | 207.000 | 130.000 | Jal Sansthan |
| 4 | Mnfg Process | 250.000 | 150.000 | Jal Sansthan |
| 5 | Others | 138.000 | 0.000 | Jal Sansthan |

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Water meter preferably electromagnetic/ultrasonic type with digital flow recording facilities shall be installed separately for category wise consumption of water for Industrial cooling/boiler feed, mine spray, process & domestic purposes and data shall be submitted online through XGN monthly patrak/statements. The industry/unit shall also monitor the treated wastewater flow and report the same online through monthly patrak/statements.

6. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

7. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

8. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

9. Compilation of Monitoring data-

i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge.

ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of Consent No:AW-54797

Consent Order



the American Public Health Association, New York U.S.A. shall be used.

iii. The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.

10. Recording of Monitoring Activities & Results-

i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.

ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:

- (i) The date, exact place and time of sampling
- (ii) The dates on which analysis were performed
- (iii)Who performed the analysis?
- (iv)The analytical techniques or methods used and
- (v)The result of all required analysis

iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shell include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.

iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

11. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

12. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relive the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

13. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

14. Disposal of Collected Solid waste/sludge-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazardous & other waste (M&TM) Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

15. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

16. Prohibition of Bypass system of treatment facilities-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent in prohibited except:

i. where unavoidable to prevent loss of life or severe property damage, or

ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

17. Industry management shall submit the information online through XGN in reference to compliance of consent conditions.

Additional Water condition:-

- 1. The surface water drains network shall be separate, industry shall ensure that drains /pipes carrying effluent shall not be joined to any surface water runoff carrying drains.
- 2. Industry shall provide Zero Liquid Discharge (ZLD) condition throughout the operation by recycling & reusing the treated effluent within the premises.

Consent No:AW-54797



CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-

1. The applicant shall provide and operate air pollution control system consisting of control equipments with reference to generation of emission and same shall be operated & maintained continuously so as to achieve the level of pollutants to the following standards:-

| Name of section | Capacity | Stack height | Fuel | Fuel | Control equipment | P.M, SOX, NOX(mg/NM3) |
|--------------------|----------------------|--------------|------------|-----------------|---------------------|--|
| | | (meter) | | Consumption | installed | |
| Boiler | 20 TPH | 60 | Coal & | 5 MT/Hr. | E.S.P | 150,-,- |
| | | | Agro waste | | | |
| Boiler | 32 TPH com. stack | 60 | Coal & | 6.25 MT/Hr. | E.S.P | 150,-,- |
| | | | Agro waste | | | |
| Boiler [Stand by] | 20 TPH | 60 | F.O. | 1.25 KLit./Hr. | E.S.P | 150,-,- |
| D.G. Sets [2 nos.] | 2 X 1500 KVA | 15 | HSD | 2x 300 Lit./Hr. | Theodotte Enerobare | As Per CPCB/ MoEFCC Guidelines |
| Furnace | Attached to dip unit | 15 | F.O. | 6 Lit./Hr. | | P.M-50 mg/N m ³ ,SO ₂ -600 mg/Nm ³ , NO _X -300 mg/Nm ³ |

2. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- a. Particulate Matter (less than 10 micron) 100 µg/m³ (PM10 µg/m³ 24 hrs. basis)
- b. Particulate Matter (less than 2.5 micron) 60 μ g/m³ (PM2.5 μ g/m³ 24 hrs. basis)
- c. Sulphur Dioxide [SO2] (24 hrs. Basis) 80 µg/m³
- d. Nitrogen Oxides [NOx] (24 hrs. Basis) 80 µg/m³
- e. Carbon Monoxide [CO] (8 hrs. Basis) 2000 µg/m³

3. Industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

4. Industry/Unit shall provide with each stack port hole with safe platform of 1 meter width with support & spiral ladder/ Stepped ladder with hand rail up to monitoring platform as per specifications given in part-III emission regulation of CPCB. In no case monkey ladder shall be allowed as stack monitoring facility.

5. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.

6. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.

7. The industry/ unit shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises

8. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.

9. Industry shall take effective steps for extensive tree plantation of the local tree species within or around the industry/unit premises for general improvement of environmental conditions.
(Minimum number of plants to be planted by the unit:-147529)

Additional Air condition:-

Industry should write its name on top of each stack with heat resistant paint.



GENERAL CONDITIONS:

1. The non hazardous solid waste arresting in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

Non Hazardous Solid wastes:-

| Type of waste | Quantity | Disposal |
|---|------------------------------------|--|
| Scrap/ Plastic packing material wood, card board, gunny bags etc. | Proper record should be maintained | Sale to authorized party/As Per CPCB/MoEF Guidelines/Others. |
| Boiler ash | 21600 MT | Sale to authorized party |

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

a. To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.

b. To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.

- c. To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- d. To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- e. To sample at reasonable times any discharge or pollutants.

3. This consent is transferable in nature, in case of any change in ownership / management, the new owner / partner / directors / proprietor shall immediately apply for the consent with new requisite information.

4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. Industry shall install separate electric metering arrangement for running of pollution control devices and this arrangement shall be made in such fashion that any non-functioning of pollution control devices shall immediately stop electric supply to the production and shall remain tripped till such time unless the pollution control device/devices are made functional. The record of electricity consumption for running of pollution control equipment shall be maintained and submitted to the Board every month

6. This consent is granted in respect of Water pollution control Act 1974 and Air Pollution Control act, 1981 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

7. Balance consent fee, if any shall be recoverable by the Board even at a later date.

8. The applicant shall submit such information, forms and fees as required by the board not letter than 180 day prior to the date of expiration of this consent.

9. The industry/unit shall establish a separate environmental cell, headed by senior officer of the unit for reporting the environmental compliances. The industry/ Unit shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.

10. Industry shall obtain membership of Emergency Response Center of the Board if needed.

11. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

12. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following:

- (a) Violation of any terms and conditions of this Consent.
- (b) Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- (c) A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

13. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.



Digitally Sign with Aadhaar

ŤPĂV # UKGT85X3I2

(Organic Authentication on AADHAR from UIDAI Server)

Consent Order

Additional condition:-

- 1. Industry shall dispose off solid waste properly from time to time and the record of disposal shall be maintained.
- 2. Industry shall maintain the record of generation and disposal of the non hazardous wastes in the form of logbook and same shall be produced before the officers of Pollution Control Board during inspection or visit.
- 3. Industry shall ensure that the recyclable waste to be disposed to authorised recyclers only and while providing waste to any recycler/actual user, original passbook of MPPCB shall be asked for entries. In case of no passbook waste shall not be given to recyclers.
- 4. Industry shall dispose of the various sludge and solid wastes generated from the unit as per relevant laws/rules.

Renewal of Consent as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 is granted to your industry subject to fulfilment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN **at least six months before the date of expiry of this consent.** The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of M.P. Pollution Control Board

Achyel minhrg

ACHYUT ANAND MISHRA Member Secretary

Consent No:AW-54797