Indig	genous Machineries/Items			
S. No.	Name of Machinery /Items	No. of Unit	unit cost	Total Cost in INR
1	Small Generator	1	250000	2,50,000
2	Generator	1	800000	8,00,000
3,	Fire Fighting	1	1500000	15,00,000
4	Electrical Panel	. 1	100000	1,00,000
5,	Servo &	1	250000	2,50,000
_6	Air and Electrical Fittings	1	1500000	15,00,000
7	Other Tools and Accessories	. 1	200000	2,00,000
8	Sewing Machine Jukki	10	25000	2,50,000
9	Cloth + Felt Cutter (M)	3		50,000
110	Air Compressor	1	600000	6,00,000
11	Fork Lift	1	800000	8,00,000
12	dock leveller ()	3	150000	4,50,000
13	conveyer and glue system	1	7000000	70,00,000
14.	Furniture & Office Equipment's ()			15,00,000
	Transportation Cost			7,50,000
	Total cost of indigenous machineries/items			1,60,00,000





Rajat Rao <rajat@springfit.com>

Quotation for 45KVA & 50KVA DG Set

Tanvi Pawar <crm.del@perfectgenerators.com> To: rajat@springfit.com

Wed, Oct 13, 2021 at 1:58 PM

Hi sir,

As requested, please find the attached quote for 45 & 50 Kva silent Mahindra Dg set.



Regards,

Tanvi Pawar

Manager Corporate Sales

Perfect Generator Technologies (P) Ltd.

Ph. +91-11-41024861, 62 | M. +91 8826090267

Email - crm.del@perfectgenerators.com

A. 512, 5th Floor, Ansal Chamber II, Bhikaji Cama Palace, New Delhi - 66














13- OCT-2021/01



SPRINGFIT MATTRESSES & SLEEP SYSTEMS

Vadodara, Gujarat


Offer for 45 KVA & 50 kVA Silent Mahindra Diesel Genset

PROPOSED BY

Tanvi Pawar

Corporate Sales Manager +91-8826090267







Dear Sir.

We thank you very much for the interest shown in our product!

Perfect Generators have been associated with Mahindra & Mahindra Ltd as their QEM for "Powerol Brand DG Sets" for last 10 years. Taking a step further to this association we have agreed with M&M Ltd to be their partner in solar power. We offer a complete range of Products & Services for Power Generation.

Silent DG Sets: 5 KVA to 625 KVA

We are glad to inform you that Mahindra & Mahindra Ltd. has won the JQM & DEMING AWARD which is the world renowned Japanese award for Quality. We are the only Indian Industrial Engine manufacturer in world to win this prize. All Mahindra Engines meet the stringent CPCB 2 norms for Noise and Exhaust Emission. More than 4,00,000 Gensets powered

These engines are manufactured as per IS-10000, BS-5514 at state of art the Plants in Kandivli- Mumbai which are ISO 9001-14000 certified & follow the best manufacturing practices like Total Quality Management (TQM). This ensures a world class


The company has blue chip customer base like (To name a few) -Raymonds, Fullerton India, Max New York Life Insurance, Aviva Life Insurance, Religare, Citi financial, Share khan, Ranbaxy Laboratories, Bajaj Hindustan, Tech Mahindra, PACL, Mahindra Finance, Reliance Vision Express, Sahara Group, Max Health, ITC, Thomas Cook, IDBI Bank, ICICI Bank, J&K Bank, Corporation Bank, State Bank of India, Syndicate Bank, Oriental Bank of Commerce, Punjab National bank, Hindustan Petroleum, Bharat Petroleum, Indian Oil Corporation, Indus Towers, Bharti Infratel, Vodafone, GTL, Idea Cellular, Quippo telecom, Tower vision, WTTIL, Huawei, Acme, Datacom, Aircel, Reliance Telecom, BSNL etc. It will be our pleasure to serve you. Thanking you and assuring you of our prompt attention at all times.

Yours Sincerely,

For Perfect Generator Technologies (P) Ltd

Tanvi Pawar Corporate Sales Manager +91-8826090267







Salient Features of Perfect Silent DG Set powered with Mahindra Powerol Engines

- Compact, Sleek, Manual/ Automatic.
- Low vibration, low fuel consumption.
- Class A1 Governing in its range, which gives better accuracy in decreasing the speed drop in transient and lowering the recovery time of the speed.
- Low cost of service & spares
- Low operation cost
- The Enclosure is of modular construction with the provision to assemble and dismantle easily.
- The sheet metal components are 11 tanks pre-treated and is Polyester based powder coated (inside as well as outside) for long life.
- Battery is provided in a tray inside the enclosure.
- Doors are gasketed with high quality EPDN gaskets to avoid leakage of sound.
- A special Residential silencer is provided to control exhaust noise.
- Specially designed sound attenuators are provided to control sound at air entry & exit points inside the enclosure.
- To make the system vibration free, engine and alternator are mounted on specially designed anti-vibration pads mounted on base frame.
- The enclosure is designed and layout of the equipment is such that there is easy access to all serviceable parts.
- Adequate ventilation is provided to meet air requirement for combustion & heat removal.
- The silent DG set comes with following safety features:
 - High water temperature.
 - Low lube oil pressure.
 - Emergency stop push button outside the enclosure.
- Specially designed Standard Control Panel is mounted inside enclosure itself.
- In-built draw in type fuel tank of suitable capacity.
- With UV resistant powder coating, can withstand extreme environments
- The walls of the enclosure are insulated with the retardant foam so as to comply with the noise level of 75 dB(A) at distance of 1 mtr. in open free field environment as per ISO 8528 part 10 specified by ministry of Environment & Forest.



Mahindra Rise



TECHNICAL SPECIFICATIONS - SILENT DG SET

A. DIESEL ENGINE:

M&M make engine Model 4575TCIGM C-2, 4 cylinder, inline, 4 stroke cycle, LIQUID COOLED, developing 57 BHP at 1500 RPM under NTP conditions of BS:5514. The engine shall be provided with electrical starting arrangement & shall give the electrical output of 45KVA/36KW at 0.8 power factor, 415 Volts at the alternator terminal

M&M make engine Model 4725GM C-2, 4 cylinder, inline, 4 stroke cycle, LIQUID COOLED, developing 72 BHP at 1500 RPM under NTP conditions of BS:5514. The engine shall be provided with electrical starting arrangement & shall give the electrical output of 50KVA/40KW at 0.8 power factor, 415 Volts at the alternator terminal.

The Engine is fitted with the following standard accessories.

- 01. A1 class Governor
- 02. Battery Charging Alternator
- 03. Engine safety Sensors (LLOP & HWT)
- 04. Air Cleaner
- 05. Lube Oil Filter
- 06. Fuel Filler

B. ALTERNATOR:

<u>Leroy Somer/Mahindra</u> approved make 45kVA/36KW & 50KVA/40KW, alternator 3 phase, 415 V, 0.8 PF, Brush less type, screen protected, revolving field, self-excited, self-regulated through an AVR. The alternator has the following features:

- "H" class insulation
- ± 1.0% voltage regulation (max.) in static conditions
- IP: 23 protection with insulation class H
- Permissible overload of 10% for one hour in 12 hours of operation.

C. CONTROL PANEL:

The Control Panel is manufactured with 16/18 gauge CRCA sheet and is powder coated for a weather-proof and long lasting finish. The Control Panel consists of Microprocessor based SEDMAC electronic controller, MCCB of suitable rating, Key Switch, Push Button (starter), LED: Battery Charging alternator fail indication, Current Transformer, Instrument fuses.

The SEDMAC microprocessor electronic controller displays the following parameters:

 Voltage, Frequency, Current, Rpm, Cumulative Run Hours, Oil Pressure, Coolant Temperature & Charging Current (DC Amp Meter).


The SEDMAC microprocessor electronic controller provides the following safety to the engine:

 Under & Over Voltage, Under & over Frequency, Under & Over Speed, Overload, Low Lube Oil Pressure, High Coolant Temperature & Emergency Off.

D. ESSENTIAL ACCESSORIES:

- Fuel tank: Sub Base Fuel tank (DRAW IN TYPE) of MS sheet of adequate capacity.
- Base Rail: Base Rail of adequate size is provided.
- Batteries: For electrical control circuit 1 no. 12 Volts suitable sized battery for electrical starting of DG set.








PRICE SCHEDULE:

S.No.	Description	Qty.	Price (Rs.)	Amount (Rs.)
1.	Supply of 45KVA Silent DG set comprising of M&M make Engine Model 4575TCIGM C-2, 57BHP@NTP, 1500 RPM, coupled to 45KVA Leroy Somer or Mahindra approved make 3 phase 415V, 50 Hz alternator mounted on a common Base frame along with other accessories i.e., Fuel tank, MANUAL Control Panel, Battery with leads and acoustic enclosure.		3,94,436/-	3,94,436/-
2.	Supply of 50KVA Silent DG set comprising of M&M make Engine Model 4725GM C-2, 72BHP@NTP, 1500 RPM, coupled to 50KVA Leroy Somer or Mahindra approved make 3 phase 415V, 50 Hz alternator mounted on a common Base frame along with other accessories i.e., Fuel tank, MANUAL Control Panel, Battery with leads and acoustic enclosure.	1	4,36,040/-	4,36,040/-





TERMS & CONDITIONS:

GST: GST@ 18% Extra.

TERMS OF PAYMENT: 30% payment as an advance along with order & balance 70% payment against Performa invoice prior to dispatch from our OEM factory.

FREIGHT: Prices are Exclusive of freight charges.

TRANSIT INSURANCE: Prices are Exclusive of transit insurance charges.

APPROVALS: Approvals from concern authorities shall be to customers account.

DELIVERY: Supply within 3 - 4 Weeks from the date of receipt of your order along with advance, subject to force majeure conditions and unforeseen delay, which is beyond our / our manufacturers' control.

WARRANTY: The offered Engine & Alternator is warranted for a period of 2 years from the date of dispatch OR 5000 Hrs. of operation from the date of commissioning, whichever is earlier against any manufacturing defect/defective materials only. However, electrical and other proprietary items would be covered as per their respective manufacturer's standard warranty clause. The warranty will not cover the normal wear and tear or damages caused by accident, wrong handling and improper maintenance.

VALIDITY: Our offer shall remain valid for a period of 30 Days from the date of our offer and subject to our confirmation thereafter.

SCOPE OF SUPPLY: Our offer is confined to whatever is specifically included and stipulated in the technical and commercial clauses and is subject to changes as may be mutually agreed upon finalization of the contract.

EXCLUSIONS: Our offer is for supply of equipment only. Installation job work, i.e., unloading of DG set at site, earthing pits, G.l. strips, foundation, power cabling & control cabling with end terminations, exhaust piping with supports, manual changeover switch etc. Shall be charged extra.

ARBITRATION: In the event of any disputes or differences arising between the parties out of or relating to the validity, construction, meaning, operation or effect of this offer, or any amendments or other documents relating to this offer, or the breach of the terms of any document agreed to between the parties, the same shall be referred to Arbitration, as per the provisions of the Arbitration and Conciliation Act 1996 and the arbitration proceedings shall be held at Ghaziabad/ Delhi jurisdiction only.

It will be a pleasure serving you for your valued requirement.

Looking forward to provide you our best of the services.

Thanking You,

With Regards,

For Perfect Generator Technologies (P) Ltd

Tanvi Pawar Corporate Sales Manager +91-8826090267







Rajat Rao <rajat@springfit.com>

Springfit Quotations

Tanvi Pawar <crm.del@perfectgenerators.com> To: rajat@springfit.com

Tue, Oct 12, 2021 at 3:27 PM

Hi sir,

Greetings from Perfect Generator Technologies Pvt. Ltd.!!

Please find the Techno commercial Offer for 62.5 KVA Mahindra Diesel Genset & 125Kva Genset for your consideration.

We have been servicing prestigious brands like Amazon, Jubilant Foods, Tata Starbucks, Hdfc Bank, Yes Bank, Axis Bank and assure you the best of our services.

Hoping that our offer is in line with your requirement.

Look forward to doing business together and hearing from your soon.!!!



Regards.

Tanvi Pawar

Manager Corporate Sales

Perfect Generator Technologies (P) Ltd.

Ph. +91-11- 41024861, 62 | M. +91 8826090267

Email - crm.del@perfectgenerators.com

A. 512, 5th Floor, Ansal Chamber II, Bhikaji Cama Palace, New Delhi - 66









2 attachments

SPRINGFIT MATTRESSES - Quote for 125 kVA Mahindra DG Set (1) (1).pdf 541K

SPRINGFIT - Quote for 62.5 KVA DG Set.pdf 605K

10/16/21, 11:04 AM

12-Oct-2021/01



SPRINGFIT MATTRESSES & SLEEP SYSTEM Vadodara, Gujarat


Offer for 125 kVA Silent Mahindra Diesel Genset

PROPOSED BY

Tanvi Pawar

Corporate Sales Manager +91-8826090267







Dear Mr. Amit Tyagi,

We thank you very much for the interest shown in our product!

Perfect Generators have been associated with Mahindra & Mahindra Ltd as their OEM for "Powerol Brand DG Sets" for last 10 years. Taking a step further to this association we have agreed with M&M Ltd to be their partner in solar power. We offer a complete range of Products & Services for Power Generation under below categories:-

Silent DG Sets: 5 KVA to 625 KVA

We are glad to inform you that Mahindra & Mahindra Ltd. has won the JQM &DEMING AWARD which is the world renowned Japanese award for Quality. We are the only Indian Industrial Engine manufacturer in world to win this prize.

All Mahindra Engines meet the stringent CPCB 2 norms for Noise and Exhaust Emission. More than 3,50,000 Gensets powered with Mahindra Engines are already being used.

These engines are manufactured as per IS-10000, BS-5514 at state of art the Plants in Kandivali- Mumbai which are ISO 9001-14000 certified & follow the best manufacturing practices like Total Quality Management (TQM). This ensures a world class quality product for our valued customers.

The company has blue chip customer base like (To name a few) —Raymond's, Fullerton India, Max New York Life Insurance, Aviva Life Insurance, Religare, Citi financial, Share khan, Ranbaxy Laboratories, Bajaj Hindustan, Tech Mahindra, PACL, Mahindra Finance, Reliance Vision Express, Sahara Group, Max Health, ITC, Thomas Cook, IDBI Bank, ICICI Bank, J&K Bank, Corporation Bank, State Bank of India, Syndicate Bank, Oriental Bank of Commerce, Punjab National bank, Hindustan Petroleum, Bharat Petroleum, Indian Oil Corporation, Indus Towers, Bharti Infratel, Vodafone, GTL, Idea Cellular, Quippo telecom, Tower vision, WTTIL, Huawei, Acme, Datacom, Aircel, Reliance Telecom, BSNL etc.


It will be our pleasure to serve you. Thanking you and assuring you of our prompt attention at all times.

Yours Sincerely,

For Perfect Generator Technologies (P) Ltd

Tanvi Pawar Corporate Sales Manager +91-8826090267








Salient Features of Perfect Silent DG Set powered with Mahindra Powerol Engines

- Compact, Sleek, Manual/ Automatic.
- Low vibration, low fuel consumption.
- Class A1 Governing in its range, which gives better accuracy in decreasing the speed drop in transient and lowering the recovery time of the speed.
- Low cost of service & spares
- Low operation cost
- The Enclosure is of modular construction with the provision to assemble and dismantle easily.
- The sheet metal components are 11 tanks pre-treated and is Polyester based powder coated (inside as well as outside) for long life.
- Battery is provided in a tray inside the enclosure.
- Doors are gasketed with high quality EPDN gaskets to avoid leakage of sound.
- A special Residential silencer is provided to control exhaust noise.
- Specially designed sound attenuators are provided to control sound at air entry & exit points inside the enclosure.
- To make the system vibration free, engine and alternator are mounted on specially designed anti-vibration pads mounted on base frame.
- The enclosure is designed and layout of the equipment is such that there is easy access to all serviceable parts.
- Adequate ventilation is provided to meet air requirement for combustion & heat removal.
- The silent DG set comes with following safety features:
- High water temperature.
- Low lube oil pressure.
- Emergency stop push button outside the enclosure.
- Specially designed Standard Control Panel is mounted inside enclosure itself.
- In-built draw in type fuel tank of suitable capacity.
- With UV resistant powder coating, can withstand extreme environments
- The walls of the enclosure are insulated with the retardant foam so as to comply with the noise level of 75 dB(A) at distance of 1 mtr. in open free field environment as per ISO 8528 part 10 specified by ministry of Environment & Forest







TECHNICAL SPECIFICATIONS - SILENT DG SET

A. DIESEL ENGINE:

M&M make engine Model mPower61565G, 6 cylinder, inline, 4 stroke cycle, Liquid cooled, developing 156 BHP at RPM under NTP conditions of BS:5514. The engine shall be provided with electrical starting arrangement & shall give the electrical output of 125 KVA/100 KW at 0.8 power factor, 415Volts at the alternator terminal.

The Engine is fitted with the following standard accessories.

- 01. A1 class Governor
- 02. Battery Charging Alternator
- 03. Engine safety Sensors (LLOP & HWT)
- 04. Air Cleaner
- 05. Lube Oil Filter
- 06. Fuel Filler

B. ALTERNATOR:

Leroy Somer or Mahindra approved make 125 kVA/100kW alternator, 3 phase, 415V, 0.8 PF, brushless type, screen protected, revolving field, self-excited, self-regulated through an AVR. The alternator has the following features:

- "H" class insulation
- ± 1.0% voltage regulation (max.) in static conditions
- IP: 23 protection with insulation class H
- Permissible overload of 10% for one hour in 12 hours of operation.

C. CONTROL PANEL:

The Control Panel is manufactured with 16/18 gauge CRCA sheet and is powder coated for a weather-proof and long lasting finish. The Control Panel consists of Microprocessor based SEDMAC electronic controller, MCCB of suitable rating, Key Switch, Push Button (starter), LED: Battery Charging alternator fail indication, Current Transformer, Instrument fuses.

The SEDMAC microprocessor electronic controller displays the following parameters:

• Voltage, Frequency, Current, Rpm, Cumulative Run Hours, Oil Pressure, Coolant Temperature & Charging Current (DC Amp Meter).


 $\label{thm:controller} The \, \text{SEDMAC} \, \text{microprocessor} \, \text{electronic} \, \text{controller} \, \text{provides} \, \text{the} \, \text{following} \, \text{safety} \, \text{to} \, \text{the} \, \text{engine};$

• Under & Over Voltage, Under & over Frequency, Under & Over Speed, Overload, Low Lube Oil Pressure, High Coolant Temperature & Emergency Off.

D. ESSENTIAL ACCESSORIES:

- Fuel tank: Sub Base Fuel tank (DRAW IN TYPE) of MS sheet of adequate capacity.
- Base Rail: Base Rail of adequate size is provided.
- Batteries: For electrical control circuit 1 no. 12 Volts or 2 no. 24 Volts (as applicable) Suitable sized battery for electrical starting
 of DG set.








PRICE SCHEDULE:

S.No.	Description	Qty.	Price (Rs.)	Amount (Rs.)
1.	Supply of 125 KVA silent DG set comprising of M&M make engine Model mPower61565G, 6 cylinder, inline, 4 stroke cycle, Liquid cooled, developing 156 BHP at 1500.00 RPM coupled to 125 KVA Leroy Somer/Mahindra approved make 3 phase 415V, 50 Hz alternator mounted on a common Base frame along with other accessories i.e., Fuel tank, Manual Control Panel, Battery with leads and acoustic enclosure.	1	6,78,105/-	6,78,105/-







TERMS & CONDITIONS:

GST: GST@ 18% Extra.

TERMS OF PAYMENT: 30% payment as an advance along with order & balance 70% payment against Performa invoice prior to dispatch from our OEM factory.

FREIGHT: Prices are Exclusive of freight charges.

TRANSIT INSURANCE: Extra as applicable.

APPROVALS: Approvals from concern authorities shall be to customers account.

DELIVERY: Supply within 3 - 4 Weeks from the date of receipt of your order along with advance, subject to force majeure conditions and unforeseen delay, which is beyond our / our manufacturers' control.

WARRANTY:

- 5 Years/5000 Hrs warranty (whichever is earlier) against manufacturing defects for the following parts- crankshaft, camshaft cylinder head, connecting Road, Crank case.
- 2 Years/5000 Hrs Comprehensive warranty (Whichever is earlier) on DG Set.
- No question asked in warranty for 6 months or 600 Hrs (Whichever is earlier).

VALIDITY: Our offer shall remain valid for a period of **30 Days** from the date of our offer and subject to our confirmation thereafter.

SCOPE OF SUPPLY: Our offer is confined to whatever is specifically included and stipulated in the technical and commercial clauses and is subject to changes as may be mutually agreed upon finalization of the contract.

EXCLUSIONS: Our offer is for supply of equipment only. Installation job work, i.e., unloading of DGset at site, earthing pits, G.I. strips, foundation, power cabling & control cabling with end terminations, exhaust piping with supports, manual changeover switch etc. Shall be charged extra.

ARBITRATION: In the event of any disputes or differences arising between the parties out of or relating to the validity, construction, meaning, operation or effect of this offer, or any amendments or other documents relating to this offer, or the breach of the terms of any document agreed to between the parties, the same shall be referred to Arbitration, as per the provisions of the Arbitration and Conciliation Act 1996 and the arbitration proceedings shall be held at Ghaziabad/ Delhi jurisdiction only.

It will be a pleasure serving you for your valued requirement.

Looking forward to provide you our best of the services.

Thanking You,

With Regards,

For Perfect Generator Technologies (P) Ltd

Tanvi Pawar Corporate Sales Manager +91-8826090267







Rajat Rao <rajat@springfit.com>

QUOTATION FOR HYDRANT SYSTEM

sales@jefe.co.in <sales@jefe.co.in>

To: rajat@springfit.com

Cc: JEFE SAFETY <info@jefe.co.in>, Sunny Nehra <sunny@jefe.co.in>

Wed, Oct 13, 2021 at 5:18 PM

Dear Sir,

Please find attached quote as per your requirement

Please feel free to contact for any query

Waiting for your positive response

Regards / Nishita

JEFE SAFETY SOLUTIONS PVT LTD.

+91 8700151582



Please consider the environment before printing this email.

Q21-22 _152 SPRING FIT.pdf

JEFE Safety Solutions Pvt. Ltd.

						Safety	
Sr. No	ITEM DESCRIPTION	Qty	Unit	Unit rate Supply	Amount Supply	Unit rate Erection	Amoun Erection
RE HYD	DRANT SYSTEM						
Date	PRICE SCHEDULE	De	signed	& Submitted Sefety	i by, Jefe	Date : 04th	Oct 2021
1	JOCKEY PUMP Supplying, installing, testing and commissioning of Electrical driven Fire Hydrant pumps suitable for automatic / manual operation. Vertically mounted, Multi stage centrifugal end suction type fire pump capable of delivering 180 LPM against a total head of 70 meters while running at 2900 r.p.m. complete having tail pieces for proper connection to suction and delivery line. Squirrel cage, TEFC induction motor 415 + 10% 3-phase 50 Hz A.C, 7.5 HP/ 5.5 KW for the above pump. Common Bed plate of requisite strength manufactured out of M.S. channels. Coupling and coupling guard for direct coupling of pump and motor. Suitable anti vibration mounts for mounting of the pump. Pump Make: Kirloskar Motor Make: Kirloskar ABB	2	set	2600	5200	2000	4000
2	MAIN PUMP Supplying, installing, testing and commissioning of Electrical driven Fire Hydrant pumps suitable for automatic / manual operation. Horizontally mounted, single stage centrifugal end suction type fire pump capable of delivering 2280 LPM against a total head of 70 meters while running at 2900 r.p.m. complete having tail pieces for proper connection to suction and delivery line. Squirrel cage, TEFC induction motor 415 + 10% 3-phase 50 Hz A.C, 60 HP for the above pump. Common Bed plate of requisite strength manufactured out of M.S. channels. Coupling and coupling guard for direct coupling of pump and motor. Suitable anti vibration mounts for mounting of the pump on a concrete pedestal (pedestal not in scope) Pump Make: Kirloskar Motor Make: Kirloskar ABB	2	set	80000	290000	7000	14000
3	DIESEL DRIVEN PUMP Supplying, installing, testing & commissioning of Diesel Engine driven stand by fire pump suitable for automatic / manual operations. Horizontally mounted multistage centrifugal end suction pump capable for delivery of 2280 LPM against a total head of 70 meters while running at 1500/1800 r.p.m. complete having tail pieces for proper connection to suction & delivery line. Diesel engine for the above pump 62 BHP complete with standard accessories & suitable cooling system as per enclosed technical specification. Common base plate of requisite strength manufactured out of M.S. channels. Coupling & coupling guard for direct coupling of engine & pump 1 No. day oil storage tank. Tank shall be provided with inlet, outlet, overflow, vent drain connections & level indicator. Engine Control panel with alarms. 12 volts 180 AH lead acid battery for starting the engine automatically. Suitable anti vibration mounts.	1	set	165000	165000	6500	6500
4	Pump Make : Kirloskar CONTROL PANEL Supplying, Testing & commissioning of electrical panel compartmentalized fabricated & painted as per 7 tank procedure as per detailed specification and consisting of the following:						

	2 No. 60 HP Star Delta Starter for hydrant pump CT operated ammeter with selector switch, Auto manual switch on - off push button and lamps, control circuit and interfacing/interlocking with pressure switch and Engine driven pump. 2 No. 7.5 HP Starter for Jockey Pump CT operated ammeter with selector switch, Auto manual switch on - off push buttons and lamps, control circuit and interfacing with pressure switch. Diesel engine starting Panel with battery charger with boost & trickle facility. 1 No. supply to DG Battery charger (with cut-off contactor when DG is running.)	1	set	95000	95000	8500	8500
5	CABLES & ELECTRICALS Supply, laying, testing and commissioning of 1100V grade 1.1KV XLPE insulated and PVC sheathed steel Armoured, Aluminium/ copper conductor cables as per IS:7098/11 including termination cable						
	lugs and glands. 3C X 35 sq.mm Aluminium conductor (A2XFY) 4C X 16 sq.mm Aluminium conductor (A2XFY) 4C X 25 sq.mm Alum. Armoured 3C X 10 sq.mm Alum. Armoured	28 13 0	RM RM RM RM	295 185	8260 2405	30 30	840 390 540
	6C X 1 sq. mm Copper Armoured 2C X 1.5 sq.mm copper conductor (YWY)	18 35	RM RM	180 60	3240 2100	30 15	540 525
8	Y STRAINER						
	Providing and fixing cast iron Y Strainer of the following size complete with bolts, nuts washers and inserted gaskets as required. Make: Kartar			-			
	150 mm	3	Set	4500	13,500	800	2,400
	80 mm	2	Set	2400	4,800	350	700
9	Vacuum Tanks						
	Supply and fixing of vacuum tank for jockey pump, make Safeguard Size - 400 mm X 1000 mm	2	No.	5000	10000	1050	2100
	Supply and fixing of vacuum tanks for diesel main pump(BOTH), Make Safeguard Size - 600 mm X1200 mm	3	No.	8500	25500	1050	3150
10	Cable Tray	100	0.00	4-0	4500	20	300
	Ms Perforated cable tray, 150 mm	10	m	150	1500 720	30	180
	Ms Perforated cable tray, 100 mm	6	m	120	500	20	200
	Ms Perforated cable tray, 50 mm	10	m	50	500	20	200
11	Earthing of motors GI strip of 25 mm x 5 mm	25	m	20	500	10	250
12	PRESSURE SWITCH Supplying, testing, installation and commissioning of pressure switches (maximum pressure range of 10 kg/sq.cm or high) for hydrant, standby and Jockey pumps, including cut off ball valve. Make: Indfoss/ Dandfoss	2	set	1250	2500	180	360
13	PRESSURE GAUGES Supplying, testing, installation and commissioning of pressure gauges (maximum pressure range of 10 kg/sq.cm or high) for hydrant, standby and Jockey pumps, including SS Siphon & cut off ball valve. Make: H. Guru	5	set	950	4750	140	700
14	PIPELINES Providing, fixing & testing black steel class B Medium duty pipes as per IS: 1239 Part I or IS:3589 and fittings like flanges, tees, elbows, bends junctions, reducers etc. including painting the pipes Make; Jindal 200 NB				11		
	150 NB	254	m	1200	304800	450	114300
	150 NB GI heavy pipe for Suction & Under Ground	24	m		NOT THE PROPERTY MARKET	V-0/2 10/2007	37479423564-444
	Thu No thi neary bibe to Suction a chack croand		4	10.02			
	100 NB	134	m	850	113900	385	51590

	80 NB 80 NB GI heavy pipe for Suction & Under Ground 50 NB 25 NB	24 14 24 16	m m m	730 780 580 210	17520 10920 13920 3360	250 250 120 120	3500 2880 1920
15	FIRE BRIGADE INLET CONNECTION Providing, erecting, testing & commissioning of Stainless Steel 4 way fire brigade inlet comprising of four gunmetal 63mm dia male instantaneous coupling with PVC blank cap and steel chain, conforming to IS 904 standard. Make: Omex	1	Sets	3800	3800	800	800
16	BALL VALVE Providing, fixing and testing Stainless steel 25 mm dia. ball valve make Kartar	5	Set	680	3400	165	825
17	Providing, fixing, testing Stainless Steel single headed hydrant valves with flanged inlet with 63 mm dia oblique female instantaneous pattern outlet of SS complete with rubber blank cap and chain wing type plug with suitable size bolts, nuts, washers and gaskets. Landing valves shall be conforming to IS: 5290 specification . Make: Omex	5	Nos.	3600	18000	450	2250
18	FIRE HOSE Providing & fixing 63 mm dia 15 mtr. Long Reinforced rubber lined hose pipe conforming to IS:636 part-A with Stainless Steel male and female coupling wire wound with the pipe. Make: Omex	5	no.	2300	11500	0	0
19	BRANCH PIPE Providing short Stainless Steel branch pipe IS marked(IS: 903) with 20 mm outlet bore Make: Omex	3	no.	1150	3450	0	0
20	HOSE BOX Providing and fixing weather proof standard Powder Coated hose cabinet outdoor / indoor type made of 18 gauge MS sheet central opening 3 mm glass door including necessary locking arrangement. 750 x 600 x 250 mm, Make Safeguard	2	no.	1950	3900	210	420
21	HOSE REEL Supplying and fixing first aid hose reel (swinging type) with 30 meter long 20 mm. Internal dia rubber lined hose reel tubing, Triple action shut off nozzle complete with suitable drawn brackets, hub etc. as required. The hose reel shall conform to IS: 884-1969. Make: Omex	3	Sets	5400	16200	455	1365
22	AIR VESSEL Supplying and fixing air vessel of 300 mm x 1000 mm with air release valve & stand	1	Sets	11700	11700	1950	2250
23	ISOLATION VALVES Providing and fixing cast iron double flanged type IS marked PN 16 rating butter fly valve of the following size complete with bolts, nuts washers and inserted gaskets as required. Make Kartar 150 NB 100 NB 80 NB	5 3 3	no. no. no.	4150 2900 2100	20750 8700 6300	450 450 250	2250 1350 750
24	NON RETURN VALVES Providing and fixing Kartar make PN 16 rating non return valve of the following size complete with matching flanges, bolts, nuts washers and inserted gaskets as required. 150 NB 100 NB 80 NB	2 2	no.	3400 1900	6800 3800	400 400	800 800
25	STRUCTURAL STEEL Structural Steel with anchor fastners, three coat paint.	500		45	22500	15	7500

	Underground line anti corrosion treatment with 4 mm Pypcote tape with black japan paint & Red oxide primer with excavation in soft soil	42	mtr.	0	0	0	0
	Total Amount				1240695		247185
PORTAI	BLE FIRE EXTINGUISHER					EU ye	
	Providing and fixing with brackets/ supports etc., wall/floor mounted fire extinguishers as per details below:						
33	ABC, ISI marked Stored Pressure Type, Multi purpose Dry Chemical Powder Extinguisher. 4.0 kg, IS: 15683, "SECUREZONE / OMEX"	17	No.	1200	20400	50	850
34	CO2 type extinguisher conforming to IS:15683, 4.5 Kg capacity. "SECUREZONE / OMEX"	2	No.	4000	8000	50	100
35	50 litre trolley mounted fire extinguisher foam type conforming to IS:15683. "OMEX"	2	No.	6500	13000	0	
	TOTAL OF FIRE EXTINGUISHERS				41,400		950
	GRAND TOTAL				1,282,095		248,135
	GRAND TOTAL(SUPPLY & INSTALLATION)				₹		1,530,230.00
	DISCOUNT					0.000	7
	GRAND TOTAL AFTER DISCOUNT (SUPPLY & INSTALLAT	ION)					
						4	

Terms & Conditions

- GST @ 18% Extra.
- Civil Works inluding core cutting, rain protection, water tank are not in our Scope. Water tank of 200000 litter is
- Prices may be changed as per actual site visit
- The period of completion of project will 45 days from the date of releasing of advance / mobilisation payment, subject to clear
- **Payment Schedule** Advance 20% for Pipe and Fire Extinguisher, 10% Against the Pipe Delivery, 30% for Pump Order Process, 10% against the Work Completion & Rest 20% After the Work Validation of 30 Days. Delivery of Site: with-In 45 Days.

GSTIN:-09AALFM5098D1ZX

M.S.ENGINEERS & CONTROLS

128,A-129, Dharam Puri, Chana Godown, Sadar, Meerut Cantt. Email :- ms_engineers1@yahoo.co.in , Ph. :- +91-9719019872

QUOTATION:- 78/21-22 Date-07/10/2021

To,

Varahamurti Flexirub industries Pvt Ltd

Halol

Guiarat

Kind Attn.:-Rajat Rao

SUBJECT:- YOUR REQUIREMENT OF Main LT Panel and Distribution Panel

This is reference to our discussion and provided SLD regarding above subjected enquiry. Please find below our offer with bill of material required and terms and condition

1. Price

2. Terms and conditions

3.Bill of material

For any techno-commercial clearence please feel free to contact us. We trust that our offer will suit you commercially as well as technically.

For M.S. Engineers & Controls

Sandeep solan 9719019872

1. Price Schedule(without tax)

	TO MATERIAL	QTY	TOTAL
SL.	ITEM SCHEDULE AS IN BILL OF MATERIAL	4 - 3:-	443777.46
A	Main LT Panel with AMF Panel	1.00	
В	Distribution Panel-1(Plant panel-1)	1.00	155614.30
С	Distribution Panel-2(Plant Panel-2)	1.00	67934.20
D	Distribution Panel-3(Plant Panel-3)	1.00	59790.20
E	Distribution Panel-4(Plant Light Panel)	1.00	29107.10
F	Capacitor Panel 250kvar	1.00	180539.70
	BASIC TOTAL		936762.96
	GST@ 18%		168617.33
-	TOTAL		1105380.29

2. COMMERCIAL TERMS AND CONDITIONS

PRICES

: Net Ex works meerut in unpacked condition as in price schedule. Any increase of new material or finished product except as in Bill of material will be to the purchaser,s account.

PACKING AND FORWARDING **DELIVERY PERIOD**

Extra actual to purchaser,s accounts. Within 4-6 weeks after recieving of P.O.

PAYMENT TERMS

40% Advance withn order ,50% and tax before delivery and 10% balance

GURANTEE AND WARANTEE

after commissioning The equipment offered by us is waranteed against any manufacturing defect for a period of 12 th month from the date of despatch. Any defect arising in the equipment due to improper storage, incorrect installation faulty operation and maintenance shall be responsibility of customer.

LOADGING, BOARDING, FOODING

Extra actual to purchaser,s accounts.

TRAVELLING CHARGES VALIDITY OF OFFER JURIDISTION

Extra actual to purchaser,s accounts.(EQUI. TO IIIrD ac)
: 30 Days from the date of offer
: Subjected to juridistion of Meerut only

	in LT PANEL FOR 500KVA XMER SECTION(1,2,3,4)	- 1	OTY I	LIMIT	REMARK
SL.	ITEM	MAKE	QTY	UNIT	REWARK
CLOS	URE PART FOR ITEM 1,2,3,4	NACE	1.00	NO	
.00	ACCEMBLED CURICAL WITH CR SHEET, AL. BUSBAR AND WIRING	MSE	1.00		
	1. PROTECTION COOK				
	2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING				
	3. POWDER COATING- SIEMENS GREY 4.BUSBAR- AL. BUSBAR AS PER LOAD(1000A)			1	9.
	5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE	1			
	5. WIRE- 1.5 SQ. MM FOR CT AIDD 1.0 SQUIRT ON TO SOME SAME OF THE	1			
	7.LOUVER 150MM-2NOS	- 1			
W. CANDER	CHGEAR PART				
vco	MMER- 500KVA MAINS		1.00	No	
1.00	ACB 800A 4P,50ka EDO Type With MICROPROCESSOR RELEASE PROTECTION	L&T	1.00		500KVA XMER
	(E/F,O/L,S/C)	107	1.00	No	500KVA XMER
2.00	Under Voltage Release 230V AC	L&T			La contractiva de la contractiva del la contractiva del la contractiva de la contractiva de la contractiva del la contractiva de la contractiva del la contractiva
2.00	Over/Under Voltage Relay	L&T	1.00		500KVA XMER 500KVA XMER
3.00	Multifunctional Meter Type EM6400	Schneider	1.00	110	500KVA XIVIER
4.00 5.00	Breaker Control Switch	Schneider	1.00	No No	500KVA XMER
6.00	Three Phase Digital Volt METER	Schneider	1.00	No	500KVA XMER
7.00	Three Phase Digital Amp Meter	Schneider	3.00	No	500KVA XMER
8.00	CT 800/5 10VA, METERING CLASS	Procom L&T	6.00	No	500KVA XMER
9.00	R,Y,B, ON, OFF,Trip, INDICATOR	L&T	8.00	No	
10.00	CONTROL MCB 6A, 10K	L&T	1.00	No	
11.00	AUX CONTECTOR, MX04, 220VAC (4 NC)	WAGO/PHOENIX	40.00	No	
12.00	TERMINAL BLOCK, 4MM	WAGO/THOLKIN	10.00	1	
INCO	MMER- 160KVA DG		1.00	No	
1.00	MCCB 320Amp 4P ,36ka (O/L,S/C.) With Ex Rom and Spraeders Link	L&T	1.00	140	160KVA DG SET
263		L&T	1.00	No	160KVA DG SE
2.00	ExtendedRotary Operating Mechanism	L&T	1.00	No	160KVA DG SE
3.00	Spreaders Link	L&T	1.00	No	160KVA DG SE
4.00	Power Contactor 325 (MCX41)	Procom	1.00	No	160KVA DG SE
6.00	Multifunctional Meter Type EM6400	Procom	1.00	No	160KVA DG SE
7.00	Three Phase Digital Volt METER	Procom	1.00	No	160KVA DG SE
8.00	Three Phase Digital Amp Meter	Procom	3.00	No	160KVA DG SE
9.00	CT 300/5 10VA, METERING CLASS	L&T	5.00	No	160KVA DG SE
10.0	R,Y,B, ON, OFF,Trip, INDICATOR	L&T	5.00	No	
11.0	CONTROL MCB 6A, 10K O/Mains Failure AND PROTECTION		1.00		-
AUT	AGC150 WITH IOM	DEIF/C&S	1.00	NOS	
	REVERSE POWER RELAY	Procom	1.00	NOS	100
2.00	CT 300/5, CLASS PROTCTION FOR DG	REPUTED	3.00	NOS	
3.00	CLI 300/3, CLASS PROTEING TO STATE OF THE PARTIES O	NHP/SS	1.00	NOS	
	SMPS TYPE BATTERY CHARGER, 24V 10A	WAGO	6.00	NOS	
	PLUG IN RELAY, 24VDC, 2C/O	всн	1.00	NOS	
6.00	PLUG IN RELAY, 220AC, 4C/O	WAGO	40.00	NOS	APPROX
	TERMINAL BLOCK, 4MM, SCREW LESS, TOP ENTERY	REPUTED	6.00	LOT	
	ALL SWITCHES AND INDICATORS	I&t/schneider	12.00	NOS	
9.0	CONTROL MCB/FUSES BASE 6A SP CONTROL WIRES 1.0MM AND 1.5MM FOR VOLTAGE AND CT	REPUTED	6.00	LOT	
10.0	O CONTROL WIRES 1.0MM AND 1.3MM FOR VOLTAGE TO THE PANEL)	4(
UU	OUTGOING MCCB 500A 4P 36Ka WITH ST AND EX ROM	L&T	1.00	No	LG1
1.0	OUTGOING MCCB SOUA 4P SONA WITH ST AND EXTRON	Procom	1.00	No	
	Three Phase Digital Amp Meter 0-600A	Procom	1.00	No	
	O CT 500/5A 10VA,Metering Class	Ł&T	1.00	No	
	O Control MCB 6A,SP 10K	L&T	1.00	No	
	ON Indication Light				

00	OUTGOING MCCB 125A 4P 36Ka WITH ST AND EX ROM	L&T	1.00	No LO	-
	Digital Amp Meter 0-150A	Procom	1.00	No	
	CT 150/5A 10VA,Metering Class	Procom	1.00	No	
	Control MCB 6A,SP 10K	L&T	1.00	No	
	ON Indication Light	L&T	1.00	NO	
500000	GOING -3(Plant Panel-3)			- L	
010	OUTGOING MCCB 160A 4P 36Ka WITH ST AND EX ROM	L&T	1.00		G1
	Digital Amp Meter 0-150A	Procom	1.00	No	
	CT 150/5A 10VA,Metering Class	Procom	1.00	No	
		L&T	1.00	No	
	Control MCB 6A,SP 10K ON Indication Light	L&T	1.00	No	
UTO	GOING -4(Guard Room External Light)	L&T	1.00	No L	.G1
1.00	OUTGOING MCCB 125A 4P 36Ka WITH ST AND EX ROM	Procom	1.00	No	
2.00	Digital Amp Meter 0-150A	Procom	1.00	No	
3.00	CT 150/5A 10VA,Metering Class	L&T	1.00	No	
4.00	Control MCB 6A,SP 10K	L&T	1.00	No	
5.00	ON Indication Light				
DUT	GOING -5(Spare)	L&T	1.00	No	LG1
1.00	OUTGOING MCCB 250A 4P 36Ka WITH ST AND EX ROM	Procom	1.00	No	
2.00		Procom	1.00	No	
3.00	CT 250/5A 10VA,Metering Class	L&T	1.00	No	
4.00	Control MCB 6A,SP 10K	L&T	1.00	No	
5.00	ON Indication Light	Lai			
OUT	GOING -6(Spare)		1.00	No	LG1
1.00	TO THE WORLD STEA AD SEVE WITH ST AND EX ROM	L&T	1.00	No	101
2.00	11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	Procom	1.00	No	
3.00	- and to a gove Metacing Class	Procom	1.00	No	
4.00	11100 CA CD COV	L&T	1.00	No	-
5.00		L&T	1.00	NO	
	GOING -7(Spare)				
	THE STAND FX ROM	L&T	1.00	No	LG1
1.00	24.0.004	Procom	1.00	No	
2.00	O CT 60/SA 10VA,Metering Class	Procom	1.00	No	
		L&T	1.00	No	
4.00		L&T	1.00	No	
5.00					
OU	TGOING -7(Spare)	L&T	1.00	No	LG1
1.0		Procom	1.00	No	
2.0		Procom	1.00	No	
-	0 CT 60/5A 10VA,Metering Class	L&T	1.00	No	
4.0	1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988	L&T	1.00	No	
5.0					D- N-1 W-1 TH-27 HILLS
OU	TGOING -8(Fire Pump Room)	L&T	1.00	No	LG1
1.0		Socomec	1.00	No	
2.0		Procom	1.00	No	
3.0		Procom	1.00	No	
4.0		L&T	1.00	No	
5.0		L&T	1.00	No	
6.0		L&T	1.00	No	
7.0		L&T	1.00	No	
	00 ADD ON Block 2no+2nc		-		TOTAL

- F	tribution Panel-1(Plant Panel-1)	MAKE	QTY	UNIT	REMARK
SL	SURE PART FOR ITEM 1,2,3,4		,		
1.00	ASSEMBLED CUBICAL WITH CR SHEET,AL. BUSBAR AND WIRING 1. PROTECTION CLASS- IP 54 2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING 3. POWDER COATING- SIEMENS GREY 4. BUSBAR- AL. BUSBAR AS PER LOAD(250A) 5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE 6.FAN 150MM-AS PER REQUIREMENT 7. LOUVER 150MM-2NOS	MSE	1.00	NO	
SIA/IT	CHGEAR PART				Hill Committee
	MMER-				
	MCCB 500A 3P,36K, with Ex Rom and Spreaders Link	L&T	1.00	No	LG1
2.00	Three Phase Digital Voltmeter 0-500v	Procom	1.00	No	
3.00	Three Phase Digital Amp Meter 0-500A	Procom	1.00	No	
	The April April April 1 Class	Procom	1.00	No	
4.00	CT 500/5A 10VA,Metering Class	L&T	3.00	No	
5.00	Control MCB 6A,SP 10K	L&T	3.00	No	
6.00	Indication Light (R,Y,B)				
OUT	GOING	L&T	5.00	No	T
1.00		L&T	1.00	No	1
2.00		L&T	2.00	No	
3.00		L&T	6.00	No	
4.00	OUTGOING MCCB 63A 3P 36Ka WITH ST And EX ROM		14.00	No	-
5.00	ON INDICATION LIGHT	L&T	14.00	+	TOTAL

SL	ITEM	MAKE	QTY	UNIT	REMARK
	SURE PART FOR ITEM 1,2,3,4			1	
1.00	ASSEMBLED CUBICAL WITH CR SHEET, AL. BUSBAR AND WIRING 1. PROTECTION CLASS- IP 54 2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING 3. POWDER COATING- SIEMENS GREY 4. BUSBAR- AL. BUSBAR AS PER LOAD(200A) 5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE 6.FAN 150MM- AS PER REQUIREMENT	MSE	1.00	NO I	ë.
1	7.LOUVER 150MM-2NOS		<u> </u>		
SWIT	CHGEAR PART				
INCO	MMER-				
	MCCB 160A 3P,36K, with Ex Rom and Spreaders Link	L&T	1.00	No	LG1
2.00	Three Phase Digital Voltmeter 0-500v	Procom	1.00	No	LG1
3.00	Three Phase Digital Amp Meter 0-150A	Procom	1.00	No	LG1
4.00	CT 150/5A 10VA, Metering Class	Procom	1.00	No	LG1
5.00	Control MCB 6A,SP 10K	L&T	3.00	No	LG1
6.00	Indication Light (R,Y,B)	L&T	3.00	No	
	GOING				
1.00	OUTGOING MCCB 40A 3P 25Ka WITH ST AND EX ROM	L&T	3.00	No	LG1
2.00		L&T	2.00	No	LG1
3.00	OUTGOING MCB 25A 4P 10Ka	L&T	10.00	No	LG1
4.00		L&T	4.00	No	LG1
4.00	OUTGOING MCB 16A DP 10Ka	L&T	4.00	No	LG1
5.00	ON INDICATION LIGHT	L&T	3.00	No	
5.00					TOTAL

	tribution Panel-3(Plant Panel-3)	MAKE	QTY	UNIT	REMARK
SL	ITEM	CONTRACTOR OF THE PERSON	Second Section 15	distance production of	
NCLO.	SURE PART FOR ITEM 1,2,3,4	MSE	1.00	NO	
1.00	ASSEMBLED CUBICAL WITH CR SHEET, AL. BUSBAR AND WIRING 1. PROTECTION CLASS- IP 54				
	2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING				
	2. CR SHEET SIZE- ZIVING FOR COATING- SIEMENS GREY 3. POWDER COATING- SIEMENS GREY				
	4.BUSBAR- AL BUSBAR AS PER LOAD(200A)				
	5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE				
1	6.FAN 150MM- AS PER REQUIREMENT				
1	7.LOUVER 150MM-2NOS				
SWIT	CHGEAR PART				
	MMER-		1.00	No	
1.00	MCCB 160A 3P,36K, with Ex Rom and Spreaders Link	L&T	1.00	1.0	LG1
	Three Phase Digital Voltmeter 0-500v	Procom	1.00	No	LG1
2.00	Three Phase Digital Volumeter & 300V	71000		112	
3.00	Three Phase Digital Amp Meter 0-150A	Procom	1.00	No	LG1
		Procom	1.00	No	LG1
4.00		L&T	3.00	No	LG1
5.00	[1] MACANAMATAN AND AND AND AND AND AND AND AND AND A	L&T	3.00	No	
6.00	Indication Light (R,Y,B)				
OUT	GOING	L&T	10.00	No	T
1.00	OUTGOING MCB 40A 4P 10Ka	L&T	2.00	No	1
2.00	OUTGOING MCB 32A 4P 10Ka	1&T	3,00	No	
3.00	The second of th		4.00	No	
1 3.00		L&T	4.00	1.00	
4.00	OUTGOING MCB 25A DP 10Ka	L&T	4.00	No	

	ribution Panel-4 (Plant Lighting Panel)	MAKE	QTY	UNIT	REMARK
SL	A STATE OF THE STA	Jacobson (1990) and the Species of the C			
NCLOS	TURE PART FOR ITEM 1,2,3,4	MSE	1.00	NO	
1.00	ASSEMBLED CUBICAL WITH CR SHEET, AL. BUSBAR AND WIRING 1. PROTECTION CLASS- IP 54				
1	2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING				
	3. POWDER COATING- SIEMENS GREY		1		
	4.BUSBAR- AL. BUSBAR AS PER LOAD(150A)				
	5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE				
4	6.FAN 150MM- AS PER REQUIREMENT				
1	7.LOUVER 150MM-2NOS				
SWIT	CHGEAR PART				
	MMER-		1	1 11-	
	MCCB 125A 3P,36K, with Ex Rom and Spreaders Link	L&T	1.00	No	LG1
	2500		1.00	No	
2.00	Three Phase Digital Voltmeter 0-500v	Procom			
	Three Phase Digital Amp Meter 0-150A	Procom	1.00	No	
3.00	Three Phase Digital Amp Meter 9 255		1.00	No	
4.00	CT 150/5A 10VA, Metering Class	Procom		No	-
5.00	Control MCB 6A,SP 10K	L&T	3.00	No	-
6.00	Indication Light (R,Y,B)	L&T	3.00	140	
	GOING				
	100 101 101000	L&T	3.00	No	
1.00		L&T	3.00	No	
2.00		L&T	7.00	No	
3.00	OUTGOING MCB 16A DP 10Ka		-		TOTAL

MAKE	QTY	UNIT	REMARK
	MAKE	MAKE QTY	MAKE QTY UNIT

ICLO:	SURE PART FOR ITEM 1,2,3,4	MSE	1.00	NO	00
00	ASSEMBLED CUBICAL WITH CR SHEET, AL. BUSBAR AND WIRING 1. PROTECTION CLASS- IP 54				
	2. CR SHEET SIZE- 2MM FOR LOADING AND 1.6MM FOR UNLOADING		1 1		
	2. CR SHEET SIZE- 2MM FOR LUADING AIVD 2. UNITED STATES OF THE STATES OF				
	4.BUSBAR-AL. BUSBAR AS PER LOAD(500A)				
	5. WIRE- 1.5 SQ. MM FOR CT AND 1.0 SQMM FOR VOLTAGE				
	5. WIRE- 1.5 SQ. MINI FOR CLAIND 1.0 SQUANT ON TOTAL STATE OF THE SQUARMENT				
	7.LOUVER 150MM-2NOS				
	CHGEAR PART				
VCO	MMER	L&T	1.00	No	
	MCCB 500 A 3P,36KA WITH ST AND EX ROM	L&T	1.00	No	Colo Trib
	APFC RELAY 16 STEPS	Procom	1.00	No	
3.00	DIGITAL VOLMETER 0-500V	Procom	1.00	No	
4.00	DIGITAL AMPMETER 0-500V	Procom	3.00	No	
5.00	CT 500/5 10VA, METERING CLASS	L&T	5.00	No	
6.00	R,Y,B, ON OFF INDICATOR	L&T	8.00	No	
7.00	CONTROL MCB 6A, 10K	L&T	4.00	No	
8.00	AUX CONTECTOR, MX04, 220VAC (4 NC)	L&T	1.00	No	
9.00	ON DELAY TIMER				
DUT	GOING -1(20kvar Capacitor Bank)	L&T	11.00	No	
1.00	MCB 63A 3P,10ka	L&T	11.00	No	
2.00		L&T	11.00	No	
3.00	Capacitor 20 kvar (MPP S Type)	L&T	22.00	No	
4.00		L&T	11.00	No	WE WILL SE
	CONTROL MCB 6A, 10K	L&T	22.00	No	
6.00	Start/Stop Push Button	LOCI	22.00	1	
OUT	GOING -2(10kvar Capacitor Bank)		1 2.00	No	
1.00	MCB 32A 3P,10ka	L&T	2.00	No	
	Capacitor duty contactor15 kvar	L&T	2.00	No	
	Capacitor 15 kvar (MPP S Type)	L&T	2.00	No	
4.00		L&T	4.00	No	
	CONTROL MCB 6A, 10K	L&T	2.00	No	
	Start/Stop Push Button	L&T	4.00	I NO 1	
	GOING -3(5 kvar Capacitor Bank)		7	1 1	
	MCB 16A,3P,10ka	L&T	1.00	No	
2.00	Capacitor duty contactor 8.5 kvar	L&T	1.00	No	
2.00	Capacitor 5 kvar (MPP S Type)	L&T	1.00	No	
4.00	The state of the s	L&T	2.00	No	
	CONTROL MCB 6A, 10K	L&T	1.00	No	
5,00	Start/Stop Push Button	L&T	2.00	No	-
0.00	GOING -4(3 kvar Capacitor Bank)			1	
1.00	MCB 10A,3P,10ka	L&T	1.00	No	
		L&T	1.00	No	
2.00	the same of the sa	L&T	1.00	No	
3.00		L&T	2.00	No	
4.00		L&T	1.00	No	
	CONTROL MCB 6A, 10K	L&T	2.00	No	
	Start/Stop Push Button	L			
OU	TGOING -5(2 kvar Capacitor Bank)	L&T	1.00	No	
1.0	MCB 10A,3P,10ka	L&T	1.00	No	
2.0			1.00	No	
3.0	Capacitor 2 kvar (MPP S Type)	L&T		No	
4.0		L&T	2.00		-
5.0		L&T	1.00	No	-
	O Start/Stop Push Button	L&T	2.00	No	





Rajat Rao <rajat@springfit.com>

Offer of 150 kVA Oil Cooled Servo Stabilizer

info@truepower.net.in <info@truepower.net.in>

To: rajat@springfit.com

Cc: Sharad Prakash <sharad@truepower.net.in>

Wed, Oct 13, 2021 at 11:06 PM

Dear Sir

Greeting of the day from "TRUEPOWER", we wish to thank you for valuable enquiry shared to us for Industrial/ Commercial Inverter requirement.

As discussed we offer complete "Turnkey Solutions" for all valuable customers to have single window technical advice/support from our experienced teams.

We are authorised business partner for KRYKARD BRAND for North India.

Please find attached the quote for 150 kVA Servo Stabilizer for your project.

Please refer below our Product basket Vs Solutions for Various Industries :

	TRUEPOWER PR	ODUCT PORTFOLIO				
PRODUCT DESCRIPTION	FOOD & LOGISTICS RETAILS/ WAREHOUSE COMMERCIAL	MANUFACTURING INDUSTRY	EDUCTATION	HEALTHCARE	EPC/IT&IT'ES	SOLAR SITES
SERVO CONTROLLED VOLTAGE STABLIZER	0	0		0	0	0
ISOLATION TRANSFORMER / MEDICAL GRADE TRANSFORMER (PS)				0	0	
HARMONIC FILETR					0	
ONLINE UPS 1KVA TO 6400 KVA	0	0	0	0	0	0
SMF & TUBULAR BATTERIES	0	0	0	0		
INDUSTRIAL & LIFT INVERTERS	0		0		0	
OFF GRID/HYBRID/GRID TIE SOLAR INVERTERS	0	0	0	. 0	0	0
IPSS ONLINE UPS FOR OUTDOOR APPLICATION						0
EV CHARGER / ENERGY STORAGE SOLUTION		0	0		0	
ESE LIGHTNING ARRESTER/SUR GE ARRESTER FOR POWER & NETWORKING LINES / MAINTENANCE FREE GEL EARTHING	0	0	0		0	0
LUBRICANT OIL		0				

Truepower Energy & Automation Pvt. Ltd. is fastest growing Brand in the Power Electronics segment in India.

- Start-up firm with core team of professionals having >50+ years of combined techno-commercial experience.
- Our Vision & Mission is to become fastest growing organization in power electronics & industrial automation.
- We have state of the art manufacturing set-up and warehousing facilities in Delhi NCR to support faster deliveries to our partners and customers, accredited with ISO 9001:2015 & MSME certifications.
- We are having strong team of highly skilled people to take care of operation & management.
- Factory trained service engineers equipped with Mobile App for after sales support in selected cities in India.

We are thankful and honoured for the interest shown in our products / solutions and for considering us for your valuable requirement.

We are confident that we shall be able to provide you the most efficient solution for all your power quality challenges.

In anticipation of your valued PO.

Thanking you and look forward for a long lasting association with your esteemed organization.

Powerfully Yours,

Nishit Saxena

Hand Phone: +91 - 9711116320



Truepower Energy & Automation Pvt. Ltd.

- No.9, Basement, Plot No.3, Niti Khand-II, Indirapuram, Ghaziabad 201014 (Delhi NCR)
- Oinfo@truepower.net.in
- You aim for the best, leave us the rest Owww.truepower.net.in

UPS | Stabilizers | Transformers | AHF | Static Switch | Industrial Inverter | Solar Inverter | EV Chargers | Batteries | ESE Lightening Arrestor | Chemical Earthing | SPD | Consultancy Services | Allied Services


2 attachments


338- Varahamurti 150 kVA OC SCVS.pdf

Krykard Stabiliser Brochure.pdf 746K



Investment Proposal from







Truepower Energy & Automation Pvt. Ltd.

Offer No. TEAPL/338/21-22

Phone: 9919711115

13 October 2021

To, M/s Varahamurti Flexirub Industries Pvt. Ltd. Khasra No. 863, Village Gejha Pargana Tehseel, Meerut, Uttar Pradesh – 250205 Kind Attn: Mr. Rajat

Subject: Quote for Supply and Installation of 150 kVA Oil Cooled Servo Voltage Stabilizer for your Project

Enquiry Reference: E-Mail/Telephonic discussions

Dear Sir,

Greeting of the day from "TruePower", we offer complete end to end solution for all your power conditioning, power backup and industrial automation requirements.

We are pioneer in our domain and have more that 25+ years of experience representing one of the India's best Brand in Power Electronics "KRYKARD". Based at NCR Region we have coverage for entire North directly as well as from our principal for PAN India / Globally.

We are thankful and honoured for the interest shown in our solutions and for considering us for your prestigious requirement. We are pleased to submit our solution and look forward to the opportunity to serve your organization better with our state of the art, industry leading products, services and solutions.

With our strong domain expertise, dedication to serve the Indian market and the desire to bring in world-class solutions in the Power quality market, KRYKARD is the leader in the Indian Power Electronics market.

- 30+ Years of field experience in India in developing power quality solutions for critical equipment & application.
- 100+ Customers with more than 1MW of our products and solutions.

We are confident that we shall be able to provide you the most efficient solution for all your power quality challenges.

Thanking you and look forward for a long lasting association with your esteemed organization.

Powerfully Yours,

For Truepower Energy & Automation Pvt. Ltd.

Nishit Saxena

Handphone: 9711116320

E-mail: sharad@truepower.net.in; info@truepower.net.in



Truepower Energy & Automation Pvt. Ltd.

Offer No. TEAPL/338/21-22

13 October 2021

INVESTMENT PROPOSAL

S. No.	Item Description	Qty.	Unit Rate	Total Amount
1	Servo Controlled Voltage Stabilizer 3Ph 4Wire Oil Cooled, Unbalanced Type Input Voltage: 340-480 Volts Output Voltage: 415 Volts ± 1% Frequency: 47-53 Hz Digital Micro Controller Based Efficiency > 98.5% Response Time 10m sec Correction Rate 70 V/ Sec With inbuilt Contactor & fuses for OL/SC With First Filled Oil (HSCN Code:90328910) Make: KRYKARD ATANCKA KRYKARD			
	Capacity: 150 kVA	1 No.	Rs. 2,17,800	Rs. 2,17,800

Truepower Energy & Automation / OEM Scope

- Supply of SCVS
- Testing and demonstration on actual load
- Orientation to concerned maintenance team on "Operations & Maintenance" of supplied equipment

Customer Scope

- Unloading & Positioning at your end
- Providing separate rooms for SCVS
- Civil, Structural and Electrical work including cabling and earthing
- UPS Incoming & Outgoing Panels and cabling up to SCVS
- Any other item/work not in Truepower/ OEM Scope of Supply



Truepower Energy & Automation Pvt. Ltd.

② 25/2, Ashoka Road, Shipra Suncity, Indirapuram, Ghaziabad-201014 (India) info@truepower.net.in www.truepower.net.in

Commercial Terms & Conditions

- Quotation shall be valid for 30 days from the offer date.
- · Quoted prices are basic.
- · Packing & forwarding included
- The present Taxes given below shall be charged extra:
 - GST extra @18%.
 - GST is applicable on Basic price plus packing charges if any.
- Octroi / Entry tax /LBT (if applicable shall be arranged by buyer through their sources / agents).
- Required Road Permit / Waybill / E Sugam to be arranged immediately on submission of dispatch details. Any
 delay in arrangement, if vehicle is on hold then applicable detention charges if any to your account.
- Freight Charges FOR Site
- Transit insurance included.
- Installation charges mentioned in quote are considering 3 man-days. If Installation is delayed due to any reason, per day Rs.2,000/- shall be charged extra
 - GST @18% shall be charged extra on supervision of Installation & commissioning charges.
- Delivery period shall be 2-3 Weeks from the date of receipt of techno-commercially clear purchase order.
- Payment terms: 25% Advance balance against PI before despatch.
- Standard Warranty Terms and Conditions:
 - M/s Truepower directly or through OEM warrants the purchaser of product that it is free of defects in material and components, which if proven to suffer from manufacturing defects or defective material during the warranty period, will be provided free services, repairs or replacements.
 - 2. The period of validity of the warranty is 24 (Twenty Four) months (unless specified separately) from the date of commissioning, if said activation is carried out by OEM personnel or personnel authorised by OEM, and not however more than 25 (Twenty Five) months from the date of delivery by M/s Truepower.
 - 3. The warranty is recognized within national territory. If the unit is exported out of national territory, the warranty (if agreed separately) shall be valid ex-works & shall be limited only to the cover of the parts used to repair the fault.
 - 4. The warranty covers all the parts used to repair the fault.
 - 5. The warranty shall not apply in the following cases:
 - Failures due to fortuitous circumstances or force majeure (lightning, floods, etc.).
 - The product's original identification (serial number, etc.) markings have been defaced, altered or removed.
 - Failures due to negligence or improper use (use out of tolerance: temperature, humidity, ventilation, electric power supply, applied load, batteries) or improper Installation & Commissioning.
 - Insufficient or inadequate maintenance.
 - Attempted maintenance, repairs or modifications not carried out by M/s Truepower/ OEM personnel or personnel authorized by OEM.
 - In case of UPS systems, if the battery has not been recharged in accordance with the terms indicated on the packaging and in the manual, in cases of extended storage or UPS inactivity.

 OEM may, at its own discretion, opt on chargeable basis, for the repair of the product or for the replacement of the faulty or defective parts with new parts or with used parts that are equivalent to new parts with regard to functions and performance. Defective or faulty parts replaced free of charge are to be put at the disposal of OEM who becomes the sole owner.



Truepower Energy & Automation Pvt. Ltd.

② 25/2, Ashoka Road, Shipra Suncity, Indirapuram, Ghaziabad-201014 (India) info@truepower.net.in www.truepower.net.in

- 6. Replacements or repairs of parts and any modifications to the product during the warranty period cannot extend the duration of the warranty. In no case will **OEM** be responsible or liable for damages (including, without limitations, damage for loss of earnings, interruption of activity, loss of information or consequential or incidental damages) deriving from the use of the product, either independently or otherwise.
- 7. The present conditions are subject to Indian law. Any dispute falls under the province of the Court of
- Force Majeure Clause: The above said prices, terms and conditions etc. are valid and binding on us subject to
 force majeure conditions i.e. strike, war, accident, natural disasters, acts of enemy, or acts of god or reason
 beyond our control. Under above said force majeure, we shall be absolved of any legal / monetary obligations
 with reference to or in connection with this contract.

Please place your Purchase order on

Truepower Energy & Automation Pvt. Ltd.
25/2, Ashoka Road, Shipra Suncity
Ghaziabad -201010, Uttar Pradesh
Mr. Nishit Saxena # 9711116320
sharad@truepower.net.in; info@truepower.net.in

Powerfully Yours,
For Truepower Energy & Automation Pvt. Ltd.

Nishit Saxena

Handphone: 9711116320

E-mail: sharad@truepower.net.in; info@truepower.net.in

Note: This is a computer generated document and hence no signature is required





Rajat Rao <rajat@springfit.com>

Quotation for compressed air piping work

kundan.singh@ittindia.co.in <kundan.singh@ittindia.co.in> To: Rajat Rao <rajat@springfit.com>

Wed, Oct 13, 2021 at 5:22 PM

Dear Sir

As discussed, please find the attached our offer for compressed air piping at your Gujrat plant.

Please feel free to contact us in case of any clarification required.

Waiting for your positive response.

Thanks & Regards

Kundan singh

+91 8527578367

kundan.singh@ittindia.co.in

Industrial Tooling Techniques

Office No.-10, 2nd Floor, Ramneek Complex,

NIT, Faridabad - 121001, Haryana

Phone: 0129 4142927, Web: www.ittindia.co.in

Authorised Dealer:-



Varahmurti_Piping_13-10-2021_152.pdf

Office No.-10, 2nd Floor, Ramneek Complex, NIT, Faridabad- 121001, Haryana Phone: 0129 4142927, Email: sales@ittindia.co.in, Website: www.ittindia.co.in

OUOTATION



To:	Varahamurti	Flexirub Industries Pvt. Ltd.		OUR G			9790H1ZZ	
	Halol, Gujrat	riexirub Industries PVt. Ltd.	-	OUR F	AN:	EUAPS	59790H	
Contact p			1	Dat			13/10/2021	
- Contact p	Mr. Rajat Rao			Ref.	No.	ITT/KS/AP/152		
S,NO	PART, No	DESCRIPTION	QUANTITY	UNIT PRICE	DISCOUNT	HSN CODE	IAMOUNT/IND	
1	2009 4000 00	BLUE ALU. PIPE: 40.1 X 36.5 MM X 6 MTR	52	5,933	50.00%	7609	154,258	
2	2012 4002 00	ALU. EQUAL CONNECTOR: 40.1 MM	50	2,445	50.00%	7609	61,125	
3	2012 4003 00	ALU, EQUAL 90° ELBOW; 40.1 MM	12	3,210	50.00%	7609	19,260	
4	2012 4005 00	ALU. EQUAL TEE: 40.1 MM	2	3,445	50.00%	7609		
5	2012 4417 00	ALU. MALE STUD FTNG: 40.1 X 1 1/2" BSP	2	2,445	50.00%	7609	3,445	
6	AE18411099	QUICK DROP: 40.1 X 20.1 MM	20	1,262	50.00%	7609	2,445 12,620	
7	2009 1000 00	BLUE ALU, PIPE: 20.1 X 17.5 MM X 6 MTR	20	2,022	50.00%	7609		
8	2012 1003 00	ALU, EQUAL 90° ELBOW: 20.1 MM	20	758	50.00%	7609	20,220	
9	AI15405199	QUICK PLUG VALVE 40 MM	1	5.810	50.00%	8481	7,580	
10	AI15125199	BALL VALVE: 20.1 MM X 1/2" BSP FEMALE	15	2,140	50.00%	8481	2,905	
11	2009 4022 00	FLEXIBLE PIPE CLIP 40MM	156	194	50.00%	7609	16,050	
12	2009 1022 00	FLEXIBLE PIPE CLIP 20MM	38	98	50.00%		15,132	
13	2009 0032 00	WALL MOUNTED BRACKET 300MM	20	386	50.00%	7609 7609	1,862	
14	2009 1650 00	IRON EXPANSION M8X12CM	40	64	50.00%	7609	3,860	
15	2009 0665 00	TEE BOLT M8 X 50MM	200	16	50.00%		1,280	
16	AE18421099	QUICK DROP: 40.1 X 25.1 MM	2	1,262	50.00%	7609 7609	1,600	
17	2009 2000 00	BLUE ALU, PIPE: 25.1 X 22.5 MM X 6 MTR	15	3,026	50.00%		1,262	
18	2012 2002 00	ALU, EQUAL CONNECTOR: 25.1 MM	14	946	50.00%	7609	22,695	
19	2012 2003 00	ALU. EQUAL 90° ELBOW: 25.1 MM	7	1,104	50.00%	7609	6,622	
20	2012 2005 00	ALU. EQUAL TEE: 25.1 MM	2	1,230	50.00%	7609 7609	3,864	
21	2012 2006 00	ALU, END CAP: 25.1 MM	2	1,104	50.00%	7609	1,230	
22	AE18201100	QUICK DROP: 25.1 X 1/2" FEMALE	12	1,104	50.00%	7609	1,104	
23	AI15027300	BRASS VALVE 1/2" MALE TO FEMALE	14	884	50.00%	8481	6,624	
24	AI15205199	QUICK PLUG VALVE 25 MM	1	3,467	50.00%		6,188	
25	AI15215199	BALL VALVE: 25.1 MM X 1/2" F BSP 2 PORT	1	3,151	50.00%	8481 8481	1,734	
26	Al15115199	BALL VALVE: 20.1 MM X 1/2" F BSP 2 PORT	4	2,293	50.00%		1,576	
27	2009 2022 00	FLEXIBLE PIPE CLIP 25MM	60	114	50.00%	8481	4,586	
28	AI15105199	QUICK PLUG VALVE 20 MM	1	2,522	50.00%	7609	3,420	
29	2009 1017 00	ALU. MALE STUD FTNG: 20.1 X 1/2" BSP	1	898	50.00%	8481	1,261	
30	2009 1750 00	THREADED STEEL ROD 3000MM	10	284	50.00%	7609	449	
31	2017 5011 00	QUICK DROP: 50.1 X 1/2" FEMALE	2	2,367	50.00%	7609	1,420	
32	2009 0583 00	NON-SHOCK RESISTANCE PRESSURE METER	1	2,555	50.00%	7609	2,367	

1

1

1

50.00%

50.00%

50.00%

50.00%

50.00%

50.00%

50.00%

50.00% Total

P&F

Freight

Installation

Grand Total

3,704

3,422

18,900

590

630

220

9,850

3926

8481

8481

7307

0%

extra at actual

12%

1,278

1,852

1,711

9,450

295

140

315

110

410,119

49,214

459,333

Special instructions:

Payment Terms: 50% Advance, 40% against proforma invoice, rest 10% after commissioning

1/2" MALE THREAD

AUTOMATIC DRAIN VALVE 1/2" FEMALE THREAD

FRL UNIT 1/2"

AIR HOSE REEL 8X12MM TUBE, 30 MTR. LENGTH

MALE SOCKET 1/2" (QRC)

NUT PLUG 12MM (QRC).

NUT SOCKET (QRC)
MALE PLUG 1/4"

PU TUBE 12MM OD (100 MTR. ROLL)

GST: Extra at actual

33

34

35

36

37

38

39

40

Delivery: 2-3 weeks after your Firmed Purchase order

Warrantee: 10 Years from the date of installation.

2009 0973 00

AC4010-04

IAPHR06081230U

BD

40SMA

40PPA

40SPA

20PMA

EU1280

Hardware: Extra at actual

P&F includes packaging, forwarding & transit insurance

If any extra items required apart from above BOQ would be billed extra however we can take back the surplus (Freight charges for return would be in customer scope). Any civil or facrication work associated, would be in customer scope. Support structure for piping system would be in customer scope.

Climbing arrangement for overhead work i.e. ladder, fork lift etc would be provided by customer.





Rajat Rao <rajat@springfit.com>

Fwd: Juki Quotation

Sandeep Mehta <sandeep@springfit.com> To: Rajat Rao <rajat@springfit.com>

Sat. Oct 16, 2021 at 11:50 AM

Forwarded message -

From: Parveen Bano <parveen.bano@juki.com>

Date: Wed, Oct 13, 2021 at 5:17 PM

Subject: Juki Quotation

To: Sandeep Mehta <sandeep@springfit.com>, Nitin Gupta <nitin@springfit.com>

Cc: Basant Kumar Duklan <basant.duklan@juki.com>

Dear Mr. Gupta/ Mr. Mehta,

Good day to you.

Kindly find the attached Proforma invoices of Juki Industrial sewing machines for your kind consideration.

For any further queries, please feel free to contact us.

Thanks & Regards,

Parveen

Juki India Pvt. Ltd.

New Delhi.



Sandeep Mehta Sr. Purchase Manager

Varahamurti Flexirub Industries Pvt.

Plot No. 14, Sector 3 IIE, SIDCUL, Haridwar, Uttarakhand 249403

Call: 9368484422

10/16/21, 12:00 PM




SpringFit.com Mail - Fwd: Juki Quotation

Email: sandeep@springfit.com

www.springfit.com

The content of this email is confidential and intended for the recipient specified in the message only. It is strictly forbidden to share any part of this message with any third party, without the written consent of the sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future.

2 attachments



SKM_C22721101317200.pdf 106K

Delivery To: Proforma To: JUKI Smart Solutions Innovation with our Best Global Support VARAHAMURTI FLEXIRUB INDUSTRIES PVT. LTD. VARAHAMURTI FLEXIRUB INDUSTRIES PVT. LTD. SURVEY NO.568 OPP. DARSHAN HOTEL, SURVEY NO.568 OPP. DARSHAN HOTEL, JUKI INDIA PRIVATE LIMITED TALUKA WAGHODIYA VILLAGE LILORA, TALUKA WAGHODIYA VILLAGE LILORA, B-220 OKHLA INDUSTRIAL AREA, PHASE-1, VADODARA GUIRAT-391510 VADODARA GUJRAT-391510 NEW DELHI - 110 020 (INDIA) . Fax TEL: 011-26816097, 9274, 6381 Phone : Phone : Fax GSTIN: 24AABCV7214K1ZB FAX: 011-26819273,E-mail: jukidel@jukiindia.com GSTIN: 24AABCV7214K1ZB State Code: 24 Customer Code No: C0004416 State Code : 07 Website: www.jukiindia.com State Name : Gujarat Customer PO No : State Name: Delhi GSTIN : 07AAACJ9396F1Z8 State Code: 24 State Name : Gujarat Nature of invoice : Original : PI-DEL21135638 PINO : Inter-State Supply Place of Supply: Gujarat **Nature of Transaction Enquiry No** Whether Tax to be paid by recipient under reverse **Customer Type** :Registered PI Date : 13.10.2021 charges:No :Goods Nature of Supply Price Terms :ISM Machine Product Type LR/AWB/Vehicle No : A/C No. 693010200000541 Bank Details: JUKI INDIA PRIVATE LIMITED AXIS BANK LTD **Payment Terms** : 100 % ADVANCE PROFORMA INVOICE SGST Base Price Disc Discount Delivery IGST IGST LGST CGST Net Qty Unit Unit Price Model No / Description HSN / SAC Rate Amount Rate Taxable Rate Amount bunt (Amount) | Charges / (INR) (INR) No Code Part No Incidental and Value (%) (%) Reimbursable charges 305,000.00 12 36,600.00 0 0.00 0 10 Set 30,500.00 305.000.00 NA-11K-AA DIRECT DRIVE TOP & BOTTOM FEEDING LOCKSTITCH 84522900 MACHINE COMPLETE SET WITH STD.ACCS.

10

0.00 Rounding Off Invoice Total 341,600,00

0.00

0.00

IFSC:UTIB0000693

Commercial

Value + GST

341,600,00

341,600,00

SGST

Amount

Total in words: Three Lakhs forty-one thousand six hundred only

Accepted,

For and on behalf of customer

Signature of customer with stamp

Terms and Conditions:

1.interest will be charged @ 1.5% P.M. from the due date. Due date starts from allowed credit period from invoice date.

305,000.00

0.00

0.00

305,000,00

36,600.00

2. Spare Parts and Consumable will be billed seperately. Any damage beyond normal condition is customer's responsibility.

3.Goods used in service will not be taken back or exchanged. No waranty applicable for spare parts used in service.

Jurisdication of all disputes related to this transaction will be settled in local courts of invoicing branch/warehouse.

5. Warranty service charges applicable if it's covered in terms & conditions as per warranty certificate only.

6. This is an estimate, actual may varry. All replacement will be subject to our inspection & approval.

Authorized Signatory

For Juki India Private Limited

Registered Office: No.1090/I, Ground Floor & First Floor,18th Cross Road, Sector-III, HSR Layout, Bangalore-560102, Karnataka, India. Tel No:080-42511900, Fax:080-42511999, E-mail:jukiblr@jukiindia.com, Web Site:www.jukiindia.com,

CIN No.: U31909KA2000PTC047857

Page 1 of 1





Rajat Rao <rajat@springfit.com>

Quotation for Screw Air Compressor

kundan.singh@ittindia.co.in <kundan.singh@ittindia.co.in>
To: Rajat Rao <rajat@springfit.com>

Wed, Oct 13, 2021 at 5:49 PM

Dear Sir

Refer to our discussion, please find the attached quotation for Screw air compressor for your Gujrat plant.

Please feel free to contact us in case of any clarification required.

Waiting for your positive response.

Thanks & Regards

Kundan singh

+91 8527578367

kundan.singh@ittindia.co.in

Industrial Tooling Techniques

Office No.-10, 2nd Floor, Ramneek Complex,

NIT, Faridabad - 121001, Haryana

Phone: 0129 4142927, Web: www.ittindia.co.in

Authorised Dealer:-



Varahamurti_Compressor_13-10-2021_153.pdf 249K



Office No.-10, 2nd Floor, Ramneek Complex,NIT, Faridabad, Haryana Phone- 0129 4142927, Email- sales@ittindia.co.in, <u>www.ittindia.co.in</u>

Date: 13.09.2021 Ref.: ITT/KS/153

QUOTATION

VARAHAMURTI FLEXIRUB IND. PVT. LTD.

Halol, Gujrat

Kind. Attn.: Mr. Rajat Rao

Subject: Offer for FS CURTIS make FASV Series Variable Drive Screw Air Compressor

Dear Sir,

Thank you for your enquiry for air compressors & allied accessories. We take this opportunity to introduce ourselves as authorized dealer of FS Compressors India Pvt. Ltd., a group company of Taiwan's top Industrial house, Fusheng Industrial Co. Ltd. The Group has 19 plants across the globe, and, as per a market study published in USA, is the 3rd largest manufacturer globally for compressed air solutions. The company's focus is to provide best designed compressed air systems under FSCURTIS brand in a cost-effective way and with outstanding service levels.

Fusheng Industrial Corp was incorporated in 1953 as an Air compressor company in Taiwan. Over the years, they have established three main business divisions viz., Machinery, Electronics, & Sporting goods with all the divisions under the directives of the group President. By far, the machinery division is the largest of the three and represents the true global portfolio of the group. The companies and brands under the Group are

- 1) FS-Curtis, Curtis Toledo for Air compressors based in St. Louis MO USA,
- 2) FS-Elliot Co., for centrifugal compressors based in Pittsburgh Pa. USA,
- FS Europe GmbH Germany for R&D and Engineering,
- 4) **FS-Precision Tech Co.** LA Cal. USA, for manufacturing high precision casting products for automotive, medical and aerospace industry.
- 5) ALMiG for air compressors, based in Germany

The group has maintained the spirit of 'Pursuing excellence and enriching lives' and is applied to every corner of the enterprise's activity. The company strives for innovation and continuous improvement.

Our manufacturing unit in Chakan, Pune will be the hub to manufacture 'FSCURTIS' Brand Piston and Screw Compressors. Our product range comprises of:

- 01) Piston compressors up to 64 CFM (lubricated and oil free type)
- 02) Oil Injected Screw Air Compressors up to 1240 CFM
- 03) Transport Compressor up to 14 CFM
- 04) Water Injected Oil Free Screw Compressors up to 750 CFM Range
- 05) Booster Compressor up to 324 CFM
- 06) Refrigerated Air Dryer up to 2500 CFM
- 07) Heatless Air Dryer up to 2000 CFM
- 08) Filters up to 1645 CFM
- 09) Air Receiver up to 12 m3
- 10) Auto Drain Valve up to 3000 CFM

The company has regional offices and resident engineers, trained service personnel across India to cater to the customer needs and services.

FS boasts of a clientele that encompasses a wide array of industries, some of which are ONGC, Bharat Petroleum, Linde, Hindalco, L&T, Praxair, PepsiCo, Coco Cola, Honda Siel Cars, Essar Power, GE Energy, RIL, MCF, IOCL, HOCL, JSW Steels, BALCO, JSL Stainless, Tata Power and many more.



Office No.-10, 2nd Floor, Ramneek Complex,NIT, Faridabad, Haryana Phone- 0129 4142927, Email- sales@ittindia.co.in, www.ittindia.co.in

With this background, FS Compressors India Pvt. Ltd., is now all geared up to cater to wide spectrum of compressed air needs, of the industry in India by providing its customers with affordable systems under 'FSCURTIS' branded compressors and accessories which are being assembled in India. It is our earnest wish to be associated with your organization in our area of interest for a mutually fruitful longstanding business relation. Kindly call us at your earliest convenience to explore these possibilities. Our team of Engineers will be glad to visit you for providing the best of compressed air systems.

We are committed to making the entire transaction with our customer a satisfying one.

We look forward to partnering you in your new projects. Please find enclosed herewith the Technical Specifications, Price Schedule & Terms and Conditions.

We trust you will find our offer in order and in line with your requirement. Should you need any further information / clarification, please feel free to contact us

Thanking you again for your enquiry and faith reposed in our product.

Yours sincerely,
For Industrial Tooling Techniques

Kundan Singh Mobile: +91-8527578367 Kundan.singh@ittindia.co.in





Office No.-10, 2nd Floor, Ramneek Complex,NIT, Faridabad, Haryana Phone- 0129 4142927, Email- sales@ittindia.co.in, <u>www.ittindia.co.in</u>

OFFER FOR FS-CURTIS SCREW AIR COMPRESSOR

Sr.	Description	Discounted Rate	Qty.	Amount
1	FS Curtis make Oil Lubricated inbuilt variable drive Screw Air Compressors Model: FASV-22-A145 Motor Power: 22 kw (30 HP) Free Air Delivery: 48-120 CFM @10 bar Drive: Belt Driven Motor Efficiency: IE3 Starting method: Star-Delta Noise Level: 70 dBA Weight: 600 kg.	6,10,000	1	6,10,000
2	Vertical Air Receiver Size: 1000 Ltr. Working Pressure: 13 bar	68,000	1	68,000
3	Refrigerated Air Dryer Capacity: 150 Cfm	1,08,000	1	1,08,000
4	Downstream Filters Capacity: 201 Cfm	10,900	2	21,800

General Terms & Conditions

Taxes & Duties: The above prices are Ex Works, PUNE / Ex-warehouse in India.

GST: Extra as applicable. 18%

Delivery: Within 6~8 Weeks, Ex Works, Pune from the date of receipt of your technically and commercially clear Purchase Order along with advance.

Packing Forwarding Freight & Transit insurance charges: Packing and forwarding is charged @ 2% of basic order value, Freight & Transit Insurance charges and duties if any thereof, shall be directly paid by you to freight forwarder or vendor.

Supervision of Erection and Commissioning: No extra charges for commissioning, our engineer will commission the machines after receipt of your confirmation against site is ready as per our pre-commissioning guidelines. Please provide a separate Work Order for the Supervision of Erection and Commissioning work.

Warranty: 12 months from the date of commissioning or 18 months from the date of dispatch or 4000 running hours, whichever is earlier for the Equipment supply only.

Our Liability Under This Warranty Is Expressly Limited to Repairing or Replacing at Our Option and Components/Parts, Which Upon Inspection Found to Be Defective. This Warranty Does Not Cover Normal Wear and Tear And/or Any Damage That May Be Caused Due to Misuse or Mishandling And/or Negligence in Operation And/or Maintenance.

Payment terms: 50% non-refundable advance along with technically and commercially clear Purchase Order, balance with 100% applicable taxes & duties against proforma invoice, at least "7" days prior to dispatch.

Validity: This offer shall be valid for a period of 30 days; the validity can be extended with our written consent. In case you need any further clarifications please feel free to contact us.

Assuring you of our best support and services, For Industrial Tooling Techniques
Kundan Singh
Mobile: +91-8527578367

Mobile: +91-8527578367 kundan.singh@ittindia.co.in





VMHPL/FBD/Battery/2021/6297

4th Oct. 2021

M/s Varahamurti Flexirub Industries Pvt Ltd Halol Gujarat

Kind Attn:- Mr.Rajat Rao Phone No.- 9919711115 Email Id: - rajat@springfit.com

Dear sir

Sub:- Your requirement of OM BATTERY OPERATED FORKLIFT TRUCK

We thank you for your valued enquiry.

COMPANY PROFILE:

We have pleasure in introducing ourselves as a part of the *World # 2 KION GROUP*,in Material Handling Equipment(MHE)Business Material Handling Equipment Pvt. Ltd., a joint Venture between *KION Group of Germany*, focuses and caters to the ever growing Materials Handling Equipment Business in India.

KION is a market leader in Europe and provides Forklifts and Warehousing Equipment worldwide. With its Head-quarters in Germany, KION employs over 20,000 people across its 12 manufacturing units and has Sales & Service Network in 100 countries worldwide. It has a net sales of more than Rs.24,000 crores. The new JV company stands for sustainable and profitable growth by focusing in the Indian market. The JV company envisages to sustain its leadership position in India in the Unitized Material Handling segment. With brands such as Linde, STILL, Fenwick, OM, Baoli, KION is truly a Global Player and has set a benchmark for Quality, Innovation and Profitability in the Materials Handling Equipment Industry.

IPL is market leader in India with over four decades of rich experience in the Material Handling and has Product Offerings like Counter Balanced Forklift trucks and Warehousing Equipments. The company representatives are in close contact with its esteemed customers through its wide Sales and Service network of 14 branches / 30 dealerships and over 50 touch points across India ensuring total customer satisfaction.

KIPL as engineer of change is here to mould the future, as future is where OM Material Handling would want to be.

Giving the Industry a much needed lift !!!!!!!





KIPL PRODUCT PROFILE:

Diesel Operated Forklift Trucks

: Capacity 1500 to 16000 Kg

Battery Operated Forklift Trucks

: Capacity 1500 to 3500 Kg

Range of Hydraulic and Mechanical Attachments to suit customized applications.

Own Manufactured WareHousing Equipments:

Manual Stacker

: Capacity 1000 Kg

Semi electric Stacker

: Capacity 1200 Kg

Hand Pallet Trucks

: Capacity 2500 Kg

Battery Operated Pallet Trucks

: Capacity 2000 Kg

Battery Operated Stackers

: Capacity 1500 Kg

Battery Operated CB Stackers

: Capacity 1200 Kg

Battery Operated Tow Trucks

: Capacity 6000 / 8000 Kg

MAX Range of WareHousing Equipments:

Battery Operated Pallet Trucks

: Capacity 2000 Kg

Battery Operated Stackers

Capacity 1500 Kg

Battery Operated Reach Trucks

: Capacity 1600 Kg

PRODUCT / APPLICATION REQUIREMENTS:

Details
Battery
2000
4500
Pallet Handling
Yes





TECHNICAL SPECIFICATIONS:

Model	EVX 20 HVT 2125 (AC/DC) max
Quantity	01 Unit
Rated Capacity	2000 Kg at 500mm Load center
Capacity	2000 Kg at 500mm Load center at Ground Level & Upto 3300mm Lift Height without attachments.
	Refer leaflets for derated capacities at higher MFH.
Mast	Type of Mast : 3 Stage Triplex
	Overall Mast Height :2125 mm
	Maximum Fork Height :6090 mm
	Free Fork Height :2140 mm
	Overall Extended Mast Height with LBR :7335 mm
	Tilt angle (Forward/Backward) :3 /5
Major Dimensions	Overall length with forks: 3170 mm
	Overall width :1150 mm
	Turning Radius :1900 mm
	Canopy Height :2140 mm
Forks	Length x Width x Thickness: 1000 x 100 x 45
	Fork Spread :200- 960 mm
Performance	Travelling Speed :11 kmph
Parameters	Hoisting Speed : 0.25/0.35
	Lowering Speed :0.45/0.4





Traction Battery	48 v/550 ah
Drive Motor	AC Drive
Steering	Hydrostatic Power.
Tyres	Solid. Front – 2 nos / Rear – 2nos.
Standard Accessories	 Pair of 1000mm long forks. Set of Lights (2-Front / 2-Rear) Signal Lights (2-Front/ 2-Rear) Load Back Rest Reverse Alarm Seat Belt Tool Kit Overhead Guard Cloth Tarpulin
Optional Accessories	NA NA



PRICE SHEET:

A) Price of Truck With Standard Accessories:

MODEL EVX 20 HVT-2700 (AC/DC) MAX (Rupees Eight Lakh Twenty Thousand Only)	INR 820000
B) Price for Battery Charger:	E
Battery Charger	INR (66,000)
In Words (Rupees Sixty Six Thousand only)	

FREIGHT CHARGES :- EXTRA

GST @ 18 % :- EXTRA

Delivery-Ex-Stock subject to prior sale

Standard Terms & Conditions:

PRICE: The prices quoted are for delivery Ex-our works Pune basis & exclusive of all taxes, duties etc. which will be payable by you extra as applicable at the time of supply.

GOODS AND SERVICE TAX: The prices quoted are exclusive of Goods and Service Tax and the same will be payable by you extra as applicable at the time of supply. The current rate of Goods and Service Tax is 18%. Any variation thereof at the time of delivery of the



Head Office: Plot No.: 847, Sec-69 IMT, Faridabad, Haryana (121004), +91-129-2555830

Branch Office: E-22/B1 Extn. Mohan Co-operative, Mathura Road, New Delhi-110044 | Ph. +91-11-41607788



forklift will be to your account. Please provide your GST / PAN registration details at the time of placement of your order.

DELIVERY: 4 to 6 Weeks **Ex-Works**, **Pune** subject to prior sale from the date of receipt of Techno-Commercially clear & firm order & along with requisite advance.

FREIGHT: To be arranged by you from our Pune factory or alternatively shall be charged extra on invoice as per KION India prevailing freight charges. In case it is charged on the

invoice, we shall be levying GST on the freight element. The rate of GST will be same as that applicable to the Equipment. Unloading the equipment from the lorry into your factory premises has to be done by you at your cost.

OCTROI/ROAD TAX/ENTRYTAX, etc.: Such local charges referred to by any name, if applicable, shall be paid directly by the consignee to the concerned authorities directly.

ROAD PERMIT / E SUGAM, etc. : Where applicable you will provide Road Permit, E Sugam, etc. on time to facilitate smooth movement of goods into the state desired by you.

INSPECTION: If so desired by the customer, we can organize for inspection of the equipment at our factory prior to dispatch, subject to mentioning the same in the PO. Inspection call release date to be considered as date of readiness of machine.

TRANSIT INSURANCE: Transit insurance to be covered by customer. However, should you specifically desire us to cover transit insurance, on your behalf, we will do so, provided there is such stipulation in your order and our charges to cover transit insurance would be at 0.5% extra. In case it is charged on the invoice, we shall be levying GST on the insurance element. The rate of GST will be same as that applicable to the Equipment.

PAYMENT TERMS: 35% advance with order, 65% along with full taxes & duties against Performa invoice prior to dispatch. As per the GST Act, advance paid by you is presumed to include the element of GST at the rate of 18%. We shall be paying this GST amount to the Government. All payments should be made in the favour of KION India Pvt. Ltd. /UNITY EARTHTECH Interest @ 21% per annum will be charged for delayed payments from the due date as stipulated in the Purchase Order or that mutually agreed upon.

WARRANTY: We hereby warrant to the Original purchaser that the equipment is free of all manufacturing defects. The equipment is covered by our standard warranty from a period of 12 months or 2000 hrs. Against defective material & workmanship from the date of invoice whichever is earlier.

Parts replaced or repaired during the warranty period are warranted to be free from defects. However the warranty for these parts is valid only for the remaining period of warranty of the original product.

The scope of the warranty shall be generally as per the Warranty Certificate issued along with the despatch documents. Warranty stands VOID if the equipment as whole or part is



modified or altered in any manner, either temporarily or permanently under any circumstances without written permission of the manufacturer or usage of non-genuine parts / consumables not procured from KION India Pvt Ltd authorized dealers. Damages or repairs or replacements necessitated due to negligence, misuse, overloading or willful damage to the equipment or damage due to force majeure circumstances shall be out of purview of the suppliers warranty obligations. KION shall not be responsible for any consequential damages / claims / losses / arising out of improper use/maintenance of the equipment to the man/machine/property/materials.

ORDER PLACEMENT:- We request you to place your Purchase order on Unity Earthtech (Plot No:- 847, Sector- 69, IMT, Faridabad)

PROPERTY: Not withstanding anything to the contrary contained in any part of this quotation, with the delivery of the dispatch documents or where the dispatch is arranged by the purchaser's own agent, with the handing over of the goods to such agent, the property in the goods will vest in the purchaser.

SPECIFICATIONS: Specifications of the equipment offered are as detailed in the offer and include such attachments only as are clearly specified in our quotation. Leaflets/Photographs enclosed are for illustration purposes only.

JURDISICATION: In the unlikely event of a dispute between us, the same shall be handled under the jurisdiction of Pune limits only.

ARBITRATION: In the event of any questions, dispute or differences arising out of the conditions of the contract, the same shall be referred to an arbitrator. The award of the arbitrator will be deemed as final and binding on the parties to the contract.

VALIDITY OF OFFER: 30 days from date of submission and subject to written confirmation thereafter.

STATUTORY VARIATIONS: Any increase in the existing Duties/Taxes/Levies or any fresh implications of Duties/Taxes/Levies by the Central / State Governments will be to the Purchaser's account.

FORCE MAJEURE: While every effort will be made to carry our obligations of the contract based on this quotation, the suppliers will be subjected to the Majeure conditions namely any war declared or undeclared, Hostility, Acts of Public Enemy, Civil Commotion, Sabotage, Fires, Floods, Explosion, epidemics, quarantine production or distribution restrictions, Government restrain, Act of Legislature, Accidents, rioting, disorganization by labour, energy cut, Non-availability of raw materials, go-slow, earthquake, droughts, priorities, licensing control, breakdown of essential machinery, rejection of important work piece and any other Act of God herein after referred to as events then provided notice of happening of any such event is given by either party to the other within 21 days from the date of such occurences. Neither party shall by any reasons of such events be entitled to terminate the contract nor shall either party have any claim for damages against the performance and deliveries under the contract. If the performance in whole or in part any

obligation under the contract is prevented or delayed by reasons of any such event for a period exceeding 90 days, either party may at its option, terminate the contract with mutual concurrence but without any financial implications.





Compliance and Jurisdiction:

1. The KION Group Code of Compliance implemented within KION Group and its brands is an expression of the legal and ethical standards embodied in the excellence KION strives for throughout all of its businesses, and which KION and its brands expect in return from its business partners. The KION Group Code of Compliance (the "KGCC") together with its KION Compliance Principles for Independent Partners in KION's Sales & Service Organisation emphasises the commitment to compliance with the law, sets forth basic standards of legal and ethical behaviour, and forms an integral part of this Communication / Offer / Agreement The relevant link is : >> https://www.kiongroup.com/en/main/investor_relations/corporate_governance/compliance_at_kio n/Compliance.jsp 2. Any dispute arising out of or in connection with the Contract shall be subject to jurisdiction of Pune Court. 3 . Notwithstanding any other clause of the Contract, the Delivery of the goods to you or your Order, will be subject to our Credit and Risk Assessment of your Company / Firm,

and you may be requested to provide us with an upfront payment for the value of the invoice, depending on the result of our Assessment.

CANCELLATION OF ORDER: Order placed on us shall be firm and final. In the event of any order cancellation by the customer for no reasons attributable to KION and if delivery of the equipment is not taken within the pre-agreed delivery period, the 100% advance payment received with the order shall be forfeited by KION as order cancellation charges.

Yours Sincerely,

FOR UNITY EARTHTECH S.K BEHAL 9999126642, 9250001445







TECHNO-COMMERCIAL PROPOSAL

DATE: 23-09-2021

QUOTATION REF NO.: Q000-2730

ORGANIZATION NAME: Varahamurti Flexirub Ind. Pvt Ltd.

CUSTOMER NAME: Gurpreet Singh EMAIL ID: gs@springfit.com MOBILE NO.: +919711822282 BILLING ADDRESS: Halol, Gujarat

DER HANDLER: Satyam Tyagi.

AIL ID: satyam.tyagi@toshiautomatic.com

CONTACT NO: +919311483990

Dear Gurpreet Singh,

Greetings from Identimatic, a brand of Toshi Automatic Systems Pvt. Ltd. (TASPL)!

We thank you for the interest shown in our products and value the opportunity to present our techno-commercial proposal to you. The proposal consists of the following:

- 1) Introduction
- 2) Identimatic Product Range
- 3) Techno-Commercial Offer

Should you require further information at this time or have any questions, please do not hesitate to contact us. We look forward to our business collaboration in the near future.

Thank you, and assuring you of our strongest commitment to successfully service your requirement.

Rest Regards, Lentimatic Team (A brand of TASPL)

Siddhant Sachdev





1) Introduction about our Company

We are pleased to introduce ourselves as one of India's oldest and most trusted automation companies, with a legacy that spans over two decades.

Since our inception in 1992, TASPL has evolved to establish itself as a thought leader and innovator in the field of Entrance Automation, operating under the brand of Identimatic. With deep-rooted expertise in conceptualizing, designing, manufacturing, supplying, and maintaining automation products, solutions, and services for application in Industry, Public Safety, and Mass Transit, we are working tirelessly to fulfill our vision:

To establish indigenously designed automation products, solutions, and service standards as the benchmark for the world.

Our comprehensive portfolio under the Identimatic brand includes:

Rolling Shutters High-Speed Doors Dock Levelers Dock Shelters Entrance Gates Sliding Doors Fire Doors Hangar Doors Operators & Accessories	Flap Barriers Turnstiles Swing Barriers Speed Gates Boom Barriers Bollards Road Blockers Tyre Killers	Platform Screen Doors AFC Turnstiles Border Control Gates Immigration Control Gates
--	---	---

Our state-of-the-art manufacturing and warehousing facility spans over 30,000 sq.ft. and is located in Ghaziabad (43 Km south-east of New Delhi). As an ISO 9001:2015, 14001:2015, and 45001:2018 certified company, we lay exceptional emphasis on our quality standards.

Our team of trained professionals comprises electronic, mechanical and design engineers, steered by a veteran management with 35+ years of experience in the automation industry.


Finally, we firmly believe that any equipment is only as good as the maintenance and service it receives and to that end, our team of dedicated customer service professionals is trained to maximize the life of our products and enhance user safety, efficiency and convenience.

We welcome the opportunity to collaborate with your organization and service your requirements below.





2) Identimatic Product Range



ENTIFY TO AUTOMATE





3) TECHNO-COMMERCIAL OFFER

Item Code	Description	Quantity	Supply Price in INR	Item Total	Discount	GST %	Total
PRO3850	Identimatic Dock Leveler - 10T - UDL Identimatic Hydraulic Dock Leveler (Pit Based Series) CE Certified, conforming to European Standard EN1398: 2009 1. Dimensions: 2000*2500 mm 2. Capacity: 10T Uniformly Distributed Load (6T Point Load) 3. Control Panel (3 Phase) with 1 Nos. Push Button operation 4. Set of Rubber Bumper (2 nos. of size: 250 mm * 250 mm * 100 mm) 5. Hinged Lip: 400 mm 6. Does Not Include – Mounting frame for Civil Work	1 Unit	1,69,800	1,69,800	0 %	CGST: 9% = 0 SGST: 9% = 0 IGST: 0% = 30564	2,00,364
PRO4922	Installation / Service Charges Installation Charges for Dock Leveler	1 Job(s)	9,000	9,000	0 %	CGST: 9% = 0 SGST: 9% = 0 IGST: 0% = 810	9,810
Section Subtotal		1		1,78,800			1,88,610
	1					Items Total	1.88,610
		- 1/1/2 1/1/				(

NOTE: *Drawing approval in the client's scope - only after drawing confirmation, production of the particular product will be started (wherever applicable).*

OFFER TERMS:

Payment: Supply Order: 60% of the basic value as advance against stamped and signed PI, 40% plus 100% GST prior to dispatch subject to inspection of goods at our works

Installation Order: 100% within 15 days of commissioning or 30 days from supply, whichever is earlier

Delivery Note: 2-3 Working Weeks (approx.)

Freight: Extra as per actual in client scope

Unloading: In client scope

Warranty: 12 months from date of invoicing against manufacturing defects only.

Exclusions: Civil and RCC work, along with provision of power cable will be in client scope.

Offer Validity: 23-01-2021



Toshi Automatic Systems Pvt. Ltd.



TERMS AND CONDITIONS

INSTALLATION CONDITIONS

- · Installation can start only after site readiness written confirmation received from client. Once site readiness written confirmation received, Installation Team will be mobilized on site with in 5 - 6 Days, unless otherwise notified by TASPL team by email.
- · For any reason installation team required to be demobilize without completing the work, In that case, extra charges would be applicable for remobilization of the installation team.
- MS ISMC Frame structure for installation (where required) will be in client scope unless mentioned in the offer.
- Civil or RCC work for installation is under client scope.
- Any requirement of hydra, forklift, ladder, or scaffolding on site will be in client scope unless mentioned in the offer.
- Provision of free electric point should be made available near work/Installation place.
- · At the time of storage at site or warehouse for perpetuate periods, if material damaged then repairing/replacement cost will be in client scope and due to this re-painting required will be in client scope.

DELIVERY & TRANSPORT

- Subject to the approval of site conditions, measurements, technicalities, and receipt of an advance payment as per PO terms.
- The delivery period to be provided at the time of order finalization (subject to change due to customs clearance and import delays) and considered after drawing approval by the client.
- · Customer shall inform via email, fax letter about the delivery of damaged goods (if any) within 3 working days of receiving material at the site, and mention on invoice with photographic evidence.
- Any claim towards discrepancies must be brought to our attention within 8 working days of material delivery.
- · If the customer postpones the delivery for any reason, TASPL will shift finished goods in dispatch warehouse and raise the Invoice for next due payment as per P.O. terms and 1% stocking charges plus tax will be charged, per week on total product value.

- · Drawings submitted after confirmation of the order.
- The above offered value is by considering the above sizes and quantity, if the sizes and quantity of the products varies the prices will vary accordingly.
- All product correct sizes & measurements to be provided by client. TASPL will prepare the drawings, client will approve the same. Product will be manufactured as per approve drawing sizes.
- Unloading, safe storage, bringing goods to the installation location, and alterations in the structural column are under client scope.
- · Refurbishment of goods like rust removal, re-painting, etc., as well as welding tool requirements at the site, will be under the client's scope.
- Shortage of material due to theft, misplacement, improper storage, pilferage is under client scope.
- Interest of 24% per annum will be charged in case the payment is not made as per agreed terms.

SITE PROVISIONS - CIVIL & ELECTRICAL

- · Electrical power supply (single-phase/three-phase) through a separate MCB upto the point of installation is by the client at their
- · Cables, conduits, flexible hoses, or cable trays required for installation of goods and accessories will be provided by the client at their expense.
- Stable and spike free power supply through stabilizers or spike protectors to the installation site is at the client's expense.

GENERAL WARRANTY

- · Unless specified otherwise, TASPL warrants to you that "Identimatic Products" will be free from defects in materials and workmanship affecting normal use for a period of 12 months as applicable from invoice date ("Standard Warranty") or as mentioned in commercial offer. This Standard Warranty does not cover damage, fault, failure or malfunction due to external causes, including accident, abuse, misuse, problems with electrical power, servicing not authorized by TASPL, act of God, any attempt by any person other than TASPL personnel or its authorized partners, or any person authorised by TASPL, to adjust, repair or support the Products and problems caused by use of parts and components not supplied by TASPL
- · Warranty will be void if supply / installation payment is not made on time as per agreed payment terms.
- · Warranty is Void against any power supply malfunction or physical damage to the equipment
- · Liability restricted to rectification of equipment subject to cause of failure attributable to manufacturing defects only return to bench (Ghaziabad factory/Warehouse)
- Factory/warehouse Acceptance is final acceptance. Thereafter our liability is restricted to obligations arising of warranty

FORCE MAJEURE & JURISDICTION

· All terms subject to Ghaziabad, U.P. jurisdiction





MECHATRONICS INTERNATIONAL

Your Challenges Our Progress



MECHATRONICS INTERNATIONAL PLOT NO. 31/1/1, SHAHPUR ROAD, SIKRI, BALLABGARH-121004 Mail: parshant@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999678428

DATE :- 1 Oct 2021

Quotation: - MI/21/A226

TO

Mr Nitin Varahamurti Flexirub Industries Pvt Ltd

Subject: - Quote for Gantry Spray System with Conveyor

This is with reference to your inquiry regarding the requirement of Gantry Spray System with Conveyor .As per your requirement we are pleased to submit the most competitive OFFER for you reference and favourable discussion.

S.NO.	DESCRIPTION	QUANTITY	Unit PRICE	Total Price
<u>1</u>	Gantry Spray System with Flipper :-	<u>1 Nos</u>	10,80,000/-	10,80,000/-
	 Two part system : Gantry with conveyor & Assem Cum Flipping Conveyor system. 	bly		
	 Total 6 Nozzle arrangement in Gantry system with axis (UP/DOWN) travel upto 500mm with column 			
	 All three nozzles Y axis travel within 2200 mm. 	Alta de la companya della companya d		
	Each spray nozzle weighs upto 5 kg Approx			
	 750/400 watt servo system, Make : Delta or equivalent. 			
	 131072 encoder resolution servo motor, equivalent to 17 bit encoding. 	ent		
	 4 servo motor system, 2 on nozzle left & right traverse and one on Z axis travel and remaining of on conveyor 	ne		
	 Spray Nozzle travel , Z axis movement via Rack and Pinion. 	d		
	Rigid Gantry structure system.	6/40		
	 Conveyor system with total length: 9.5 metre (including flipper assembly) 		27 E. 10	*
	Gantry Conveyor length : 5 metre			
	 Flipping conveyor length: 4.5 metre 			
	 Flipping conveyor motor: Bonvario: Italy. 			
	 Total width of conveyor: 2200 mm. 			
	Belt 2000mm width.			
	 Belt thickness 2mm, rough top pvc, with bottom s 	ide		



MECHATRONICS INTERNATIONAL

YOUR CHALLENGES our progress

MECHATROPICS INTERNATIONAL PLOT NO. 31/1/1, SHAHPUR ROAD, SIKRI, BALLABGARH-121004

Mail : parshant@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999678428

	guides attachment for easy conveyor tracking.		
	Conveyor Linear speed from 1 metre per minute to 20		
	metre per minute.		
	 Each Spray Nozzle maximum linear speed from 300mm/sec to 400 mm/sec. 		
	a via and conveyor based flipping assembly for		
İ	flipping of puf board.		
	 Includes interlock sensors for the complete 		
	automised process.		*
	 Motion Controller make : Delta or equivalent 	A STATE OF THE STA	
	 Servo system on high speed DMCNET Design 		
	(150Mbps speed of transmission).	Street Street	
	 2 set of each input and one output card of 16 Di and 		
	16 Do, i.e. total 32 DI & 16 DO.		
	 Switching devices to Be OMRON or equivalent. 	and Market	
	 HMI Make: Delta or equivalent, 7 inches 		
	 Servo Driven Conveyor System. 		
	 Through out speed and position sync of the system. 		
	Absolute Servo & Motion system.		
	 Total Gantry and Conveyor combined wattage: 4.5KW 		
	-5KW.		
	 Fully integrated system with provision of Tank holding 		
	structure.		1
	Rigid and robust Design.		
	Roller Conveyor (Powerized):-	34 Nos 62,000/-	21,08,000/-
3.			
	 Length of Conveyor 2.2 Metre. 		
	 Width of conveyor 2.2 Metre. 		1
) .	 Roller Conveyor Type. 		
	 Motor and Gearbox, Bonvario: Italy. 		
	 Half HP Gear Box and motor for power. 		
	 Dia 50 or approx. Roller diameter. 		
	 PU belt driven system. 	10.00	
	 Total No. of rollers: 14 Nos 		
	 MS fabricated system. 		
	 Rollers to be Blackodized. 		
		3	
	2 3	1	1



MECHATRONICS INTERNATIONAL

Your challenges our progress MECHATRONICS INTERNATIONAL PLOT NO. 31/1/1, SHAHPUR ROAD, SIKRI, BALLABGARH-121004

Mail: parshant@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999678428

4.	Roller Conveyor, Powerized with 90 degree Cross Traverse:-	<u>17 Nos</u>	1,30,000/-	22,10,000/-
	 Length of conveyor 2.2 metre 			
	Width of conveyor 2.2 metre	ia.		
	Roller type conveyor (Dia 50mm approx).			
	11 Rollers in total within single unit.			
	Motor and Gearbox, Make : Bonvario Italy.			1
	1HP motor and gearbox.	NE.		
	4 nos, cross belt conveyor sub-assembly for 90 degree			1
	movement.		7 (1)	
	Belt Width : 100mm.			
	Single Motor Driven Technology.		694.40 A. 17	
	 Pneumatic based system for Belt conveyor Assembly 		7 (S.)	
	up/down movement for 90 degree traverse.	.va.		
	(electrical actuator also available on extra cost).			
	Janatics Make : Pneumatic cylinder.			
	 Highly rigid structure, low maintenance design. 		2.2	
-	Belt Conveyor With Free Rotating QC table :-	2 Nos	2,10,000/-	4,20,000/-
<u>5.</u>		2 1005 Taylor	2,10,000	1120,0007
	Conveyor length :- 2.5 metre	8		
	Width :- 2.2 metre			1
	PVC 2 mm Belt on the conveyor.			
	 Centrly placed Free Rotating type QC plate, supported 			
	by Cylinder for UP/DOWN, dia 500 mm.			
	 1 HP gearbox and Motor Power for drive 			
	 Variable frequency for Speed variation, with PLC logic 			d d
	inbuilt			
	 Push Button station for operation selection between 			
	flipping and QC check.			× .
	MS fabricated structure.			
	Painted Structure.			
<u>6.</u>	Flippers with Conveyor :-	3 Nos	3,28,000/-	8,40,000/-
-		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
	 Length :- 4.5 metre 			
	 Width :- 2200 mm. 			
	 PVC 2mm Belt On the conveyor. 			
	 1 HP Gearbox Motor, Make : Bomvario ; Italy or 			
	equivalent.			
	Drive for variable frequency.			



MECHATRONICS ENTERNATIONAL

Your Challenges Our Progress MECHATRONICS INTERNATIONAL PLOT NO. 31/1/1, SHANPUR ROAD, SIKRI, BALLABGARH-121004 Mail :- parshant@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999678428

	 Push Button station for operation selection. MS fabricated structure. Painted structure. 			
<u>7.</u>	Inclined Conveyor:	1 Nos	3,00,000/-	3,00,000/-
	 Width: 2200 mm. 			
	 Length of the conveyor and degree of inclination will be decided as per the final assembly of the system. 			
	 MS fabricated structure. 		vikes ***	
	 Painted structure. 1HP driven motor and Gearbox with Variable 		and the contract of the contra	
	frequency drive.			
	Rigid design and low maintenance.			
	a la		- 19 - 15 - 15 - 15 - 15 - 15 - 15 - 15 - 15	
	Completely integrated system including wiring. All sensor to be OMRON make.			



MECHATRONICS INTERNATIONAL PLOT NO. 31/1/1, SHAHPUR ROAD, SIKRI, BALLABGARH-121004 Mail: parshaut@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999678428

Terms and conditions:

1. Price and Government levies

The above price is ex-works Faridabad GST @18% in lieu thereof and other Governmental levies as applicable at the time of dispatch charges will Be extra

2. Packaging and Forwarding charges

Packaging and forwarding charges will be account to your at actual

3.Warranty

The machine will be warranted for satisfactory performance and for any Inherent material and manufacturing defects of the same for a minimum Period of one year, from the date of dispatch for your works

4.Insurance

If you require, we can arrange to insure the goods at the time of dispatch, Covering all risks from our work to the destination and the insurance Charges will be debited to your account

5. Delivery

10-12 weeks weeks after PO and advance.

6. Payment

30 % Advance

12% on 22 nos Powerised Roller Conveyor Delivery

12% on 21 nos Powerised Roller Conveyor Delivery

12% on 20 nos Powerised with 90 degree turn conveyor Delivery

19% on 2 Nos Quality Conveyor, 3 Nos Flipper Conveyor, 1 Nos Inclined Conveyor Delivery

10% on Delivery of full set.

5% After install and validation.

Note: Amount of GST will be cleared with the corresponding invoice raised alongwith respective delivery payment.

7. Erection and commissioning

Our engineer will be disputed for the erection and commissioning of the system.

The validity of this quotation will be 1 week from the date of Quotation

9. Trial

All the materials which will be used in trial process will be provided by the Customer or the amount will be charged extra.



MECHATRONICS INTERNATIONAL PLOT NO. 31/1/1, SHAHPUR ROAD, SIKRI, BALLABGARH-121004 Mail: parshant@mechatronicsinternational.in

Web: www.mechatronicsinternational.in www.mechatronicsinternational.com Cell: +919999578428

Thanking you

For Mechatronics international

Parshantvashishtha (9999678428) – parshant@mechatronicsinternational.in Email-Mechatronicsinternationals@gmail.com

BANK DETAILS:-

ACCOUNT NO.:- 661305600326

BANK :- ICICI BANK IFSC CODE :- ICIC0006613

BANK BRANCH: - BP35, NEELAM BATA ROAD, NIT, FARIDABAD.



To Spring Fit Kaushambi, Ghaziabad.

Kind Attn.: Mr. Gurpreet Singh



Ref No.: ESPL/21-22/9896R Dated: 17th May, 2021

. No	Item Descrption	Unit	Qty	Price	Total	Reference Furniture Image
1	Back to Back Workstation without Pedastal: Sizes:-1050mm (L) x 600mm (W) x 750mm (H) Top of 25mm the Board with laminate on top & white balancing laminate below & Side Edges finished with PVC Edge banding With glass screen on Studs. Frame in MS square pipe of 40mm x 40mm.	Nos.	10.00	5,300.00	63,000.00	
2	Linear Workstation without Pedastal: Sizes:-1050mm (L) x 800mm (W) x 750mm (H) Top of 25mm thk Board with laminate on top & white balancing laminate below & Side Edges finished with PVC Edge banding With glass screen on Studs. Frame in MS square pipe of 40mm x 40mm.	Nos.	10.00	6,950.00	e9,500.00	
3	Pedastal (3 Drawers) :400mmW x 450mmD x 700mmH		20	3,850.00	77,000.00	
4	Executive Table: Table Size:- 1650mm L x 750mm D x 750mm Ht. Top of 25mm thk PLPBoard with laminate and 2mm PVC Edge Banding. MS frame of Square pipe 40x40mm duly powder coated with front Modesty 450mm ht. Side Storage: 18mm PLPB with Openable shutters.	Nos.	5.00	15,500.00	77,500.00	Y I
5	Storage: Size: 1200mm W x 450mm D x 1200mm Ht. Top: 18mm Thk PLP Board with Edge Banding. Openable Doors with necessary hardwares.	Nos.	10	9,800.00	98,000.00	
. 6	Revolving Chair: Back Frame in Moulded PP, PU moulded Cushion on Seat, Nylon Mosh in Back with PP 'T' arms, Nylon base, Push Back Mechanism & Gas Lift	Nos.	30.00	3,000.00	90,000.00	
	1		1			

Terms and Conditions:

/ 50% Advance and balance before dispatch.

/ 0ne year Onsite warranty against any manufacturing defect.

Delivery within 2 - 3 weeks from date of technically and commercially clear order.

Transportation charges and installation extra as actual.

GST Extra As Actual

For ERGO SENSE PVT. LTD.

Vinita Bhatia 9958853569