REGISTERED

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg. No. - 10A, Block - LA, Sector-III Salt Lake City, Kolkata-700 098



Consent Letter Number:		8.		
Memo Number: 7291-W-Ce	- h	16/00	17	

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred 26 of the Water (Prevention and Control of Pollution) Act, 1974, as an of Pollution) Act, 1981, as amended and Rules and Orders made the	amended and Section 21 of the Air (Prevention and Control ereunder, hereby grants its consent to:
M/s. TIL Limited. VEST BE	NGAL
	(Address of Regd. office/Head/Office/City Office)
(hereinafter referred to as Applicant) for its unit located at	6, Vill + P.O Changual, P.c.
	(Detailed address of the manufacturing unit)
for a period from Date of issue	to 31.10.2023
to operate the industrial unit and to discharge liquid effluent and to e trial unit, in accordance with the conditions as mentioned in the Arinstance the quantity and quality of liquid discharge and gaseous emit the Table I & II of this consent letter and in the Environmental (Pro-	emit gaseous effluent from the premises/land of the indus- nexure to this consent letter provided on any day at any ission shall not exceed the permissible limit as specified in tection) Act, 1986.
Breach of the conditions and / or failure to comply with th	e directions as set out in the Annexure shall render the

applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

West Bengal Pollution Control Board Seal) aldia Regional Office Super Market Building Durgachak Haldia Dist Purba Medinipur

For and on behalf of the State Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer

West Bengal Pollution Control Boat

Regional Office

NH-6, Vill + P.O.- Changual, P.S.- Kharagpur (L), Dist- Paschim

Medinipur, Pin- 721 301.

Table-I

Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling	
01 Domestic			Between: 5.5- 9.0	Yearly	
		Total Suspended Solids	Not to exceed: 100 mg/1.		
a'.		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed: 30 mg/1.		
`	2	Chemical Oxygen Demand	Not to exceed: 250 mg/1.		
12		Oil & Grease	Not to exceed: 10 mg/1.		
·					
<u> </u>	- E				
				20	
	* 11	MESTOR		<u> </u>	
		- WEST BEN			
- E - S				i os	
21			THE BEST OF THE STATE OF THE ST		
1/4				8	
				12 67	
0 - 1					
	20 22		The state of the s	. i	
ű.					
		Classification Classification		7.7	

- 10. Daily water consumption for the following purposes should not exceed :-
 - Industrial cooling, spraying in mine pits and boiler feed water → KI
 (Water used for gardening should be included in this category of use)
 - Domestic purpose → 20 KL
 - Processing whereby water gets polluted and the pollutants
 are easily biodegradable
 - Processing whereby water gets polluted and the pollutants are not easily biodegradable

.....KL

The Applicant shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Asst. Env. Engr. / Asst. Env. Engr. / Asst. Env. Engr. / Asst. Env. Engr. / Control Environmental Engr. / Control Engr

West Bengal Pollution Control Board Regional Miles

Consent to	M/s.	TIL	Limited.				
for its unit at	NH-6,	Við1	+ P.O	Changual	, P	•S. Kharagpur (L)	
	Dist-	Pasc	him Medir	iipur, pi	n –	721 301.	5

- 14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.
- 15. The Applicant shall observe the following fuel consumption pattern:

Sl. No	Type of fuel	ype of fuel Quantity consumed per day Fuel burning operation where the fuel is a		
01		1		
02				
03				
04	п			
05				

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below:-

Type of waste	pe of waste Quantity Treatment		Disposal	
Hazardous Waste	30 TPM		sold to authorized	

17. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below:-

Time 10	Limit in dB(A) Leq
Day Time (06 a.m. to 0 p.m.)	76
Night Time (69 p.m. to 06 a.m.)	70

- 18. The *Applicant* shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.
- 19. The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.
- 20. The *Applicant* shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the *Applicant* to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the *Applicant* shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.
- 21. The *Applicant* shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.
- 22. The *Applicant* shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23. The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

(Member Secretary/Chief Engr./ Sr. Env. Engr./Env. Engr. / Asst. Env. Engr.)