

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
124	BP67-70	φ50	GI PIPE	GI	STORE 1	4
125	BP71-79	φ40	GI PIPE	GI	STORE 1	9
126	BP80	φ80	GI PIPE	GI	STORE 1	1
127	BP81	φ80	GI PIPE	GI	STORE 1	1
128	BV1	φ200	SV	CAST IRON	STORE 1	1
129	BV2-3	φ100	SV	CAST IRON	STORE 1	2
130	BV4-6	φ100	NRV	CAST IRON	STORE 1	3
131	BV7-12	φ150	SV	CAST IRON	STORE 1	6
132	BV13	φ80	SV	CAST IRON	STORE 1	1
133	BV14	φ100	NRV	CAST IRON	STORE 1	1
134	BV15 - 16	φ150	NRV	CAST IRON	STORE 1	2
135	BV17	φ200	NRV	CAST IRON	STORE 1	1
136	BV18	φ150	AV	CAST IRON	STORE 1	1
137	BV19	φ100	AV	CAST IRON	STORE 1	1
138	BV20	φ250	NRV	CAST IRON	STORE 1	1
139	BV21	φ350	SV	CAST IRON	STORE 1	1
140	BP385-390	φ800*5.5M	PIPE	CAST IRON	OUTSIDE	6
141	BP 391	φ200*5.5M	PIPE	CAST IRON	OUTSIDE	1
142	BP392	φ150*1.0M	PIPE	DF	OUTSIDE	1
143	BM393	..	WATER TANK	..	OUTSIDE	1
BASHUDEBPUR STORE NO. 2(USABLE MATERIAL)						
1	BM 1-4	φ200	JP COLAR	CAST IRON	STORE 2	4
2	BM 5- 24	φ80	LRC	CAST IRON	STORE 2	20
3	BM 25-44	φ100	LRC	CAST IRON	STORE 2	25
4	BM45-46	φ400	JP COLAR	CAST IRON	STORE 2	2
5	BM 47	φ250	LRC	CAST IRON	STORE 2	1
6	BM48-50	φ80	DT JOINT	CAST IRON	STORE 2	3
7	BM 51-55	φ100	LRC	CAST IRON	STORE 2	6
8	BM 56	φ200	JP COLAR	CAST IRON	STORE 2	1
9	BM 57-58	..	WHEEL	CAST IRON	STORE 2	2
10	BM59-64	..	WATER TANK	FIBER	STORE 2	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
11	BM 65-66	..	HOSE PIPE	FIBER	STORE 2	2
12	BM 67	..	CHAIN PULLEY WITH D CYCLE	CAST IRON	STORE 2	1
13	BM68	1135M3/HR	CF PUMP		STORE 2	1
14	BM 69	..	ROPE	ROPE	STORE 2	1
15	BM 70	..	PUMP		STORE 2	1
16	BM 71-76	..	VALVE SPINDLE	CAST IRON	STORE 2	6
17	BM 77-86	..	PUMP SHAFT	CAST IRON	STORE 2	10
18	BP 1-6	80MM	MS PIPE	CAST IRON	STORE 2	6
19	BP 7-11	40MM	GI PIPE	CAST IRON	STORE 2	5
20	BP 12	32MM	GI PIPE	CAST IRON	STORE 2	1
21	BE 1-4		FORWARD REVERSE STARTER		STORE 2	4
22	BE 5-10		DOUBLE POLE TIMER		STORE 2	6
23	BE 11		POWER CONTRACTOR		STORE 2	1
24	BE 12		POWER CONTRACTOR		STORE 2	1
25	BE 13	200A	MAIN S/W		STORE 2	1
26	BE 14-16	200A	HRC FUSE		STORE 2	3
27	BE 17-21		SINGLE PHASE PREVENTER		STORE 2	5
28	BE 22-26	25A	HRC FUSE		STORE 2	5
29	BE 27-28	315A	HRC FUSE		STORE 2	2
30	BE 29-30	200A	GLASS FUSE		STORE 2	2
31	BE 31-43	240MM	LUGS		STORE 2	13
32	BE 44		LIMIT S/W		STORE 2	1
33	BE 45		ROTATING SWITCH		STORE 2	1
34	BE 46-48	100/5	CT		STORE 2	3
35	BE 49		WATER PRESSURE METER		STORE 2	1
36	BE 50		PUMP MOTOR SET1		STORE 2	1
37	BE51		3 POLE COTACTOR		STORE 2	1
38	BE 52-56		MOCB SPARE		STORE 2	5
39	BE 57	100 A	MAIN S/W		STORE 2	1
40	BE 58		LUBRICATING MOTOR		STORE 2	1
41	BE 59		MCPI ALL BEARING WITH SPARE		STORE 2	1

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
42	BE 60					
43	BE 61		SPRING CHRGT MOTOR HT		STORE 2	1
44	BE 62-65		PUMP SET	†	STORE 2	1
45	BE 66-67	50/5.5A	FLOOD LIGHT		STORE 2	4
46	BE 68-69	100/5 A	HT CT		STORE 2	2
47	BE 70	3 STAR	HT CT		STORE 2	2
48	BE 71-72	100/5A	LINE COTACTOR		STORE 2	1
49	BE 73		HT CT		STORE 2	2
50	BE 74	100A	GAS AND OIL RELAY		STORE 2	1
51	BE 75		MAIN S/W		STORE 2	1
52	BE 76	150A	LT O/C RELAY		STORE 2	1
53	BE 77	100 A	CONTACTOR		STORE 2	1
54	BE 78		ISOLATOR S/W		STORE 2	1
55	BE 79	2500 A	DOUBLE POLE TIMER		STORE 2	1
56	BE 80	1250 A	ACB		STORE 2	1
57	BE 81	800A	ACB		STORE 2	1
58	BE 82	2500A	ACB		STORE 2	1
59	BE 83	400A	ACB		STORE 2	1
60	BE 84	400A	ISOLATOR S/W		STORE 2	1
61	BE 85	200 A	ACB		STORE 2	1
62	BE 86	100A	POWER CONTRACTOR		STORE 2	1
63	BE87-92		STARTER		STORE 2	1
64	BE 93	160KW	STARTER		STORE 2	6
65	BE 94		MOTOR		STORE 2	1
66	BE 95		VOLT METER		STORE 2	1
67	BE 96-100	STAR DELTA	PF METER		STORE 2	1
68	BE 101-104		PG STARTER PANEL		STORE 2	5
69	BE 105		OLD STARTER PANNEL		STORE 2	4
70	BE 106		PUMP SET		STORE 2	1
71	BE 107		3PHASE IM		STORE 2	1
72	BE 108-113	25HP	VPUMP		STORE 2	1
			MOTOR		STORE 2	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
73	BE 114-116		PUMP MOTOR SET		STORE 2	3
74	BE 117		SUV PUMP		STORE 2	1
75	BE 118	215HP	MOTOR		STORE 2	1
76	BE 119		INVERTER		STORE 2	1
77	BE 120		TRANSFORMER OIL		STORE 2	1
78	BE 121		TRANSFORMER OIL		STORE 2	1
79	BE 122-127		ACCTURATOR SET		STORE 2	6
80	BE 129-130		RELAY SET LT		STORE 2	2
81	BE 131	185MM	CABLE		STORE 2	1
82	BE 132	16SQMM	CABLE		STORE 2	1
83	BE 133		SUMP CABLE		STORE 2	1
84	BE 134		3PHASE IM		STORE 2	1
85	BE 135-136		STAND FAN		STORE 2	2
86	BE 137-40		INGNITOR		STORE 2	4
87	BE 141-144		AUX CONTACTOR		STORE 2	4
88	BE 145-150	12 MF	CAPACITOR		STORE 2	6
HATIBERIA STORE (USABLE MATERIAL)						
1	HP/S/1-2	φ50*5FT	GI PIPE		STOTRE	2
2	HP/S/3-6	φ50*20FT	GI PIPE		STOTRE	4
3	H/S/7-13	12FT	CABLE TRAY		STOTRE	7
4	HP/PS/14	50*5.5FT	MS PIPE		STOTRE	1
5	HM/PS/15-16		CL DOSING PUMP		STOTRE	2
6	HM/S/1	3*1FT	BUSBAR COVER		STOTRE	1
7	HM/PS/2	11KV	INCOMMIMNG BREAKER		STOTRE	1
8	HP/PS/3	φ50*5.5FT	MS PIPE		STOTRE	1
9	HP/PS/4	φ25.4*5FT	GI PIPE		STOTRE	1
10	HM/PS/5-6	90KW	STARTER		STOTRE	2
11	HM/PS/7-8	37.5KW	STARTER		STOTRE	2
12	HM/PS/9-20		FIRE EXTINGUISHER		STOTRE	12
13	HM/PS/21		CABLE		STOTRE	1
CHAITANYAPUR STORE NO. 1(USABLE MATERIAL)						

08174/

Chaitanyan

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
1	CM/S1/1					
2	CM/S1/2	φ250	* FLOW METER		STORE 1	1
3	CM/S1/3	φ150	FLOW METER		STORE 1	1
4	CM/S1/4	φ200	FLOW METER		STORE 1	1
5	CM/S1/5	φ100	FLOW METER		STORE 1	1
6	CM/S1/6	φ80	FLOW METER		STORE 1	1
7	CM/S1/7	φ50	FLOW METER		STORE 1	1
8	CM/S1/8	φ50	FLOW METER		STORE 1	1
9	CM/S1/9	φ50	FLOW METER		STORE 1	1
10	CM/S1/10	φ50	FLOW METER		STORE 1	1
11	CM/S1/11	φ100	FLOW METER		STORE 1	1
12	CM/S1/12	φ80	FLOW METER		STORE 1	1
13	CM/S1/13	φ80	FLOW METER		STORE 1	1
14	CM/S1/14	φ500	BELLO V/V		STORE 1	1
15	CM/S1/15	φ500	BUTTERFLY VALVE	CAST IRON	STORE 1	1
16	CM/S1/16	φ500	BUTTERFLY VALVE	CAST IRON	STORE 1	1
17	CM/S1/17	5HP	MOTOR		STORE 1	1
18	CM/S1/18	5HP	MOTOR		STORE 1	1
19	CM/S1/19-23	5HP	MOTOR		STORE 1	1
20	CM/S1/24	2HP	MOTOR		STORE 1	5
21	CM/S1/25-26		SELF PRIME DW PUMP	CAST IRON	STORE 1	1
22	CM/S1/27		GEAR PUMP	CAST IRON	STORE 1	2
23	CM/S1/28		MONO BLOCK DW PUMP	CAST IRON	STORE 1	1
24	CM/S1/29		MULTI STAGE PUMP	CAST IRON	STORE 1	1
25	CM/S1/30-33	5HP	TFA DEISEL ENGINE PUMP	CAST IRON	STORE 1	1
26	CM/S1/34	3.67KW	TFA DEISEL ENGINE PUMP	CAST IRON	STORE 1	4
27	CM/S1/35	φ500	FLOW METER		STORE 1	1
28	CM/S1/36		DT JOINT WITHOUT O RING	1700 PCS	STORE 1	1
29	CM/S1/37	CORE*25SQMM/143M	CABLE		STORE 1	1
30	CM/S1/38	8C*4SQMM/39M	CABLE		STORE 1	1
31	CM/S1/39	4C*16SQMM/201M	CABLE		STORE 1	1
		9C*2.5SQMM/53M	CABLE		STORE 1	1

- ISSUE
- 2)

* Due to blockage & make
 Same also in no 32 to 35
 by checked person
 make to go
 inside

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
32	CM/S1/40	14C*25SQMM/40MM				
33	CM/S1/41	4C*2.5SQMM/14M	CABLE		STORE 1	1
34	CM/S1/42	3.5*50SQMM/81M	CABLE		STORE 1	1
35	CM/S1/43	3.5C*25SQMM/136M	CABLE		STORE 1	1
36	CM/S1/44-47	φ500	CABLE		STORE 1	1
37	CM/S1/48	3.5C*50SQMM/200M	BELLO		STORE 1	4
38	CM/S1/49	8C*4SQMM/190M	CABLE		STORE 1	1
39	CM/S1/50-51		CABLE		STORE 1	1
40	CP/S1/01	5MTR/100MM	BOX JOINT PARTS	2	STORE 1	2
41	CP/S1/02-13	3M/40MM	GI PIPE	GI	STORE 1	1
			GI PIPE	GI	STORE 1	12
CHAITANYAPUR STORE NO. 2A(USABLE MATERIAL)						
1	CM/S2/1-9	110KV	3PH IM		STORE 2A	9
2	CP/S2/1-3	50MM*6M	GI PIPE	GI	STORE 2A	3
3	CP/S2/4-10	200MM*3M	MS PIPE	MS	STORE 2A	7
4	CP/S2/11-18	150*3M	MS PIPE	MS	STORE 2A	8
5	CP/S2/19-79	150*3M	MS PIPE	MS	STORE 2A	61
6	CP/S2/80-144	150*1.5M	MS PIPE	MS	STORE 2A	65
7	CP/S2/145-146	200*1.5M	MS PIPE	MS	STORE 2A	2
8	CP/S2/147-159	200MM *2M	MS PIPE	MS	STORE 2A	13
9	CP/S2/160-169	100MM*3M	MS PIPE	MS	STORE 2A	10
10	CM/S2/10-19	φ500	V/V WHEEL	CAST IRON	STORE 2A	10
11	CM/S2/20-24	φ600	V/V WHEEL	CAST IRON	STORE 2A	5
12	CM/S2/25-34	φ400	V/V WHEEL	CAST IRON	STORE 2A	10
13	CM/S2/35-54	φ250	V/V WHEEL	CAST IRON	STORE 2A	20
14	CM/S2/55-60	φ150	BALL VALVE		STORE 2A	6
15	CM/S2/61-84	φ100	BALL VALVE		STORE 2A	24
16	CM/S2/85-99	φ88	BALL VALVE		STORE 2A	15
CHAITANYAPUR STORE NO. 2B(USABLE MATERIAL)						
1	CM/S2/100-103	φ200*90DEGREE	BEND	CAST IRON	STORE 2B	
2	CM/S2/104	300*150	REDUCER		STORE 2B	
CHAITANYAPUR STORE NO. 3(USABLE MATERIAL)						

Due to the reason
Blue badge
unable to access on
03.08.2020.
Attache
Concerned
person
from
client
and
taken
picture
of items

cloud
by HDA

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
1	CM/S3/1-15	80MM	SLICE VALVE		STORE 3	15
2	CM/S3/16-20	125MM	SLICE VALVE		STORE 3	5
3	CM/S3/21-25	100MM	SLICE VALVE		STORE 3	5
4	CM/S3/26-28	250MM	SLICE VALVE		STORE 3	3
5	CM/S3/29	150MM	SLICE VALVE		STORE 3	3
6	CM/S3/30	350MM	BOLTED COLLAR		STORE 3	1
7	CM/S3/31	300MM	BOLTED COLLAR		STORE 3	1
8	CM/S3/32-39	250MM	BOLTED COLLAR		STORE 3	1
9	CM/S3/40-41	200MM	BOLTED COLLAR		STORE 3	8
10	CM/S3/42-46	100MM	BOLTED COLLAR		STORE 3	2
11	CM/S3/47	800MM	JP COLAR		STORE 3	1
12	CM/S3/48-51	600MM	LRC		STORE 3	4
13	CM/S3/52-53	500MM	LRC		STORE 3	2
14	CM/S3/54	400MM	JP COLAR		STORE 3	1
15	CM/S3/55-60	300MM	LRC		STORE 3	6
16	CM/S3/61-63	150MM	LRC		STORE 3	3
17	CM/S3/64-65	250MM	LRC		STORE 3	2
18	CM/S3/66	350-250MM	BOLTED COLLAR REDUCER		STORE 3	1
19	CM/S3/67-68	350MM	BOLTED COLLAR		STORE 3	2
20	CM/S3/69-71	250MM	BOLTED COLLAR BEND		STORE 3	3
21	CM/S3/72-78	150MM*90DEGREE	DF BEND		STORE 3	7
22	CM/S3/79-100	100MM*45DEGREE	DF BEND		STORE 3	22
23	CM/S3/101-120	100MM*90DEGREE	DF BEND		STORE 3	20
24	CM/S3/121-127	150MM*45DEGREE	DF BEND		STORE 3	7
25	CM/S3/128-131	350MM*11.25DEGREE	DF BEND		STORE 3	4
26	CM/S3/132	300MM*45DEGREE	DF BEND		STORE 3	1
27	CM/S3/133-134	250MM*11.25DEGREE	DF BEND		STORE 3	2
28	CM/S3/135-142	150MM*22.5DEGREE	DF BEND		STORE 3	8
29	CM/S3/143-167	100*22.5 DEGREE	DF BEND		STORE 3	25
30	CM/S3/168-173	100*90DEGREE	DUCK BEND		STORE 3	6
31	CM/S3/174-175	150*90DEGREE	DUCK BEND		STORE 3	2

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
32	CM/S3/176-182	100MM	SOCKET TAIL PIPE		STORE 3	7
33	CM/S3/183-205	80MM	SOCKET TAIL PIPE		STORE 3	23
34	CM/S3/206-223	150MM	SOCKET TAIL PIPE		STORE 3	17
35	CM/S3/224-225	350MM	SOCKET TAIL PIPE		STORE 3	2
36	CM/S3/226-229	300MM	SOCKET TAIL PIPE		STORE 3	4
37	CM/S3/230-235	250MM	SOCKET TAIL PIPE		STORE 3	6
38	CM/S3/236-247	200MM	SOCKET TAIL PIPE		STORE 3	11
39	CM/S3/248-262	200MM	SOCKET TAIL PIPE		STORE 3	12
40	CM/S3/263-272	80MM	DT JOINT		STORE 3	15
41	CM/S3/273-293	250MM-150MM	DT JOINT		STORE 3	21
42	CM/S3/294-308	200MM-100MM	DF REDUCER		STORE 3	15
43	CM/S3/309-320	80MM	REDUCER		STORE 3	15
44	CM/S3/321-332	100MM	DS COLLAR		STORE 3	12
45	CM/S3/333-340	250MM	DF COLLAR		STORE 3	12
46	CM/S3/341	350MM	SPIGOT TAIL PIECE		STORE 3	8
47	CM/S3/342-381	80MM	SPIGOT TAIL PIECE		STORE 3	1
48	CM/S3/382-394	100MM	SPIGOT TAIL PIECE		STORE 3	40
49	CM/S3/395-402	150MM	SPIGOT TAIL PIECE		STORE 3	13
50	CM/S3/403-405	100MM	PRV		STORE 3	8
51	CM/S3/406-413	80MM	PRV		STORE 3	3
52	CM/S3/414-421	80MM	PRV		STORE 3	8
53	CM/S3/422-425	100MM	AIR VALVE		STORE 3	8
54	CM/S3/426-433	80MM	VALVE		STORE 3	4
55	CM/S3/434	1100MM	VALVE		STORE 3	8
56	CM/S3/435-437	750MM	LRC		STORE 3	1
57	CM/S3/438-440	500MM	LRC		STORE 3	3
58	CM/S3/441-445	400MM	LRC		STORE 3	3
59	CM/S3/446-448	100MM	LRC		STORE 3	5
60	CM/S3/449-454	80MM	NRV		STORE 3	3
61	CM/S3/455	200MM	NRV		STORE 3	6
62	CM/S3/456	750MM	NRV		STORE 3	1
			JP COLAR		STORE 3	1

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
63	CM/S3/457-461	200MM	DS COLLAR		STORE 3	5
64	CM/S3/462-463	300MM	DS COLLAR		STORE 3	2
65	CM/S3/464	350MM	DS COLLAR		STORE 3	1
66	CM/S3/465	150/150/100MM	AF TEE		STORE 3	1
67	CM/S3/466	250/250/200MM	AF TEE		STORE 3	1
68	CM/S3/467	150/150/150MM	AF TEE		STORE 3	1
69	CM/S3/468	200/200/280MM	AF TEE		STORE 3	1
70	CM/S3/469-470	200/200/100MM	AF TEE		STORE 3	1
71	CM/S3/471-480	250*22.5DEGREE	SOCKET BEND		STORE 3	2
72	CM/S3/481	1100MM	LRC		STORE 3	10
73	CM/S3/482-485	50MM	DIRT BOX		STORE 3	1
74	CM/S3/486-488	250MM	LRC		STORE 3	4
75	CM/S3/489-497	125MM	PRESSURE JOINT		STORE 3	3
76	CM/S3/498-499	250MM	SOCKET TAIL PIECE		STORE 3	9
77	CM/S3/500-501	750MM	JP COLAR		STORE 3	2
78	CM/S3/502-503	200MM*90DEGREE	BEND SOCKET		STORE 3	2
79	CM/S3/504	150*90DEGREE	BEND SOCKET		STORE 3	2
80	CM/S3/505-507	250MM*90DEGREE	BEND SOCKET		STORE 3	1
81	CM/S3/508-513	200*22.5DEGREE	DS BEND		STORE 3	3
82	CM/S3/514-525	200*11.25DEGREE	DS BEND		STORE 3	6
83	CM/S3/526-527	200MM*45DEGREE	DS BEND		STORE 3	12
84	CM/S3/528-530	200*11.25DEGREE	DS BEND		STORE 3	2
85	CM/S3/531-533	200*22.5DEGREE	DS BEND		STORE 3	3
86	CM/S3/534-537	250*45DEGREE	DS BEND		STORE 3	3
87	CM/S3/538-539	250*22.5DEGREE	DS BEND		STORE 3	4
88	CM/S3/540	200*45DEGREE	DS BEND		STORE 3	2
CHAITANYAPUR STORE NO 4(USABLE MATERIAL)					STORE 3	1
1	CM/S4/01-44	100*90DEGREE	P BEND			
2	CM/S4/45-59	100*22.5DEGREE	P BEND		STORE 4	44
3	CM/S4/60-92	100*11.25DEGREE	P BEND		STORE 4	15
4	CM/S4/93-164	100*11.25DEGREE	P BEND		STORE 4	33
					STORE 4	72

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
5	CM/S4/165-208	100*45DEGREE				
6	CM/S4/209	150*11.25DEGREE	P BEND		STORE 4	44
7	CM/S4/210-219	80*11.25DEGREE	P BEND		STORE 4	1
8	CM/S4/220-224	80*90DEGREE	P BEND		STORE 4	10
9	CM/S4/225-232	80*45DEGREE	P BEND		STORE 4	5
10	CM/S4/233-238	80*80*80	PLAIN TEE		STORE 4	8
11	CM/S4/239-247	100*100*100	PLAIN TEE		STORE 4	6
12	CM/S4/248-257	100*100*80	PLAIN TEE		STORE 4	9
13	CM/S4/258-260	80*2MM	DF PIPE		STORE 4	10
14	CM/S4/261-279	200*11.25	DF BEND		STORE 4	3
15	CM/S4/280	150*11.25	BEND		STORE 4	19
16	CM/S4/281-285	150*90	P BEND		STORE 4	1
17	CM/S4/286-289	150*45	P BEND		STORE 4	5
18	CM/S4/290-295	100*300L	DF BEND		STORE 4	4
19	CM/S4/296	100*600L	DF BEND		STORE 4	6
20	CM/S4/297	150MM	BOLTED COLAR		STORE 4	1
21	CM/S4/298-304	125*3MM	PIPE		STORE 4	1
22	CM/S4/305	150*700L	DF PIPE		STORE 4	7
23	CM/S4/306-307	300*500	DF PIPE		STORE 4	1
24	CM/S4/308-314	100MM*1M	DF PIPE		STORE 4	2
25	CM/S4/315	250MM*1M	DF PIPE		STORE 4	7
26	CM/S4/316	350	DF PIPE		STORE 4	1
27	CM/S4 317		DF PIPE		STORE 4	1
			LRC RUBBER CELL	4SET	STORE 4	1
			GEONKHALI OLD 25 MGD WTP STORE 1			
1	GM/1-4		MOTOR		STORE 1	4
2	GM/5	3.5/22ROUND	ALUMINIUM WIRE		STORE 1	1
3	GM/6-27	ALUMINIUM ANGLE	ALUMINIUM ANGLE		STORE 1	22
4	GM/28		EARTH RELAY		STORE 1	1
5	GM/29		CIRCUIT BREAKER		STORE 1	1
6	GM/30-32		ACB		STORE 1	3
7	GM/33-38		LIGHTENING ARRESTOR		STORE 1	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
8	GM/39-50					
9	GM/51		SMALL SWITCH BOX		STORE 1	12
10	GM/52-57		PT		STORE 1	1
11	GM/58-60		CT		STORE 1	6
12	GM/61-66		LIGHT SET		STORE 1	3
13	GM/67	1600 AMP	M.O.C.B		STORE 1	6
14	GM/68	1600AMP	A.C.B		STORE 1	1
15	GM/69-70	1000 AMP	STARTER BRKR		STORE 1	1
16	GM/71-72	70 AMP	BREAKER		STORE 1	2
17	GM/73-74		CONTACTOR		STORE 1	2
18	GM/75		EARTH FAULT RELAY		STORE 1	2
19	GM/76-89		SELECTOR SWITCH		STORE 1	1
20	GM/90-125	32 AMP	METER.		STORE 1	14
21	GM/126-151	63 AMP	MCB		STORE 1	36
22	GM/152-154		MCB		STORE 1	26
23	GM/155-163		CAPACITOR		STORE 1	3
24	GM/164-175		DOUBLE DIELECTRIC CAPACITOR		STORE 1	9
25	GM/176-355		HT JOINT		STORE 1	12
26	GM/356-364		NUT AND BOLT		STORE 1	180
27	GM/365-377		ELECTRICAL WIRE JOINT		STORE 1	9
28	GM/378-381		HT ISOLATOR		STORE 1	13
29	GM/382-400		MOTOR		STORE 1	4
30	GM/401-416		CAPACITOR		STORE 1	12
31	GM/417-423		INDICATOR		STORE 1	17
32	GM/424-426		STAT BOLT		STORE 1	7
33	GM/427-434		FUSE		STORE 1	3
34	GM/435-437		BAND SWITCH		STORE 1	8
35	GM/438-462		BREAKER HANDLE		STORE 1	3
36	GM/463		KEETS		STORE 1	35
37	GM/464-496		BRKR PARTS		STORE 1	1 BOX
38	GM/497-498		TERMINAL		STORE 1	33
			ALMIRA		STORE 1	2

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
39	GM/499					
40	GM/500-502		CONTACTOR		STORE 1	1
41	GM/503		POWER CAPACITOR		STORE 1	3
			STARTER SWITCH		STORE 1	1
1	GM/1-7		GEONKHALI OLD 25 MGD WTP STORE 2			
2	GM/8		CYLINDER FOR FILTERHOUSE		STORE 2	8
3	GM/9-16		ACTUATOR		STORE 2	1
4	GM/17		FLOCULATOR SHAFT		STORE 2	8
5	GM/18		VALVE SPINDLE		STORE 2	1
6	GM/19		GEAR BOX OF ALAM		STORE 2	1
7	GM/20-29		TOP COVER OF GEAR BOX		STORE 2	1
8	GM/30-31		DIS PINIUM		STORE 2	10
9	GM/32		MOTOR WITH PUMP		STORE 2	2
10	GM/33	5 HP	MOTOR WITH SLUDGE PUMP		STORE 2	1
11	GM/34-43	160 MM	DIESEL PUMP		STORE 2	1
12	GM/44		PVC PIPE		STORE 2	10
			RUBBER MAT		STORE 2	1
1	GM/1	63KVA	GEONKHALI OLD 25 MGD WTP STORE 6			
2	GM/2-16		GENERATOR			
3	GM/17-31		GT EARTHING STICK		STORE 6	1
4	GM/32-37	1250KVA	GT EARTHING PIPE		STORE 6	15
			TRANSFORMER REJECT READY WATER		STORE 6	15
					STORE 6	6

Even
HWSPL
didn't
know
about it
previously