SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
124	BP67-70	ϕ50	GI PIPE	GI	STORE 1	4
125	BP71-79	ϕ40	GI PIPE	GI	STORE 1	9
126	BP80	ϕ80	GI PIPE	GI	STORE 1	1
127	BP81	ϕ80	GI PIPE	GI	STORE 1	1
128	BV1	ϕ200	SV	CAST IRON	STORE 1	1
129	BV2-3	ϕ100	SV	CAST IRON	STORE 1	2
130	BV4-6	ϕ100	NRV	CAST IRON	STORE 1	3
131	BV7-12	ϕ150	SV	CAST IRON	STORE 1	6
132	BV13	ϕ80	SV	CAST IRON	STORE 1	1
133	BV14	ϕ100	NRV	CAST IRON	STORE 1	1
134	BV15 - 16	ϕ150	NRV	CAST IRON	STORE 1	2
135	BV17	ϕ200	NRV	CAST IRON	STORE 1	1
136	BV18	ϕ150	AV	CAST IRON	STORE 1	1
137	BV19	ϕ100	AV	CAST IRON	STORE 1	1
138	BV20	ϕ250	NRV	CAST IRON	STORE 1	1
139	BV21	ϕ350	SV	CAST IRON	STORE 1	1
140	BP385-390	ϕ800*5.5M	PIPE	CAST IRON	OUTSIDE	6
141	BP 391	ϕ200*5.5M	PIPE	CAST IRON	OUTSIDE	1
142	BP392	ϕ150*1.0M	PIPE	DF	OUTSIDE	1
143	BM393	..	WATER TANK		OUTSIDE	1
			BASHUDEBPUR STORE NO. 2(USABLE MATERIAL)			
1	BM 1-4	ϕ200	JP COLAR	CAST IRON	STORE 2	4
2	BM 5- 24	ϕ80	LRC	CAST IRON	STORE 2	20
3	BM 25-44	ϕ100	LRC	CAST IRON	STORE 2	25
4	BM45-46	ϕ400	JP COLAR	CAST IRON	STORE 2	2
5	BM 47	ϕ250	LRC	CAST IRON	STORE 2	1
6	BM48-50	ϕ80	DT JOINT	CAST IRON	STORE 2	3
7	BM 51-55	ϕ100	LRC	CAST IRON	STORE 2	6
8	BM 56	ϕ200	JP COLAR	CAST IRON	STORE 2	1
9	BM 57-58	..	WHEEL	CAST IRON	STORE 2	2
10	BM59-64	..	WATER TANK	FIBER	STORE 2	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
11	BM 65-66	..	HOSE PIPE	FIBER	STORE 2	2
12	BM 67	..	CHAIN PULLEY WITH D CYCLE	CAST IRON	STORE 2	1
13	BM68	1135M3/HR	CF PUMP		STORE 2	1
14	BM 69	..	ROPE	ROPE	STORE 2	1
15	BM 70	..	PUMP		STORE 2	1
16	BM 71-76	..	VALVE SPINDLE	CAST IRON	STORE 2	6
17	BM 77-86	..	PUMP SHAFT	CAST IRON	STORE 2	10
18	BP 1-6	80MM	MS PIPE	CAST IRON	STORE 2	6
19	BP 7-11	40MM	GI PIPE	CAST IRON	STORE 2	5
20	BP 12	32MM	GI PIPE	CAST IRON	STORE 2	1
21	BE 1-4		FORWARD REVERSE STARTER		STORE 2	4
22	BE 5-10		DOUBLE POLE TIMER		STORE 2	6
23	BE 11		POWER CONTRACTOR		STORE 2	1
24	BE 12		POWER CONTRACTOR		STORE 2	1
25	BE 13	200A	MAIN S/W		STORE 2	1
26	BE 14-16	200A	HRC FUSE		STORE 2	3
27	BE 17-21		SINGLE PHASE PREVENTER		STORE 2	5
28	BE 22-26	25A	HRC FUSE		STORE 2	5
29	BE 27-28	315A	HRC FUSE		STORE 2	2
30	BE 29-30	200A	GLASS FUSE		STORE 2	2
31	BE 31-43	240MM	LUGS		STORE 2	13
32	BE 44		LIMIT S/W		STORE 2	1
33	BE 45		ROTATING SWITCH		STORE 2	1
34	BE 46-48	100/5	CT		STORE 2	3
35	BE 49		WATER PRESSURE METER		STORE 2	1
36	BE 50		PUMP MOTOR SET1		STORE 2	1
37	BE51		3 POLE COTACTOR		STORE 2	1
38	BE 52-56		MOCB SPARE		STORE 2	5
39	BE 57	100 A	MAIN S/W		STORE 2	1
40	BE 58		LUBRICATING MOTOR		STORE 2	1
41	BE 59		MCPI ALL BEARING WITH SPARE		STORE 2	1

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
42	BE 60		SPRING CHRG MOTOR HT		STORE 2	1
43	BE 61		PUMP SET		STORE 2	1
44	BE 62-65		FLOOD LIGHT		STORE 2	4
45	BE 66-67	50/5.5A	HT CT		STORE 2	2
46	BE 68-69	100/5 A	HT CT		STORE 2	2
47	BE 70	3 STAR	LINE COTACTOR		STORE 2	1
48	BE 71-72	100/5A	HT CT		STORE 2	2
49	BE 73		GAS AND OIL RELAY		STORE 2	1
50	BE 74	100A	MAIN S/W		STORE 2	1
51	BE 75		LT O/C RELAY		STORE 2	1
52	BE 76	150A	CONTACTOR		STORE 2	1
53	BE 77	100 A	ISOLATOR S/W		STORE 2	1
54	BE 78		DOUBLE POLE TIMER		STORE 2	1
55	BE 79	2500 A	ACB		STORE 2	1
56	BE 80	1250 A	ACB		STORE 2	1
57	BE 81	800A	ACB		STORE 2	1
58	BE 82	2500A	ACB		STORE 2	1
59	BE 83	400A	ISOLATOR S/W		STORE 2	1
60	BE 84	400A	ACB		STORE 2	1
61	BE 85	200 A	POWER CONTRACTOR		STORE 2	1
62	BE 86	100A	STARTER		STORE 2	1
63	BE87-92		STARTER		STORE 2	1
64	BE 93	160KW	MOTOR		STORE 2	6
65	BE 94		VOLT METER		STORE 2	1
66	BE 95		PF METER		STORE 2	1
67	BE 96-100	STAR DELTA	PG STARTERPANEL		STORE 2	1
68	BE 101-104		OLD STARTER PANNEL		STORE 2	5
69	BE 105		PUMP SET		STORE 2	4
70	BE 106		3PHASE IM		STORE 2	1
71	BE 107		VPUMP		STORE 2	1
72	BE 108-113	25HP	MOTOR		STORE 2	1
					STORE 2	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
73	BE 114-116		PUMP MOTOR SET		STORE 2	3
74	BE 117		SUV PUMP		STORE 2	1
75	BE 118	215HP	MOTOR		STORE 2	1
76	BE 119		INVERTER		STORE 2	1
77	BE 120		TRANSFORMER OIL		STORE 2	1
78	BE 121		TRANSFORMER OIL		STORE 2	1
79	BE 122-127		ACCTURATOR SET		STORE 2	6
80	BE 129-130		RELAY SET LT		STORE 2	2
81	BE 131	185MM	CABLE		STORE 2	1
82	BE 132	16SQMM	CABLE		STORE 2	1
83	BE 133		SUMP CABLE		STORE 2	1
84	BE 134		3PHASE IM		STORE 2	1
85	BE 135-136		STAND FAN		STORE 2	2
86	BE 137-40		INGNITOR		STORE 2	4
87	BE 141-144		AUX CONTACTOR		STORE 2	4
88	BE 145-150	12 MF	CAPACITOR		STORE 2	6
			HATIBERIA STORE (USABLE MATERIAL)			
1	HP/S/1-2	ϕ50*5FT	GI PIPE		STOTRE	2
2	HP/S/3-6	ϕ50*20FT	GI PIPE		STOTRE	4
3	H/S/7-13	12FT	CABLE TRAY		STOTRE	7
4	HP/PS/14	50*5.5FT	MS PIPE		STOTRE	1
5	HM/PS/15-16		CL DOSING PUMP		STOTRE	2
6	HM/S/1	3*1FT	BUSBAR COVER		STOTRE	1
7	HM/PS/2	11KV	INCOMMIMNG BREAKER		STOTRE	1
8	HP/PS/3	ϕ50*5.5FT	MS PIPE		STOTRE	1
9	HP/PS/4	ϕ25.4*5FT	GI PIPE		STOTRE	1
10	HM/PS/5-6	90KW	STARTER		STOTRE	2
11	HM/PS/7-8	37.5KW	STARTER		STOTRE	2
12	HM/PS/9-20		FIRE EXTINGUISHER		STOTRE	12
13	HM/PS/21		CABLE		STOTRE	1
			CHAITANYAPUR STORE NO. 1(USABLE MATERIAL)			

08174/

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
1	CM/S1/1	ϕ250	FLOW METER		STORE 1	1
2	CM/S1/2	ϕ150	FLOW METER		STORE 1	1
3	CM/S1/3	ϕ200	FLOW METER		STORE 1	1
4	CM/S1/4	ϕ100	FLOW METER		STORE 1	1
5	CM/S1/5	ϕ80	FLOW METER		STORE 1	1
6	CM/S1/6	ϕ50	FLOW METER		STORE 1	1
7	CM/S1/7	ϕ50	FLOW METER		STORE 1	1
8	CM/S1/8	ϕ50	FLOW METER		STORE 1	1
9	CM/S1/9	ϕ50	FLOW METER		STORE 1	1
10	CM/S1/10	ϕ100	FLOW METER		STORE 1	1
11	CM/S1/11	ϕ80	FLOW METER		STORE 1	1
12	CM/S1/12	ϕ80	FLOW METER		STORE 1	1
13	CM/S1/13	ϕ500	BELLO V/V		STORE 1	1
14	CM/S1/14	ϕ500	BUTTERFLY VALVE	CAST IRON	STORE 1	1
15	CM/S1/15	ϕ500	BUTTERFLY VALVE	CAST IRON	STORE 1	1
16	CM/S1/16	5HP	MOTOR		STORE 1	1
17	CM/S1/17	5HP	MOTOR		STORE 1	1
18	CM/S1/18	5HP	MOTOR		STORE 1	1
19	CM/S1/19-23	2HP	MOTOR		STORE 1	1
20	CM/S1/24		SELF PRIME DW PUMP	CAST IRON	STORE 1	5
21	CM/S1/25-26		GEAR PUMP	CAST IRON	STORE 1	1
22	CM/S1/27		MONO BLOCK DW PUMP	CAST IRON	STORE 1	2
23	CM/S1/28		MULTI STAGE PUMP	CAST IRON	STORE 1	1
24	CM/S1/29	5HP	TFA DEISEL ENGINE PUMP	CAST IRON	STORE 1	1
25	CM/S1/30-33	3.67KW	TFA DEISEL ENGINE PUMP	CAST IRON	STORE 1	1
26	CM/S1/34	ϕ500	FLOW METER		STORE 1	4
27	CM/S1/35		DT JOINT WITHOUT O RING	1700 PCS	STORE 1	1
28	CM/S1/36	7 CORE*25SQMM/143M	CABLE		STORE 1	1
29	CM/S1/37	8C *4SQMM/39M	CABLE		STORE 1	1
30	CM/S1/38	4C*16SQMM/201M	CABLE		STORE 1	1
31	CM/S1/39	9C*2.5SQMM/53M	CABLE		STORE 1	1

ISSUE

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
32	CM/S1/40	14C*25SQMM/40MM	CABLE		STORE 1	1
33	CM/S1/41	4C*2.5SQMM/14M	CABLE		STORE 1	1
34	CM/S1/42	3.5*50SQMM/81M	CABLE		STORE 1	1
35	CM/S1/43	3.5C*25SQMM/136M	CABLE		STORE 1	1
36	CM/S1/44-47	ϕ500	BELLO		STORE 1	4
37	CM/S1/48	3.5C*50SQMM/200M	CABLE		STORE 1	1
38	CM/S1/49	8C*4SQMM/190M	CABLE		STORE 1	1
39	CM/S1/50-51		BOX JOINT PARTS	2	STORE 1	2
40	CP/S1/01	5MTR/100MM	GI PIPE	GI	STORE 1	1
41	CP/S1/02-13	3M/40MM	GI PIPE	GI	STORE 1	12
CHAITANYAPUR STORE NO. 2A(USABLE MATERIAL)						
1	CM/S2/1-9	110KV	3PH IM		STORE 2A	9
2	CP/S2/1-3	50MM*6M	GI PIPE	GI	STORE 2A	3
3	CP/S2/4-10	200MM*3M	MS PIPE	MS	STORE 2A	7
4	CP/S2/11-18	150*3M	MS PIPE	MS	STORE 2A	8
5	CP/S2/19-79	150*3M	MS PIPE	MS	STORE 2A	61
6	CP/S2/80-144	150*1.5M	MS PIPE	MS	STORE 2A	65
7	CP/S2/145-146	200*1.5M	MS PIPE	MS	STORE 2A	2
8	CP/S2/147-159	200MM *2M	MS PIPE	MS	STORE 2A	13
9	CP/S2/160-169	100MM*3M	MS PIPE	MS	STORE 2A	10
10	CM/S2/10-19	ϕ500	V/V WHEEL	CAST IRON	STORE 2A	10
11	CM/S2/20-24	ϕ600	V/V WHEEL	CAST IRON	STORE 2A	5
12	CM/S2/25-34	ϕ400	V/V WHEEL	CAST IRON	STORE 2A	10
13	CM/S2/35-54	ϕ250	V/V WHEEL	CAST IRON	STORE 2A	20
14	CM/S2/55-60	ϕ150	BALL VALVE		STORE 2A	6
15	CM/S2/61-84	ϕ100	BALL VALVE		STORE 2A	24
16	CM/S2/85-99	ϕ88	BALL VALVE		STORE 2A	15
CHAITANYAPUR STORE NO. 2B(USABLE MATERIAL)						
1	CM/S2/100-103	ϕ200*90DEGREE	BEND	CAST IRON	STORE 2B	
2	CM/S2/104	300*150	REDUCER		STORE 2B	
CHAITANYAPUR STORE NO. 3(USABLE MATERIAL)						

Due to scrap Blockage unable to access or go, Concerned person from client and taken picture of store

closed by HOD

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
1	CM/S3/1-15	80MM	SLICE VALVE		STORE 3	15
2	CM/S3/16-20	125MM	SLICE VALVE		STORE 3	5
3	CM/S3/21-25	100MM	SLICE VALVE		STORE 3	5
4	CM/S3/26-28	250MM	SLICE VALVE		STORE 3	3
5	CM/S3/29	150MM	SLICE VALVE		STORE 3	3
6	CM/S3/30	350MM	BOLTED COLLAR		STORE 3	1
7	CM/S3/31	300MM	BOLTED COLLAR		STORE 3	1
8	CM/S3/32-39	250MM	BOLTED COLLAR		STORE 3	1
9	CM/S3/40-41	200MM	BOLTED COLLAR		STORE 3	8
10	CM/S3/42-46	100MM	JP COLAR		STORE 3	2
11	CM/S3/47	800MM	LRC		STORE 3	1
12	CM/S3/48-51	600MM	LRC		STORE 3	4
13	CM/S3/52-53	500MM	LRC		STORE 3	2
14	CM/S3/54	400MM	JP COLAR		STORE 3	1
15	CM/S3/55-60	300MM	LRC		STORE 3	6
16	CM/S3/61-63	150MM	LRC		STORE 3	3
17	CM/S3/64-65	250MM	LRC		STORE 3	2
18	CM/S3/66	350-250MM	BOLTED COLLAR REDUCER		STORE 3	1
19	CM/S3/67-68	350MM	BOLTED COLLAR		STORE 3	2
20	CM/S3/69-71	250MM	BOLTED COLLAR BEND		STORE 3	3
21	CM/S3/72-78	150MM*90DEGREE	DF BEND		STORE 3	7
22	CM/S3/79-100	100MM*45DEGREE	DF BEND		STORE 3	22
23	CM/S3/101-120	100MM*90DEGREE	DF BEND		STORE 3	20
24	CM/S3/121-127	150MM*45DEGREE	DF BEND		STORE 3	7
25	CM/S3/128-131	350MM*11.25DEGREE	DF BEND		STORE 3	4
26	CM/S3/132	300MM*45DEGREE	DF BEND		STORE 3	1
27	CM/S3/133-134	250MM*11.25DEGREE	DF BEND		STORE 3	2
28	CM/S3/135-142	150MM*22.5DEGREE	DF BEND		STORE 3	8
29	CM/S3/143-167	100*22.5 DEGREE	DF BEND		STORE 3	25
30	CM/S3/168-173	100*90DEGREE	DUCK BEND		STORE 3	6
31	CM/S3/174-175	150*90DEGREE	DUCK BEND		STORE 3	2

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
32	CM/S3/176-182	100MM	SOCKET TAIL PIPE		STORE 3	7
33	CM/S3/183-205	80MM	SOCKET TAIL PIPE		STORE 3	23
34	CM/S3/206-223	150MM	SOCKET TAIL PIPE		STORE 3	17
35	CM/S3/224-225	350MM	SOCKET TAIL PIPE		STORE 3	2
36	CM/S3/226-229	300MM	SOCKET TAIL PIPE		STORE 3	4
37	CM/S3/230-235	250MM	SOCKET TAIL PIPE		STORE 3	6
38	CM/S3/236-247	200MM	SOCKET TAIL PIPE		STORE 3	11
39	CM/S3/248-262	200MM	DT JOINT		STORE 3	12
40	CM/S3/263-272	80MM	DT JOINT		STORE 3	15
41	CM/S3/273-293	250MM-150MM	DF REDUCER		STORE 3	21
42	CM/S3/294-308	200MM-100MM	REDUCER		STORE 3	15
43	CM/S3/309-320	80MM	DS COLLAR		STORE 3	12
44	CM/S3/321-332	100MM	DF COLLAR		STORE 3	12
45	CM/S3/333-340	250MM	SPIGOT TAIL PIECE		STORE 3	8
46	CM/S3/341	350MM	SPIGOT TAIL PIECE		STORE 3	1
47	CM/S3/342-381	80MM	SPIGOT TAIL PIECE		STORE 3	40
48	CM/S3/382-394	100MM	SPIGOT TAIL PIECE		STORE 3	13
49	CM/S3/395-402	150MM	PRV		STORE 3	8
50	CM/S3/403-405	100MM	PRV		STORE 3	3
51	CM/S3/406-413	80MM	PRV		STORE 3	8
52	CM/S3/414-421	80MM	AIR VALVE		STORE 3	8
53	CM/S3/422-425	100MM	VALVE		STORE 3	4
54	CM/S3/426-433	80MM	VALVE		STORE 3	8
55	CM/S3/434	1100MM	LRC		STORE 3	1
56	CM/S3/435-437	750MM	LRC		STORE 3	3
57	CM/S3/438-440	500MM	LRC		STORE 3	3
58	CM/S3/441-445	400MM	LRC		STORE 3	5
59	CM/S3/446-448	100MM	NRV		STORE 3	3
60	CM/S3/449-454	80MM	NRV		STORE 3	6
61	CM/S3/455	200MM	NRV		STORE 3	1
62	CM/S3/456	750MM	JP COLAR		STORE 3	1

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
63	CM/S3/457-461	200MM	DS COLLAR		STORE 3	5
64	CM/S3/462-463	300MM	DS COLLAR		STORE 3	2
65	CM/S3/464	350MM	DS COLLAR		STORE 3	1
66	CM/S3/465	150/150/100MM	AF TEE		STORE 3	1
67	CM/S3/466	250/250/200MM	AF TEE		STORE 3	1
68	CM/S3/467	150/150/150MM	AF TEE		STORE 3	1
69	CM/S3/468	200/200/280MM	AF TEE		STORE 3	1
70	CM/S3/469-470	200/200/100MM	AF TEE		STORE 3	1
71	CM/S3/471-480	250*22.5DEGREE	SOCKET BEND		STORE 3	2
72	CM/S3/481	1100MM	LRC		STORE 3	10
73	CM/S3/482-485	50MM	DIRT BOX		STORE 3	1
74	CM/S3/486-488	250MM	LRC		STORE 3	4
75	CM/S3/489-497	125MM	PRESSURE JOINT		STORE 3	3
76	CM/S3/498-499	250MM	SOCKET TAIL PIECE		STORE 3	9
77	CM/S3/500-501	750MM	JP COLAR		STORE 3	2
78	CM/S3/502-503	200MM*90DEGREE	BEND SOCKET		STORE 3	2
79	CM/S3/504	150*90DEGREE	BEND SOCKET		STORE 3	2
80	CM/S3/505-507	250MM*90DEGREE	BEND SOCKET		STORE 3	1
81	CM/S3/508-513	200*22.5DEGREE	DS BEND		STORE 3	3
82	CM/S3/514-525	200*11.25DEGREE	DS BEND		STORE 3	6
83	CM/S3/526-527	200MM*45DEGREE	DS BEND		STORE 3	12
84	CM/S3/528-530	200*11.25DEGREE	DS BEND		STORE 3	2
85	CM/S3/531-533	200*22.5DEGREE	DS BEND		STORE 3	3
86	CM/S3/534-537	250*45DEGREE	DS BEND		STORE 3	3
87	CM/S3/538-539	250*22.5DEGREE	DS BEND		STORE 3	4
88	CM/S3/540	200*45DEGREE	DS BEND		STORE 3	2
					STORE 3	1
			CHAITANYAPUR STORE NO 4(USABLE MATERIAL)			
1	CM/S4/01-44	100*90DEGREE	P BEND		STORE 4	44
2	CM/S4/45-59	100*22.5DEGREE	P BEND		STORE 4	15
3	CM/S4/60-92	100*11.25DEGREE	P BEND		STORE 4	33
4	CM/S4/93-164	100*11.25DEGREE	P BEND		STORE 4	72

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
5	CM/S4/165-208	100*45DEGREE	P BEND		STORE 4	44
6	CM/S4/209	150*11.25DEGREE	P BEND		STORE 4	1
7	CM/S4/210-219	80*11.25DEGREE	P BEND		STORE 4	10
8	CM/S4/220-224	80*90DEGREE	P BEND		STORE 4	5
9	CM/S4/225-232	80*45DEGREE	P BEND		STORE 4	8
10	CM/S4/233-238	80*80*80	PLAIN TEE		STORE 4	6
11	CM/S4/239-247	100*100*100	PLAIN TEE		STORE 4	9
12	CM/S4/248-257	100*100*80	PLAIN TEE		STORE 4	10
13	CM/S4/258-260	80*2MM	DF PIPE		STORE 4	3
14	CM/S4/261-279	200*11.25	DF BEND		STORE 4	19
15	CM/S4/280	150*11.25	BEND		STORE 4	1
16	CM/S4/281-285	150*90	P BEND		STORE 4	5
17	CM/S4/286-289	150*45	P BEND		STORE 4	4
18	CM/S4/290-295	100*300L	DF BEND		STORE 4	6
19	CM/S4/296	100*600L	DF BEND		STORE 4	1
20	CM/S4/297	150MM	BOLTED COLAR		STORE 4	1
21	CM/S4/298-304	125*3MM	PIPE		STORE 4	7
22	CM/S4/305	150*700L	DF PIPE		STORE 4	1
23	CM/S4/306-307	300*500	DF PIPE		STORE 4	2
24	CM/S4/308-314	100MM*1M	DF PIPE		STORE 4	7
25	CM/S4/315	250MM*1M	DF PIPE		STORE 4	1
26	CM/S4/316	350	DF PIPE		STORE 4	1
27	CM/S4 317		LRC RUBBER CELL	4SET	STORE 4	1

GEONKHALI OLD 25 MGD WTP STORE 1

1	GM/1-4		MOTOR		STORE 1	4
2	GM/5	3.5/22ROUND	ALUMINIUM WIRE		STORE 1	1
3	GM/6-27	ALUMINIUM ANGLE	ALUMINIUM ANGLE		STORE 1	22
4	GM/28		EARTH RELAY		STORE 1	1
5	GM/29		CIRCUIT BREAKER		STORE 1	1
6	GM/30-32		ACB		STORE 1	3
7	GM/33-38		LIGHTENING ARRESTOR		STORE 1	6

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
8	GM/39-50		SMALL SWITCH BOX		STORE 1	12
9	GM/51		PT		STORE 1	1
10	GM/52-57		CT		STORE 1	6
11	GM/58-60		LIGHT SET		STORE 1	3
12	GM/61-66		M.O.C.B		STORE 1	6
13	GM/67	1600 AMP	A.C.B		STORE 1	1
14	GM/68	1600AMP	STARTER BRKR		STORE 1	1
15	GM/69-70	1000 AMP	BREAKER		STORE 1	2
16	GM/71-72	70 AMP	CONTACTOR		STORE 1	2
17	GM/73-74		EARTH FAULT RELAY		STORE 1	2
18	GM/75		SELECTOR SWITCH		STORE 1	1
19	GM/76-89		METER.		STORE 1	14
20	GM/90-125	32 AMP	MCB		STORE 1	36
21	GM/126-151	63 AMP	MCB		STORE 1	26
22	GM/152-154		CAPACITOR		STORE 1	3
23	GM/155-163		DOUBLE DIELECTRIC CAPACITOR		STORE 1	9
24	GM/164-175		HT JOINT		STORE 1	12
25	GM/176-355		NUT AND BOLT		STORE 1	180
26	GM/356-364		ELECTRICAL WIRE JOINT		STORE 1	9
27	GM/365-377		HT ISOLATOR		STORE 1	13
28	GM/378-381		MOTOR		STORE 1	4
29	GM/382-400		CAPACITOR		STORE 1	12
30	GM/401-416		INDICATOR		STORE 1	17
31	GM/417-423		STAT BOLT		STORE 1	7
32	GM/424-426		FUSE		STORE 1	3
33	GM/427-434		BAND SWITCH		STORE 1	8
34	GM/435-437		BREAKER HANDLE		STORE 1	3
35	GM/438-462		KEETS		STORE 1	35
36	GM/463		BRKR PARTS		STORE 1	1 BOX
37	GM/464-496		TERMINAL		STORE 1	33
38	GM/497-498		ALMIRA		STORE 1	2

SL NO.	CODE NAME	DIMENSION(DIA MM X LENGTH MTR)	DESCRIPTION	MATERIAL COMPOSITION	LOCATION	QUANTITY
39	GM/499		CONTACTOR		STORE 1	1
40	GM/500-502		POWER CAPACITOR		STORE 1	3
41	GM/503		STARTER SWITCH		STORE 1	1
			GEONKHALI OLD 25 MGD WTP STORE 2			
1	GM/1-7		CYLINDER FOR FILTERHOUSE		STORE 2	8
2	GM/8		ACTUATOR		STORE 2	1
3	GM/9-16		FLOCULATOR SHAFT		STORE 2	8
4	GM/17		VALVE SPINDLE		STORE 2	1
5	GM/18		GEAR BOX OF ALAM		STORE 2	1
6	GM/19		TOP COVER OF GEAR BOX		STORE 2	1
7	GM/20-29		DIS PINIUM		STORE 2	10
8	GM/30-31		MOTOR WITH PUMP		STORE 2	2
9	GM/32		MOTOR WITH SLUDGE PUMP		STORE 2	1
10	GM/33	5 HP	DIESEL PUMP		STORE 2	1
11	GM/34-43	160 MM	PVC PIPE		STORE 2	10
12	GM/44		RUBBER MAT		STORE 2	1
			GEONKHALI OLD 25 MGD WTP STORE 6			
1	GM/1	63KVA	GENERATOR		STORE 6	1
2	GM/2-16		GT EARTHING STICK		STORE 6	15
3	GM/17-31		GT EARTHING PIPE		STORE 6	15
4	GM/32-37	1250KVA	TRANSFORMER REJECT READY WATER		STORE 6	6

Even HWSPL doesn't know about this reference