

Contact +91 7063044006

Regd Office:

T-53, FAGUPUR
NABABHAT (NEAR GURUDWARA)
BURDWAN, PURBA BARDHAMAN
CIN:- U85100 WB 2015 PTC 206248

A MH/BW N/W O/2020-21/007

Date: 06-02-2021

WORK ORDER FOR OT STERILE CORRIDOR FALSE CEILING AT AHAD MULTISPECIALITY HOSPITAL PVT, LTD., BURDWAN

To,
Mr Biplab Dey
Proprietor
Priority Health Care,
5. Chanditala Lane, Ground Floor,
Kolkata - 700040

Ref: Personal discussion at our office

Sir.

Sub - Work order for OT Sterile Corridor False Ceiling at AHAD Multispeciality Hospital, Burdwan

Pursuant to your Quotation dated 4th January 2021 for the above mentioned subject, we would like to proceed with the work on the following terms and conditions enclosed as *Annexure-I* with this Work Order

The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 775100/- (Seven Lacs Seventy Five Thousand One Hundred only) plus GST @18%.

Ahad Multispeciality Hospital Private Limited

Dr Aminul Islam Director Aminal Islam
Director

Accepted by Service Provider

Fiph Dy.



Regd Office:

T-53 FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN, PURBA BARDHAMAN CIN :- U85100 WB 2015 PTC 206248

Annexure - I


	O.T STERILE CORRIDOR				
SI.	A Marian Comment	Qty	Unit	Rate	Amoun
1	Aluminum ceiling structure made up of Aluminum square bars and pipe fitted with Cakium silicate boards. Calcium Silicate Ceiling is also called as calcium silicate false ceiling or calcium silicate ceiling board, which is classified as fiber cement reinforced calcium silicate products made up of Portland cement, fine silica, special cellulose fibers and selected fillers to offers amazing features in impact resistance, fireproof, waterproof, sound advorption and heat polition.	1,350 00	Sq Feet	280 00	3,78,000 (
	FILLING OF JOINTS, CAVITY AND IMPORTED ANTIBACTERIAL PAINT FOR CEILING AND WALL INCLUDING THE OT STORE ROOM				
2	Coating & Filling of all joints and cavities with metallic Epoxy filler and sanded flush to provide a joint less finish and then sprayed with a water based liquid plastic aseptic and self sterilizing wall coating system, which protects against the growth of micro-organism, such as mould, fungi, yeast and bacteria on its surface, equivalent to a minimum dry film thickness of 300 micron.	3,900 00	Sq Feet	75.00	2,92,500 or
	PERIPHERAL LIGHTS				-
1	Supply & installation of Recess mounted IP54 protocol, non-hygroscopic based peripheral lights 600mmx600mm to be mounted on false ceiling for clean room application and digital dimmable ballast.	12.00	Sets	5,800.00	69,600,00
	Valve Box				
	Four Gases Valve Boxes, M.S with Powder coated with Glass cover and lock	2.00	Set	4,500.00	9,000.00
	Six Gases Valve Boxes, M S with Powder coated with Glass cover and lock	4.00	Set	6,500.00	26,000.00
1				Total	7,75,100.00

Terms and Conditions:

- 1 GST 18% Extra as applicable
- 2. Installation charges-INR 70,000.00 + G.S.T.
- 3. Payment 30% advance along with firm order, 40% after delivery of materials, 20% on Running Bill basis, and 10% after installation within one month.
- 4. Warranty. One year for all materials from date of handing over
- 5. Security measures shall be taken by Hospital authority, no responsibility shall be taken by company, if materials from site are stolen or displaced.
- 6. Hospital authority shall provide one room with lock where raw materials should be kept before installation.
- 7. Hospital authority shall provide one room with electricity supply within Hospital premises for labour accommodation.
- 8. Delivery time: 8 Weeks

Ahad Multispeciality Hospital Private Limited Aminul Islam Director

E-mail: ahadmsh786@gmail.com



· AMH/BWN/WO/2020-21/006

WORK ORDER FOR GYNAE OT COMPLEX AREA AT AHAD MULTISPECIALITY HOSPITAL PVT. LTD., BURDWAN

Date: 06-02-2021

To,
Mr. Biplab Dey
Proprietor
Priority Health Care,
5, Chanditala Lane, Ground Floor,
Kolkata - 700040

Ref: Personal discussion at our office

Sir.

Sub - Work order for Gynae OT Complex Area at AHAD Multispeciality Hospital, Burdwan

Pursuant to your Quotation dated 4th January 2021 for the above mentioned subject, we would like to proceed with the work on the following terms and conditions enclosed as *Annexure-I* with this Work Order


The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 633000/- (Six Lacs Thirty Three Thousand only) plus GST a 18%.

Ahad Multispeciality Hospital Private Limited

Dr Aminul Islam Director

Director

Accepted by Service Provider - Top Lab Cy



Regd Office:

T-53 FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN, PURBA BARDHAMAN

CIN :- U85100 WB 2015 PTC 206248

Annexure - I

No	Description	Qty	Unit	Rate	Amount	
1	Pre fabruated Elif Bank			, ate	Amount	Remarks
	Pre-Fabricated PUF Panel: Ceiling panel, with EGP steel thickness not less than 0.8 mm front) and PPGI steel (thickness of 0.5 mm at the back) filled, with 30 mm of PUF for ceiving.	40	Sqft	2,800.00	1.12.000 60	Tata/Endal/max panel's only one front wall will be
	Coating Filling of all joints and cavities with metallic Epoxy size and sanded flush to provide a joint less finish and then sprayed with a water based liquid plastic aseptic and self deriving wall coating system, which protects against the growth of micro-organism, such as mould, fungi, yeast and bacteria on its surface, Equivalent to a minimum dry film thickness of 300 micron.	120	Sqft	1,050.00	1,26,000,00	metal tiquid plastic sterides uksa/ski
3	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size 15/20mmx2100mm	1	Set	60,000 00	60,000.00	Metaflex
-	Supply \$ installation of 2 plate diminable X-ray viewing streen \$ 2e 1150x645	1	Set	18.000 oc	18,000.00	
5	Number & Indicator of Recess mounted IPS4 protocol, non- service cared per primarily its to be inpurified on false early for cean room application and digital dimmable ballast.	6	Sets	E 500 00	39,000,00	
	system. Zmm thick, having ESD (FAMILY and an army thick)	40	Sqft	2,450.00	98,000.00	Imported/Ger
	amided properly iRos or Tile)					floor/ Tarket
	Saving Door HST Double leaf with view point (300mmx300mm), drop sear with sock and mree side gasket. Size 1500mmx2130mm (Labor Room, Corridor)	3	Set	60,000.00	1,80,000 00	Metallex
				Total	6,33,000.00	

Terms and Conditions:


1 GST - 18% Extra as applicable

AUSTISFEGIALITY HOSPITAL POLLIG

- 2 Payment 30% advance along with firm order 40% after delivery of materials 20% on Running Bill basis. and 10% after installation within one month

 3. Warranty One year for all materials from date of handing over
- 4 Security measures shall be taken by Hospital authority no responsibility shall be taken by company if materials from site are stolen or displaced
- 5 Hospital authority shall provide one room with lock where raw materials should be kept before installation.
- 6 Hospital authority shall provide one room with electricity supply within Hospital premises for labour
- 7 Delivery time 8 Neeks

Animal Islan



AMH/BWN/WO/2020-21/004

Date: 13-10-2020

WORK ORDER FOR OT TURNKEY PROJECT

To.
Mr. Biplab Dev.
Proprietor
Priority Health Care,
5, Chanditala Lane, Ground Floor,
Kolkata - 700040

Ref: Personal discussion at our office

Sir,

Sub – Work order for Turnkey Project job for supply and installation of Modular Operation Theatre at AHAD Multispeciality Hospital, Burdwan OT 3 Size (13.75ft.x 18ft) – Minor OT

Pursuant to your Quotation dated 13th October 2020 for the above mentioned subject, we would like to proceed with the work on the following terms and conditions enclosed as *Annexure-I* with this Work Order

The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 750000/- (Seven Lacs Fifty Thousand only) plus GST @18%,

. And Multispeciality Hospital Private Limited

Dr Aminul Islam

Director

Managing Director

Accepted by Service Provider -

E-mail: ahadmsh786@gmail.com

ANNEXURE -I

SI.No	Description	Qty	Unit	Rate	Amount	Remarks
1	Pre-Fabricated PUF Panel Ceiling panel with EGP steel (thickness not less than 0.8 mm front) and PPGI steel (thickness of 0.5 mm at the back) filled with 30 mm of PUF for ceiling	45	SaMtr	2 800 00	1,26,000.00	Tata/Jindai/m ake paners only one front wall will be metal
	Coating Filling of all joints and cavities with metallic Epoxy filler and sanded flush to provide a joint less finish and then sprayed with a water based liquid plastic aseptic and self steritzing wall coating system, which protects against the growth of micro-organism, such as mould, fungi, yeast and bacteria on its surface. Equivalent to a minimum dry film thickness of 300 micron.	160	SqMtr	1.050 00	1.68.000.00	Liquid plastic steride) sikka/skk
3	Supply & installation of Manual hermetically sealed sliding Door Manually operated hermetically sealed doors with future provision for automation (1500mm wide 2100mm height) along with all necessary accessories etc.	1	Set	1.55.000.00	1 55 000.00	Metaflex
4	Supply & installation of 2 plate dimmable X-ray viewing screen (Size 1150x646mm)	1	Set	18 000 00	18,000 00	
, 5	Supply & installation of Recess mounted IP54 protocol, nonhygroscopic based peripheral lights to be mounted on false ceiling for clean room application and digital dimmable ballast.	4	Sets	6,500.00	26,000.00	
6	Supply & installation of seamless conductive tile flooring system, 2mm thick, having ESD/EMI(conductive) protection characteristics with perfectly curved flush covings, all joints welded properly (Roll or Tile)	45	SqMtr	2,450 00	1 10,250 00	imported/G er floor/ Tarket
7	Anesthesia single Arm moveable pendent with 950 mm long arm having weight carrying capacity of more than 100 kg. Sα electrical sockets 5/15 ampere & data points, one monitor shelf, one sliding tray and 6 no's gas outlet	1	Set	1,20,000.00	1,20,000.00	
8	Pass/Hatch Box Having size in accordance to the requirement should not be lesser than 600x600mm made of stainless steel grade 304 having door interlocking. UV light electronic controls	1	Set	58,000,00	58,000.00	
				Total	7,81,250.00	
				Special Discount	31,250.00	
			-	Cut Tatal		

Sub Total 7.50,000.00

Terms and Conditions:

- G.S.T 18% Extra as applicable
- Installation charges- NIL
- 3 Payment 30% advance along with firm order, 40% after delivery of materials, 20% on Running Bill basis, and 10% after installation within one month.
- 4 Warranty: One year for all materials from date of handing over.
- 5. Security measures shall be taken by Hospital authority, no responsibility shall be taken by company, if materials from site are stolen or displaced.
- 6 Hospital authority shall provide one room with lock where raw materials should be kept before installation.
- 7 Hospital authority shall provide one room with electricity supply within Hospital premises for labour accommodation
- 8 Customer shall provide firm order to process installation
- Delivery time 6 Weeks

Arabilion spaced by Hospital Private Limited
Aminul Johann

Director

MULTISPECIALITY HOSPITAL

T-53, Fagupur, Nababhat, (Near Guruduara), Burdwan - 713104

Contact: +919153216882, + 919475054986

AMH/BWN/WO/2020-21/001

Date: 18-07-2020

WORK ORDER FOR OT TURNKEY PROJECT

To,
Mr. Biplab Dey
Proprietor
Priority Health Care,
5. Chanditala Lane, Ground Floor,
Kolkata - 700040

Ref: Personal discussion at our office

Sir, .

Sub - Work order for Turnkey Project job for supply and installation of 2 Nos. Modular Operation Theatre at AHAD Multispeciality Hospital. Burdwan. OT 1 Size (24ft x 22ft) & OT 2 Size (20ftx18ft)

Pursuant to your Quotation dated 29th June 2020 for the above mentioned subject; we would like to proceed with the work on the following terms and conditions enclosed as *Annexure-II* & *Annexure-II* with this Work Order.

The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 4574950/- (Forty Five Lacs Seventy Four Thousand Nine Hundred Fifty only) plus GST @ 18%.

Additional Charges:

- J. Installation charges Rs 150000/- (One Lac fifty thousand only) plus GST @18%
- 2. Delivery charges Rs 80000/- (Eighty thousand only) plus GST @18%

Aminul Islam
Dr. Aminul Islam
Managing Director

Accepted by Service Provider -

3740y

E-mail: ruhab.bwn@gmail.com

1346 Out

ANNEXURE -I

TERMS AND CONDITIONS

1. Scope of Work

SI.	Description	Qty	Unit	Rate	Amount	Remarks
1	Pre-Fabricated PUF Panel. Wall and ceiling panel, with EGP steel (thickness not less than 0.8 mm front) and PPGI steel (thickness of 0.5 mm at the back) filled with 50 mm Polyurethane foam for wall and 30 mm for ceiling.	165	SqMtr	2,350.00	3,87,750.00	Tata/Jindal/ma ke panel's only one front wall will be metal
2	Coating Filling of all joints and cavities with metallic Epoxy filler and sanded flush to provide a joint less finish and then sprayed with a water based liquid plastic aseptic and self sterilizing wall coating system, which protects against the growth of micro-organism, such as mould, fungi, yeast and bacteria on its surface. Equivalent to a minimum dry film thickness of 300 micron.	165	SqMtr	950 00	1,56,750.00	Liquid plastic steridex sikka/skk
3	Supply & installation of Automatic hermetically scaled sliding Door. Automation operated hermetically scaled doors (1500mm wide 2100mm height) automation for door with microprocessor based electronic control unit for controlling movement of open closing timer with low noise level high quality motor for motorized function. The acceleration and speed of the door can be adjusted by software operated controller. The system comes complete with elbow switch/ foot switch/& radar switch touch less sensor) for operation of door complete with glass vision window of 300mmx300 mm along with all necessary accessories etc.		Set	2,85,000 00	2,85,000.00	Metaflex
4	Providing supply, installation of membrane type operation theatre control panel mounted flush in the theatre wall with distribution board complete with all accessories etc. The control panel comprising of the following. I no day time digital clock, I no elapsed time digital clock, I hands free telephone, Medical gas alarms (5 gas). Temperature & Humidity display control and Hepa status. Peripheral light control.		Set	1.25,000.00	1.25,000 00	
5	undirectional airflow. Plenum unit holding structure & top plenum are made of aluminum sheet 1.6mm thick with aluminum extrusion frame & scaled gasket confirming to din 4799 standards for the air distribution system with heap filter having efficiency 99.97% down to 0.3 micron. The laminar flow systems shall have such design that it provides. S class hepa filter. The filter housing terminals are made of a one piece frame and plenum with perfect tightness feature. Diffuser 2 layer monofilament precision woven polyester of uniform porosity with an open area of sufficient resistance to create laminar from diffuser face and integral lighting provide an illumination level in excess of 1500 lux in OT area and 10000 lux other electronic stepless dimming down to 5% without flicker. Size 2400x2400x300mm.	L	Set	2.45,000.00	2,45,000.00	
•	Supply & installation of 2 plate dimmable X-Ray viewing screen (Size 1150x648mm)	1	Set	18,000 00	18,000 00	
	Supply & installation of operating writing list board (magnetic) of size 948mmx648mm complete with all accessories		Šei	9,800.00	9,800 00	

Adam

×	Supply & installation of Recess mounted IP54 protocol, non-hygroscopic based peripheral lights to be mounted on false ceiling for clean room application and digital dimmable ballast	6	Sets	6,500.00	39,000 00	
7 9	Two Shelves EGP storage unit	2	Sets	19,000 00	38,000 00	
1	9 SS304 pressure release Damper for exhaust excess pressure in O1	1	Set	26,000 00	26,000.00	
T	Supply & installation of seamless conductive tile flooring system. 2mm thick, having ESD/EMI(conductive) protection characteristics with perfectly curved flush covings, all joints welded properly (Roll or Tile)		SqMtr	2,450.00	1.59,250.00	Imported/Ger floor/Tarket
	Pass/Hatch Box. Having size in accordance to the requirement should not be lesser than 600x600mm made of stainless steel grade 304 having door interlocking. UV light electronic controls.	1	Set	58,000.00	58,000 00	
	13 Supply & installation of Anesthesia single Arm moveable pendent with 950 mm long arm having weight carrying capacity of more than 100 kg Six electrical sockets 5/15 ampere & data points one monitor shelf one sliding tray and 6 no's gas out let	1	Set	1,20,000 00	1,20,000.00	
	Supply & installation of Surgeon double Arm moveable pendent with 800 mm long arm having weight carrying capacity of more than 100 kg Six electrical sockets 5/15 ampere & data points one monitor shelf one sliding tray and 6 no's gas out let		Set	1.45,000.00	1,45,000.00	
	Bio Air conditioning air handling unit with AHU of 45(0) ofm and for OT including Aluminum ducting of 24, and 22 Gauge with Nitril rubber insulation of 19mm for return and supply duct with Damper grill. Condensing unit of 8 5 TR and electrical panel Hospital have supply 3 phase supply till electrical panel	I	Set	5,60,000.00	5,60,000 00	AIRPRO, GME. FOR AHIU/BLUE STAR/Carrier FOR Condensing UNIT
1	paner		We made	Total	23.72.550.00	

Alar

Byson

ANNEXURE -II

TERMS AND CONDITIONS

1. Scope of Work

SI.	Description	Qty	Unit	Rate	Amount	Remarks
1	Pre-Fabricated PUF Panel Wall and ceiling panel, with EGP steel (thickness not less than 0.8 mm front) and PPGI steel (thickness of 0.5 mm at the back) filled with 50 mm Polyurethane foam for wall and 30 mm for ceiling		SqMtr	2,350.00	3,05,500.00	Tata/Jindal/ make panel's only one front wall will be metal
2	Coating Filling of all joints and cavines with metallic Epoxy filter and sanded flush to provide a joint less finish and then sprayed with a water based liquid plastic aseptic and self sterilizing wall coating system, which protects against the growth of microorganism, such as mould, fungi, yeast and bacteria on its surface, Equivalent to a minimum dry film thickness of 300 micron.	130	SqMir	950.00	1,23,500.00	Liquid plastic steridex sikka/skk
3	Supply & installation of Automatic hermetically sealed sliding Door Automation operated hermetically sealed doors (1500mm wide 2100mm height) automation for door with microprocessor based electronic control unit for controlling movement of open/closing timer with low noise level high quality motor for motorized function. The acceleration and speed of the door can be adjusted by software operated controller. The system comes complete with elbow switch/ foot switch/& radar switch (touch less sensor) for operation of door complete with glass vision window of 300mmx300mm along with all necessary accessories etc.		Sei	2,85,000.00	2,85,000 00	Metaflex
4	Providing supply, installation of membrane type operation theatre control panel mounted flush in the theatre wall with distribution board complete with all accessories etc. The control panel comprising of the following. I no day time digital clock, I hands free telephone, Medical gas alarms (5 gas). Temperature & Humidity display control and HEPA status. Pempheral light control.	1	Set	1.25,000.00	1,25,000.00	
	Supply installation of plain air ceiling system with unidirectional airflow. Plenum unit holding structure & top plenum are made of aluminum sheet 1 6mm thick with aluminum extrusion frame & sealed gasket confirming to din 4799 standards for the air distribution system with heap filter having efficiency 99.97% down to 0.3 micron. The laminar flow systems shall have such design that it provides. So class bepa filter. The filter housing terminals are made of a one piece frame and plenum with perfect tightness feature. Diffuser-2 layer monofilament precision woven polyester of uniform porosity with an open area of sufficient resistance to create laminar from diffuser face and integral lighting provide an illumination level in excess of 1500 linx in OT area and 10000 linx other electronic stepless dimining down to 5% without flicker. Size 2400x2400x300 mm.	1	Set	2,45,000.00	2,45,000 00	
	Supply & installation of 2 plate diminable X-Ray siewing screen (Size 1150):648mmi		Set	18,000 00	18,000 00	
	Supply & installation of operating writing list board (magnetic col size 948mms 648mm complete with all accessories		Sei	9 KIRTOG	9,800,00	

Alan

				Total	22,02,400.00	
. 15	Bio Air conditioning air handling unit with AHU of 4500 cfm and for OT including Aluminum ducting of 24, and 22 Gauge with Nitril rubber insulation of 19mm for return and supply duct with Damper grill, Condensing unit of 8 5 TR and electrical panel Hospital have supply 3 phase supply till electrical panel.	1	Set	5,60,000.00	5,60,000.00	GME, FOR AHU/BLUE STAR/ Carrier FOR Condensing UNIT
14	Supply & installation of Surgeon double Arm moveable pendent with 800 mm long arm having weight carrying capacity of more than 100 kg Six electrical sockets 5/15 ampere & data points one monitor shelf one shding tray and 6 no's gas out let		Set			AIRPRO.
13	Supply & installation of Anesthesia single Armi moveable pendent with 950 mm long arm having weight carrying capacity of more than 100 kg Six electrical sockets 5/15 ampere & data points one monitor shelf one shiding tray			1,45,000.00	1.45.000.00	
12	Pass/Hatch Box: Having size in accordance to the requirement should not be lesser than 600x600mm made of stainless steel grade 304 having door interlocking. LIV light electronic controls.	1	Set	58,000.00	1,20,000.00	
11	Supply & installation of seamless conductive tile flooring system, 2mm thick, having ESD/EMI (conductive) protection characteristics with perfectly curved flush covings, all joints welded properly. (Roll or Tile)	48	SqMtr		58,000.00	floor/ Tarket
10	SS304 pressure release Damper for exhaust excess pressure in OT	1	Set	26,000.00	26,000.00	Imported/Ge
9	Two Shelves EGP storage unit	2	Sets	19,000.00		
×	Supply & installation of Recess mounted IP54 protocol, non-hygroscopic based peripheral lights to be mounted on false ceiling for clean room application and digital diminable ballast	4	Sets	6,500.00	38,000.00	

Note:

All charges are exclusive of GST @18%

The total OT Complex work on turnkey basis must meet the NABH OT Guidelines version 2 for Air Conditioning in Operation Theatres

2A. Payment Terms

- 30% advance along with the order
 - Advance along with the order Rs 2 lacs
 - On dispatch of materials for wall panels & ceiling panels & laminar air flow with AC ducting from factory - Rs 3 lacs
 - On receiving the materials at the project site Rs 3 lacs
 - On completion of work inside both the OTs panel work Rs 5 lacs
- 20% payment on dispatch of all materials for both the OTs from the factory
- 20% payment on receipt of all materials for both the OTs at the project site
- 20% payment on Running Bill basis
- 10% after completion of the work and handover within one month from the date of commissioning

134 4 ByX

2B. Additional Charges

- Installation charges Rs 150000/- (One Lac fifty thousand only) plus GST @18%
- ▶ Delivery charges Rs 80000/- (Eighty thousand only) plus GST @18%

3. Delivery Schedule

Overall project period is 12 weeks from the date of receipt of Work Order

4. Warranty

▶ 12 months from the date of commissioning of both the OTs

5. Client scope of work

- > All Civil Works in the OT Complex
- All electrical works items and cable laying power sockets

Alay

By ully

MULTISPECIALITY HOSPITAL

T-53, Fagupur, Nababhat (Near Guruduara) Burdwan - 71310

Contact: +919153216882, + 91947505498

Ref.No -

Date:

To.

Priority Health Care,

5, Chanditala lane, ground floor

Kolkata 700040

Dear Sir,

As per your quotation PHC/Q/006/20-21, we are pleased to submit our work order as below:

Item Description	QTY	Unit	Rate	Amount
1. OXYGEN SYSTEM - 2 X 8 Oxygen Manifold with tail pipe NRV with SEMI AUTOMATIC CONTROL PANEL. Supply, testing and commissioning of Oxygen control panel to reduce the variables cylinder pressure down to constant line distribution pressure, with superior flow rate to the with demand of hospital. Two Stage regulators, safety valve takes on automatically from the empty cylinder to failed cylinder bunk visual indication of pressure from the control panel to the distribution systems, visual signal for empty cylinder bunk.	1	Set	1,05,000.00	1,05,000.00
2. EMERGENCY OXYGEN SYSTEM - 2 X 4 Emergency Oxygen Manifold with tail pipe NRV.	1	Set	38,500.00	38,500.00
3. 2 X 2 Nitrous Oxide Main Manifold tail pipe NRV with Semi automatic Control Panel. Supply, , testing and commissioning of Nitrous Oxide control panel to reduce the variables cylinder pressure down to constant line distribution pressure, with superior flow rate to the with demand of hospital. Two Stage regulators, safety valve takes on automatically from the empty cylinder to failed cylinder bunk visual Indication of pressure from the control panel to the distribution systems, visual signal for empty cylinder bunk.	1	Set	55,500.00	55,500.00
4. 1 + 1 Cylinder Emergency Nitrous Oxide Manifold with tail pipe NRV and regulator.	1	Set	18,500.00	18,500.00

Alice Manageoletty Haspital Private Limited

Aminual Johann

Director

	1	Set	22,500.00	22,500.00
5. 1 + 1 Carbon di Oxide Manifold with tail pipe NRV, regulator and heater.	1			
6. 1 Cylinder Emergency Carbon di Oxide Manifold with tail pipe NRV, regulator and heater.	1	Set	16,500.00	16,500.00
7. DUPLEX MEDICAL AIR SYSTEM - Oil Free Air-Supply, testing and commissioning of (Make Anest Iwata) Air cooled reciprocating type twin compressors capable to delivering at 8.5 Kg/sq.cm, 100% oil free, two stage with 10.00 HP, 3 phase motor base frame mounted.	1	Set	5,70,000.00	5,70,000.00
8. Air receiver tank (Make Mild Steel) capacity 600 liter for air	1	Set	45,000.00	45,000.00
9. TWIN VACUUM SYSTEM - Supply, testing and commissioning of twin vacuum pumps (Make Indo Air) reciprocating type air cooled single stage with 7.5 HP motor, starter, silencer, auto switch gear, on line filter.	1	Set	3,60,000.00	3,60,000.00
10. Common receiver tank (Make Mild Steel) 1000 liter for	1	Set	52,250.00	52,250.00
vacuum system. 11. Air Dryer – (Make Trident) 45 C.F.M airflow with pre filter.	1	Set	85,000.00	85,000.00
12. Carbon activated three stage bacteria filter.	1	Set	26,600.00	26,600.00
13. Imported Air Regulators to reduce air pressure 4.2 bar and 7 bar.	2	Set	5,225.00	10,450.00
accompanied with manufactures test certificate for the physical properties & chemical composition. Supply, testing and commissioning of copper pipe including tee, bend socket, reducer, consumables and fixtures etc. All copper fittings are imported. Solid drawn, seamless, De- oxidized non-arsenical half hard tempered and de greased copper pipe conforming to EN: 13348:2008. All copper pipe will be de greased and both sides of pipe is capped with manufacture test certificate. The pipe sizes to be used are: 14a. 12 mm x 0.7 mm thick. 14b. 15 mm x 0.9 mm thick. 14c. 22 mm x 0.9 mm thick. 14d. 28 mm x 0.9 mm thick. 15. GAS OUTLETS Points Front loading PB (AMICO U.S.A type) indian makes double parking, online facility service.	800 1800 1000 300 100	Mtr Mtr Mtr Mtr Mtr	313.50 449.35 589.00 722.00 1,890.50	2,50,800.00 8,08,830.00 5,89,000.00 2,16,600.00 1,89,050.00
15a. Gas outlet points for Oxygen.	10	Sets	1,615.00	16,150.00
15b. Gas outlet points for Nitrous Oxide. 15c. Gas outlet points for Air 4 bar.	50	Sets	1,615.00	80,750.00
15d. Gas outlet points for Air 7 bar.	5	Sets	1,615.00	8,075.00
15e. Gas outlet points for Vacuum.	160	Sets	1,615.00	2,58,400.00
15f. Gas outlet points for CO2.	5	Sets	1,615.00	8,075.00
16. Isolation Ball Valves with Brass end fittings. The Isolation valves will be non lubricate ball type, suitable for oxygen service. All valves shall be pneumatically tested for twice the working pressure and Factory de				
service before supply. 16a. 12mm.	22	Sets	1,040.00	22,880.00
16b. 15mm.	55	Sets	1,250.00	68,750.00
16c. 22mm.	25	Sets	1,700.50	42,512.50
16d. 28mm.	4	Sets	2,185.00	8,740.00
16e. 42mm.	4 .	Sets	2,802.50	11,210.00

And Williamsky Hospital Prints Wald I Aminul Islam Director

17. B P C Flow meter with Humidifier bottle : Back pressure	150	Sets	522.50	78,375.00
Compensated now meter shall be of accurate gas flow			322.50	70,373.00
measurement with following features: Control within a range				
of 0-15 LPM.It will meet strict precision and durability				
standard. The flow meter body will be made of brash chrome plated materials. The flow tube and shroud components will				
be made of clear, impact resistant polycarbonate. Flow tube				
will have large and expended 0-15 lpm range for improved				
readability at low flows.Inter filter of stainless steel wire mesh				
to prevent entry of foreign particles. The humidifier bottle will				
be made of unbreakable polycarbonate material and				
autoclavable up to 140 degree centigrade temperature.				
18. Ward Vacuum Unit with collection Jar 600ml. Ward	150	Sets	1,187.50	1,78,125.00
Vacuum Units: Ward vacuum unit shall be of light weight and	150	5613	1,107.50	1,70,125.00
compact.				
The until will consist of- A regulator should with stand up to				
750 mH, A 600 ml reusable collection jar, made of				
unbreakable poly carbonate material and fully autoclavable		1		1
up to 140 degree centigrade. A wall bracket for mounting the				
jar assembly on the wall. The vacuum regulator with instant				
ON/OFF switch will be infinitely adjustable and have vacuum				Cinc. I
gauge which indicates suction supplied by the regulator from				
overflowing. Suction controller must include an antibacterial.	-			
19. Theatre Suction Unit: Mobile floor suction unit for	5	Sets	9,025.00	45,125.00
operation theaters, with up 140 c autoclavable polycarbonate				
jars. Two such 2000 ml capacity jars, regulator with safety trap, having free moving castor wheels. Suction controller				
Tust have antibacterial filter. Adequate length of vacuum				
hase for use with terminal outlets.				
20. Microprocessor based Digital type Line Pressure Alarm		- 1		
without isolation valves. Line pressure alarm (DIGITAL)				
The area line pressure alarm should be micro processor based				
which will monitor the pressure of medical gases like oxygen,				
nitrous oxide, compressed air and vacuum levels at a specific				
area of piped gas system in any hospital. The electronic		1		
circuitry should be such that if the pressure/vacuum in the gas				
pipe line drops below the present limit, the equipment should				
give an audio-visual alarm. Visual alarm will remain active				
even after pressing of MUTE buttom. But it should be come to				
normal condition when gas pressure/ vacuum return to				
The equipment should have following features:				
Four channel microprocessors controlled alarm for pneumatic				
& vertical services has the following features:				
. Digital display of line pressure for the all the services with				
factory calibrated pressure sensors.				met in
. Color coded LED display of line pressure status (High-				
caution-normal-caution-low)				
. Audible alarm for high & low pressure condition.				
. Test and alarm acknowledge (MUTE) facility. (Alarm				
acknowledges time span should be programmable from 1 to				
60min).			Ballion .	
. Programming facility of alarm limits from front panel		16 1		
(Password protected, preferably to be done through suppliers			MAN BOOK	
engineer) Facility to connect to remote alarm box by potential free			SA SEE	TO BELLEVIOLE
. Facility to connect to remote alarm box by potential mae			10 E 10 F	Horasa
and the second s		1 +	teneral die	


Abort Multispeciality Hospital Princip Licited
Aminul Islam
Director

			Total	47,82,847.50
21. Low Pressure suction tube.	300	Mtr	76.00	22,800.00
20c. 5 Gases.	1	Set	28,025.00	28,025.00
20b. 3 Gases.	2	Set	21,375.00	42,750.00
20a. 2 Gases.	3	Sets	15,575.00	46,725.00
NFPA99/equivalent standard.				
The alarm should be designed to meet the requirements of				
. Mute/ silence Facility.				
: Test facility.				
.High/ Low indication.				
. Low voitage operation for safety.				1
. Wall mounting facility.				
220 V AC.				
. Low voltage internal operation with input power supply of				
supply line.				
. Nut & nipple to be provided for connection with pneumatic				
Alarm box should have powder coated MS material.				
supply.				
Highly sensitive gas pressure sensors & CE marked power				
3 kg)				
Should be small and compact design and light weight (within				
ontracts to be provided in the alarm box.				

Terms and Conditions:

- 1. Warranty: One year for all materials from the date of installation.
- 2. Payment Terms: INR 12,00,000 00 against delivery of copper pipes; INR 4,00,000.00 after Copper pipe Installation at ground, first and second floor, INR 8,00,000.00 against delivery of gas outlet points and Isolation Ball valves; INR 5,00,000.00 after Installation of all gas outlets and Ball valves, INR 8,00,000.00 against dispatch of rest of the materials; Rest after installation within one month.
- G.S.T: 18% extra as applicable as on time of invoicing.
 Installation Charges: INR 3, 50,000.00 + G.S.T applicable will be paid partly during the time of project work.
- 5. Delivery, packing and Insurance: INR 1, 20,000.00 + G.S.T applicable.
- 6. Civil work and Scaffolding in our scope
- 7. Final invoice amount may vary from actual measurement.
- 8. Security measures shall be taken by Hospital authority.
- 9. Hospital authority will provide one room with lock where raw materials should be kept before installation.
- 10. Hospital authority will provide one room with electricity supply within Hospital premises for labour accommodation
- 11: 3% Copper scrap will be under our head.

Thanking you, AHAD Multispecialty Hospital Pvt. Ltd., Nababhat, Burdwan



T-53, Fagupur, Nababhat, (Near Guruduara), Burdwan - 713104

Contact: +919153216882, + 919475054986

Date: 20/06/2020

Ref.No -

To.

Priority Health Care,

5, Chanditala Lane, Ground Floor,

Kolkata - 700040

Dear Sir,

As per your quotation PHC/Q/012/20-21, we are pleased to submit our work order for third floor

· auotation Pro/di			Data	Amount
As per your quotation PHC/Q/07	TQTY	Unit	Rate	
as below: Item Description assign with manufactures and				
1. Copper Pipe - The Pipes (Make Max Flow) will be accompanied with manufactures test certificate for the physical properties & chemical composition. Supply, testing and test certificate for the physical properties & chemical composition. Supply, testing and commissioning of copper pipe including tee, bend socket, reducer, consumables and commissioning of copper pipe including tee, bend socket, reducer, consumables and testing are imported. Solld drawn, seamless, De- oxidized non-fixtures etc. All copper fittings are imported. Solld drawn, seamless, De- oxidized non-fixtures etc. All copper fittings are imported. Solld drawn, seamless, De- oxidized non-fixtures etc. All copper pipe will be de greased copper pipe conforming to EN: 13-48:2008. All copper pipe will be de greased and both sides of pipe is capped with manufacture test certificate. The pipe sizes to be used are: 13-19:mm x 0.7 mm thick.	130 440 200	Mtr Mtr Mtr	313.50 449.35 589.00	56,430.00 1,97,714.00 1,17,800.00 85,595.00 16,150.00
16. 15 mm x 0.9 mm thick. 1c. 22 mm x 0.9 mm thick. 1c. 22 mm x 0.9 mm thick. 1c. GAS OUTLETS Points Front loading PB (AMICO U.S.A type) Indian make double arking, online facility service. 1c. GAS OUTLETS points for Oxygen.	53 10 43	Sets Sets	1,615.00 1,615.00	69,445.00
a. Gas outlet points for Air 4 bar. c. Gas outlet points for Vacuum. e. Solation Ball Valves with Brass end fittings. The isolation valves will be non lubricate for twice in the isolation valves will be non lubricate for twice with Brass end fittings. The isolation valves will be non lubricate for twice in the isolation valves will be non lubricate for twice for the isolation valves will be non lubricate for twice for the isolation valves will be non lubricate for twice for twice for the isolation valves will be non lubricate for twice	8 12 12 1 53	Sets Sets Sets Sets Sets	1.040.00 1.250.00 1.700.50 2.185.00 522.50	8,320.00 15.000.09 20,406.00 2,185.00 27,692.50
15mm. 22mm. 28mm. 28mm. P C Flow meter with Humidifier bottle: Back pressure Compensated flow meter with following features: Control within a libe of accurate gas flow measurement with following features: The flow meter libe of accurate gas flow measurement and durability standard The flow meter libe of accurate gas flow measurement with following features: Control within a libe of accurate gas flow measurement with following features: The flow made and shroud libe of 0-15 LPM. It will meet strict precision and durability standard shroud libe of 0-15 LPM. It will meet strict precision and polycarbonate. Flow tube will have will be made of clear, impact resistant polycarbonate. Flow tube will be made of clear, impact resistant polycarbonate.				<i>*</i>

Arrived Island

arge and expended 0-15 lpm range for improved readability at low flows. Inter filter of stainless steel wire mesh to prevent entry of foreign particles. The humidifier bottle will be made of unbreakable polycarbonate material and autoclavable up to 140 degree sentigrade temperature.				
S. Ward Vacuum Unit with collection Jar 600ml. Ward Vacuum Units: Ward vacuum unit shall be of light weight and compact. The until will consist of- A regulator should with stand up to 750 mH, A 600 ml reusable collection jar, made of unbreakable poly carbonate material and fully autoclavable up to 140 degree centigrade. A wall bracket for mounting the jar assembly on the wall. The vacuum regulator with instant ON/OFF switch will be infinitely adjustable and have vacuum gauge which indicates suction supplied by the regulator from overflowing. Suction controller must include an antibacterial.		Sets	1,187 50	62,937.50
6. Microprocessor based Digital type Une Pressure Alarm without isolation valves. Line pressure alarm (DiGITAL) The area line pressure alarm should be micro processor based which will monitor the pressure of medical gases like oxygen, nitrous oxide, compressed air and vacuum levels at a specific area of piped gas system in any hospital. The electronic circuitry should be such that if the pressure/vacuum in the gas pipe line drops below the present limit, the equipment should give an audio-visual alarm. Visual alarm will remain active even after pressing of MUTE button. But it should be come to normal condition when gas pressure/ vacuum return to normal level. The equipment should have following features: Four channel microprocessors controlled alarm for pneumatic & vertical services has the following features: Digital display of line pressure for the all the services with factory calibrated pressure sensors. Color coded LED display of line pressure status (High- caution normal-caution-low). Audible alarm for high & low pressure condition. Test and alarm acknowledge (MUTE) facility. (Alarm acknowledges time span should be programmable from 1 to 60min). Programming facility of alarm limits from front panel (Password protected, preferably to be done through supplier's engineer). Facility to connect to remote alarm box by potential free contracts to be provided in the alarm box. Should be small and compact design and light weight (within 3 kg) Highly sensitive gas pressure sensors & CE marked power supply. Alarm box should have powder coated MS material. Nut & nipple to be provided for connection with pneumatic supply line. Low voltage internal operation with input power supply of 220 V AC. Wall mounting facility. Low voltage operation for safety. High Low indication. Test facility. Mute/ silence Facility. The alarm should be designed to meet the requirements of NFPA99/equivalent standard.				
ia. 2 Gases.	2	Sets	15,575.00	31,150.00
b. 3 Gases.	1	Set	21,375.00	21,375.00

Terms and Conditions:

- 1. Warranty: One year for all materials from the date of installation.
- 2. Payment Terms: INR 3,00,000.00 after copper pipe Installation at third floor; INR 3,50,000.00 against delivery of Gas Outlet points and Isolation Ball valves, INR 1,00,000.00 after installation of Gas Outlet points and Isolation Ball valves; INR 1,00,000.00 against dispatch of rest of the materials; rest after installation within one month.
- 3. G.S.T: 18% extra as applicable as on time of invoicing.
- 4. Installation Charges: INR 70,000.00 + G.S.T applicable should paid partly during the time of project work.
- 5. Civil work and Scaffolding in our scope.
- 6. Final invoice amount may vary from actual measurement.
- 7. Security measures shall be taken by Hospital authority, no responsibility shall be taken by company, if materials from site are stolen or displaced.
- 8. Hospital authority shall provide one room with lock where raw materials should be kept before
- 9. Hospital authority shall provide one room with electricity supply within Hospital premises for labour accommodation.
- 18. 3% Copper scrap will be under our head.

Thanking you,

Smind Islam



Contact +91 7063044006

Read Office:

T-53. FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN, PURBA BARDHAMAN CIN :- U85100 WB 2015 PTC 206248

AMH/BWN/WO/2020-21/005

Date: 06-02-2021

WORK ORDER FOR OT & ICUs DOORS AND VINYL FLOORING FOR OT ROOMS, OT CORRIDOR, PRE & POST OP AREA, NICU, CCU & ICU AREA AT AHAD MULTISPECIALITY HOSPITAL PVT. LTD., BURDWAN

To. Mr Biplab Dev Proprietor Priority Health Care, 5, Chanditala Lane, Ground Floor, Kolkata - 700040

Ref: Personal discussion at our office

Sir.

Sub - Work order for OT & ICUs Doors & Vinyl Flooring for OT rooms, OT corridor, Pre & Post OP Area, NICU, CCU & ICU Area at AHAD Multispeciality Hospital, Burdwan

Pursuant to your Quotation dated 46 January 2021 for the above mentioned subject, we would like to proceed with the work on the following terms and conditions enclosed as Annexure-1 with this Work Order

The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 3490000/- (Thirty Four Lacs Ninety Thousand only) plus GST @18%.

Anac Volta, and, hospital Private Limited

Dr Ammul Islam Aminul Islam Director

Accepted by Service Provider "Pople b Oy

MULTISPECIALITY HOSPITAL PVI. LIN

Contact +91 7063044006

Regd Office:

T-53, FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN, PURBA BARDHAMAN CIN :- U85100 WB 2015 PTC 206248

Annexure - I

4	Description	Quantity			
1	Swing Door HPL Double leaf with view point(300mm, 300mm), drop seal with lock and three side was at 51%.	Quantity	Unit	Rate	Amount
2	i such site towning / 100mm / NICLL text	3	Sets	60,000.00	1,80,000.0
	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size: 1500mmx2100mm (Entry, Exit for O Tiarea, Pre- Op, Post-Op for 2nd Floor)	14	Sets	60,000.00	8,40,000,0
3	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size: 1500minx2100mm (ICU 2nd Floor, CCU 2nd Floor)	2	Sets	60,000.00	1,20,000.00
	Hermetically sealed sliding Door: Manually operated hermetically sealed doors. The system comes complete with glass vision window of 300mmx300mm along with all necessary accessories etc. Size: 1500mmx2100mm (O.T Door 2nd Floor)	2	Sets	1,55,000.00	3,10,000 00
	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size: 1500mmx2100mm (ICU 3rd Floor)	1	Set	60,000.00	60,000.00
	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size: 1500mmx2100mm (ICU 3rd Floor)	1	Set	60,000.00	60,000 00
	55 Three bay fully automatic scrub sink. (Gynae O.T Complex)	1	Set	1.48.000.00	1,48,000.00
	SS Three bay fully automatic scrub sink (Main O T Complex)	1	Set	1,48,000.00	1,48,000.00
	Vinyl Flooring 2 mm thick impolar ambience ultra is a homogenous calendared compact floor covering in sheet, with non-directional design Color dived as a raw musture to ensure even color throughout the thickness. Its Surface is densely compact for improved wear and ease of maintenance. It receives a polyurethane reinforced Evercare surface treatment for our ease of muntenance and to avoid the one of an activity emulsion after installation. The flooring compiles with the ENG49(34-43) and has a group T(KS) wear rating. It is suitable for heavy traffic areas. Weight of the material is 2057 gm/m2. [Area - O T corridor, CCU, ICU,	11200	хц. Feet	145.00	16,24,000 00

rms and Conditions:

- Warranty One year for all materials from the date of handing over
- GST 18% Extra as applicable
- Installation charges- INR 3000 00 for each Door installation, INR 15 00 per sq. Feet for Vinyl Flooring Installation with
- Delivery Packing INR 60,000 00
- Payment 10% advance along with firm order, 60% before dispatch of materials, 20% after delivery of materials, rest after installation
- 6 Delivery time 8 Weeks
- Security measures will be taken by Hospital authority no responsibility shall be taken by company if materials from site are stolen or displaced
- 8 Hospital authority will provide one room with lock where raw materials should be kept before installation
- 9 Hospital authority will provide one room with electricity supply within Hospital premises for labour accommodation
- 10 Customer shall provide firm order to process installation
 11 Viriyl flooring scrap will be under Customer head

Anad Wuldspeciality Hospital Private Limited

Amint Islam

Contact +91 7063044006

Regd Office:

T-53, FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN, PURBA BARDHAMAN CIN :- U85100 WB 2015 PTC 206248

AMH/BWN/WO/2020-21/005

Date: 06-02-2021

WORK ORDER FOR OT & ICUS DOORS AND VINYL FLOORING FOR OT ROOMS, OT CORRIDOR, PRE & POST OP AREA, NICU, CCU & ICU AREA AT AHAD MULTISPECIALITY HOSPITAL PVT. LTD., BURDWAN

To. Mr Biplab Dev Proprietor Priority Health Care, 5. Chanditala Lane, Ground Floor, Kolkata - 700040

Ref: Personal discussion at our office

Sir.

Sub - Work order for OT & ICUs Doors & Vinyl Flooring for OT rooms, OT corridor, Pre & Post OP Area, NICU, CCU & ICU Area at AHAD Multispeciality Hospital, Burdwan

Pursuant to your Quotation dated 4th January 2021 for the above mentioned subject, we would like to proceed with the work on the following terms and conditions enclosed as Annexure-1 with this Work


The Total Contract Amount for completion of the above mentioned work for AHAD Multispeciality Hospital, Burdwan is Rs 3490000/- (Thirty Four Lacs Ninety Thousand only) plus GST @18%.

Dr. Ammul Islam Ammul Islam

Director

Director

Accepted by Service Provider - Biple by



Contact +91 7063044006

Regd Office:

1-53 FAGUPUR NABABHAT (NEAR GURUDWARA) BURDWAN PURBA BARDHAMAN

CIN :- U85100 WB 2015 PTC 206248

No					
1	Swing Opp: HPI Double	Quantity	Unit	Rate	Amoun
	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with lock and three side gasker. Size: 1500mmx3100	3	Sets	-	-
2	Swing Door HPL Double Last Control		26.0	60,000.00	1,80,000
	Swing Door HPL Double leaf with view point (300mmx300mm), drop seal with rock and three side gasket. Size: 1500mmx2100mm (Entry, Exit for O.T area, Pre- Op. Post-Op for 2nd Floor)	14	Sets	60,000.00	8,40,000
3	Swing Door HPL Double last with				158 110
	CCU 2nd Floor) 1300 mmx2100 mm (ICU 2nd Floor,	2	Sets	60,000.00	1,20,000.0
	Hermetically sealed sliding Door: Manually operated hermetically sealed doors. The system comes required				
1	300mmx300mm along with all necessary accessories etc. Size 1500mmx2100mm (O.T Door 2nd Floor)	2	Sets	1,55,000.00	3.10,000 0
	Swing Door HPL Double leaf with view point (400)				
-	300 1500mmy 2100mmy 1101 2-11	1	Set	60,000.00	60,000.00
	Swing Door HPt Double leaf with view point (300mmx300mm), drop seal with lock and three side gasket. Size: 1500mmx2100mm (ICU 3rd Floor)	1	Set	60.000.00	60,000.00
	SS Three bay fully automatic scrub sink. (Gynae O.T Complex)	1			
1	SS Three bay fully automatic scrub sink. (Main O.T Complex)		Set	1,48,000.00	1,48,000.00
+		1	Set	1,48,000.00	1,48,000 00
1	Vinyl Flooring 2 mm thick mipolam ambience ultra is a homogenous calendared compact floor covering in sheet, with non directional design Color dyed as a raw musture to ensure even color throughout the thickness. Its Surface is densely compact for improved wear and ease of maintenance. It receives a polyurethane reinforced Evercare surface treatment for our ease of maintenance and to avoid the use of an acrylic emulsion after installation. The flooring compiles with the EN649(34-43) and have group T(KS) wear rating it is suitable for heavy traffic areas. Weight of the material is 2057 gm/mz.(Area - O.T corridor, CCU, ICU, NCU, Post OP).	11200	sq. Feet	145.00	16,24,000.00
				Total	34,90,000.00

- Warranty One year for all materials from the date of handing over
- GST 18% Extra as applicable.
- installation charges INR 3000 00 for each Unor Installation INR 15 00 per sq. Feet for Vinyl Flooring Installation with
- Delivery Facking INR 60 000 00
- Payment 10% advance along with firm order 60% before dispatch of materials, 20% after delivery of materials, rest
- Security measures will be taken by Hospital authority no responsibility shall be taken by company if materials from site
- Hospital authority will provide one room with lock where raw materials should be kept before installation.
- Hospital authority will provide one room with electricity supply within Hospital premises for labour accommodation
- Customer shall provide firm order to process installation
 Vinyl flooring scrap will be under Customer head

Ahad Multispeciality Hospital Private Limited

Amint .

Director

AHAD MULTISPECIALITY HOSPITAL PRIVATE LIMITED

FAGUPUR, NABABHAT,BURDWAN WEST BENGAL 713104

PRIORITY HEALTH CARE

Ledger Account KOLKATA

1-Apr-17 to 6-May-23

Date		Particulars	Vch Type	Vot	No.	Debit	Page Credi
12-Mar-20	To	ICICI BANK CA A/C DOCLOSOOTO	D		51	1,00,000.00	
21-Mar-20	То	ICICI BANK CA A/C- 02640500272	Payment		55	1,00,000.00	
	Ву					2,00,000.00	2,00,000.00
	-,	Closing Balance				2,00,000.00	2,00,000.00
1-Anr 20	т.	0					2,00,000.0
		Opening Balance				2,00,000.00	
1/-Jun-20	To	ICICI BANK CA A/C- 026405002729	Payment		18	4,00,000.00	
22-JUI-20	10	ICICI BANK CA A/C- 026405002729	Payment		30	2,00,000.00	
12-UCI-20	10	ICICI BANK CA A/C- 026405002729	Payment		57	5,00,000.00	
16-Jan-21	10	ICICI BANK CA A/C- 026405002729	Payment		91	5,00,000.00	
25-Jan-21	10	ICICI BANK CA A/C- 026405002729			93	5,00,000.00	
22-Feb-21	10	ICICI BANK CA A/C- 026405002729	Payment		107	5,00,000.00	21,27,546.00
		MGPS (COPPER PIPE)	Purchase		21		7,46,645.00
	Ву	MODULAR OT (LAMINAR AIR FLOW WITH HEP	A) Purchase		22		
						28,00,000.00	28,74,191.00
	То	Closing Balance			-	74,191.00	28,74,191.00
				**	-	28,74,191.00	
1-Apr-21	Ву	Opening Balance	***				74,191.00
21-Dec-21	To	SBI TL A/C:40639414930	Payment		78	20,00,000.00	
5-Jan-22	Ву	MGPS (COPPER PIPE)	Purchase		26		19,99,798.00
24-Jan-22	To	SBI TL A/C:40639414930	Payment		99	40,00,000.00	
		MGPS (COPPER PIPE)	Purchase		38		4,03,855.00
		MGPS (COPPER PIPE)	Purchase		39		15,30,162.00
		MODULAR OT(LAMINAR AIR FLOW WITH HEPA			40		7,44,600.00
		MODULAR OT (LAMINAR AIR FLOW WITH HEPA			41		9,20,315.00
E		MODULAR OT (LAMINAR AIR FLOW WITH HEPA)			42		19,83,672.00
		MODULAR OT(LAMINAR AIR FLOW WITH HEPA)			43		14,37,024.00
		MODULAR OT(LAMINAR AIR FLOW WITH HEPA)			44		16,23,680.00
		MODULAR OT (LAMINAR AIR FLOW WITH HEPA)			50		19,16,320.00
		BI TL A/C:40639414930	Payment		16	60,00,000.00	
		IODULAR OT(LAMINAR AIR FLOW WITH HEPA)			67		13,21,600.00
		IODULAR OT(LAMINAR AIR FLOW WITH HEPA)			68		9,10,442.00
		BI CA:38151294892	Payment		27	7,00,000.00	
	0 5	BI TL A/C:40639414930	Payment	., 1	28	21,00,000.00	
			* T T T T T T T T T T T T T T T T T T T	A CONTRACTOR OF THE PARTY OF TH	-	1,48,00,000.00	1,48,65,659.00
To	0	Closing Balance				65,659.00	
					- 20	1,48,65,659.00	1,48,65,659.00
I-Apr-22 By	, 0	pening Balance					In the second second
		BI TL A/C:40639414930	Payment		2	10.00.000.00	65,659.00
		BI CA:38151294892	Payment			10,00,000.00	
			Purchase		14	6,00,000.00	
By	MC		Purchase	13			1,77,000.00
100		(Constitution of the constitution of the const	41011030	14	U		1,00,720.00
		Carried Over			-	16.00.000.00	2 42 270 00
					-	16,00,000.00	3,43,379.00

MULTISPECIALITY HOSPITAL PRIVATE LIMITED

ORITY	HE	ALTH CARE Ledger Account: 1-A	pr-17 to 6-May-23			Page 2
Date		Particulars	Vch Type	Vch No.	Debit	Credit
		Brought Forward			16,00,000.00	3,43,379.00
3-Jan-23	Ву	MODULAR OT (LAMINAR AIR FLOW WITH HER	PA) Purchase	141		6,87,740.00
	Ву	MODULAR OT(LAMINAR AIR FLOW WITH HER	PA) Purchase	142		2,58,420.00
					16,00,000.00	12,89,539.00
	Ву	Closing Balance				3,10,461.00
					16,00,000.00	16,00,000.00