

[Print](#) [Back](#)


**भारत सरकार/Government of India**  
**वाणिज्य और उद्योग मंत्रालय /Ministry of Commerce & Industry**  
**पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो)/Petroleum & Explosives Safety Organisation (PESO)**  
**पाँचवा तल, ए-ब्लॉक, सी.जी.ओ. कॉम्प्लेक्स, सेमिनरी हिल्स, नागपुर**  
**5th Floor, A-Block, CGO Complex, Seminary Hills,**  
**Nagpur - 440006**

ई-मेल/E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)

फोन / फ़ैक्स नंबर:/Phone/Fax No : 0712

-2510248, Fax-2510577

क्र./No : S/HO/MH/03/2311(S95973)

दिनांक :/Dated : 29/05/2023

**ज्ञापन / M E M O R A N D U M****Sub MUSALGAON, Sinnar, Taluka: Nashik, District: NASIK, State: Maharashtra,****: PIN: 422103 स्थित संस्थापन में NILKAMAL LIMITED, MUSALGAON, Sinnar, Taluka: Nashik, District: NASIK, State: Maharashtra,****PIN: 422103 द्वारा 2 दाब पात्र / पात्रों में LPG, के भण्डारकरण के लिए स्थिर एवं गतिशील दाब पात्र (अज्वलित) नियम, 2016 के अधीन अनुज्ञप्ति स्वीकृति के संबंध में.****/Storage of the compressed gas LPG, in 2 Number(s) of pressure vessels by NILKAMAL LIMITED, MUSALGAON, Sinnar, Taluka: Nashik, District: NASIK, State: Maharashtra,****PIN: 422103 -Grant of licence under SMPV(U)Rules,2016.****स्थिर एवं गतिशील दाब पात्र (अज्वलित) नियम, 2016 के प्ररूप - एलएस-1क में दिनांक 30 सितंबर 2025 तक वैध मेसर्स NILKAMAL LIMITED, MUSALGAON, Sinnar, Taluka: Nashik, District: NASIK, State: Maharashtra,****PIN: 422103 को निम्न लिखित संपीडित गैस के प्रकार एवं मात्रा के विषयान्तर्गत संस्थापन हेतु जारी अनुज्ञप्ति संख्या S/HO/MH/03/2311 दिनांक May 27, 2023 की दो प्रतियां the Jt. Chief Controller of Explosives, West Circle, Navi Mumbai (M.S.) को अग्रेषित की जा रही हैं।****Two Copies of Licence No. S/HO/MH/03/2311 dated May 27, 2023 in Form LS-1A/B of SMPV(U) Rules,2016 granted to NILKAMAL LIMITED, MUSALGAON, Sinnar, Taluka: Nashik, District: NASIK, State: Maharashtra,****PIN: 422103, for the subject for storage of following kinds and quantities of compressed gas valid upto 30<sup>th</sup> September 2025, are forwarded to the Jt. Chief Controller of Explosives, West Circle, Navi Mumbai (M.S.). A copy of the set of certificates and list of competent persons are enclosed herewith.**

Vessel No./वेसल नंबर	Name of Gas/गैस का नाम	State of Gas/गैस की स्थिति	Water Capacity in cubic meter/जल क्षमता (घ.मी.)	Max. working Pre.(kg/cm <sup>2</sup> )/अधिकतम वर्किंग प्रेशर	Quantity Granted in kgs(Liquified gas)/किलोग्राम में जारी मात्रा (लिक्विफाईड गैसेस)
GGEIPL/NL/19-20/01	LPG	Liquified	19.99	14.5	9400
GGEIPL/NL/19-20/02	LPG	Liquified	19.99	14.5	9400
<b>Total Water capacity</b>			<b>39.98</b>		

उनसे अनुरोध है कि विषयांतर्गत परिसर का निरीक्षण करें और यदि वह इस बात से संतुष्ट हैं कि अनुज्ञप्ति में दी गई सभी शर्तों का तथा नियमों के सभी प्रावधानों का पालन हो रहा है तो वे इस कार्यालय को सूचित करते हुए अनुज्ञप्ति की मूल प्रति पृष्ठांकित कर सीधे अनुज्ञप्तिधारी को सौंप दें। यदि वे अनुज्ञप्ति को पृष्ठांकित न करने का निर्णय लेते हैं तो तुरंत ऐसा करने का कारण बताते हुए तीन महीनों के भीतर अनुज्ञप्ति इस कार्यालय को लौटा दें। / He is requested to inspect the premises and if he is satisfied that the storage installation conforms to the approved plan and all the conditions of licence are complied with, he may endorse the licence and forward it to the licensee under intimation to this office. If however, he decides not to endorse the licence, he may return the same to this office with reasons for not endorsing, **not later than three months.**

Yours faithfully,

संलग्न: यथोपरि/Encl:As above

((के. श्रीनिवास राव)  
(K Srinivasa Rao))  
विस्फोटक नियंत्रक  
Controller of Explosives  
कृते मुख्य विस्फोटक नियंत्रक  
For Chief Controller of Explosives  
नागपुर/Nagpur

To :  
the Jt. Chief Controller of Explosives, West Circle, Navi Mumbai  
(M.S.)

**Copy forwarded to :-**

1. The Additional District Magistrate, NASIK(Maharashtra) with reference to his NOC No Desk-1/Po1-1/W.S.no. 694/2003 Dated 10/03/2003. A copy of NOC is enclosed. He is requested to kindly verify the genuineness of No Objection Certificate granted by your office & submitted by the applicant. If there is any discrepancy in the No Objection Certificate / land details does not tally / fake documents may intimate to this office immediately by email on explosives@explosives.gov.in to take further necessa
2. M/s. NILKAMAL LIMITED,NILKAMAL HOUSE, 77/88, ROAD NO 13/147, MIDC ANHDER,Mumbai, Taluka: Mumbai, District: MUMBAI State: MaharashtraPin : 400093.with Refernce to their letter No. OIN1346101 dated 29/04/2023. The facilities shall not be taken into use until written permission is obtained from the respective office of the Organization.The provisions of the Rule 55 of the above said Rules shall be followed for further renewal of the licence beyond 30/09/2025.The renewal application along with fees,Original licence and other documents shall reach in the office of Jt. Chief Controller of Explosives, West Circle, MUMBAI, so as to reach his office on or before the dated of expiry i.e 30/09/2025.

For Chief Controller of Explosives  
HQ, Nagpur  
कृते मुख्य विस्फोटक नियंत्रक  
नागपुर

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

**Note:-This is system generated document does not require physical signature.**

**Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.**