

भारत सरकार/Government of India वाणिज्य और उद्योग मंत्रालय/Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसी) (Petroleum & Explosives Safety Organisation (PESO) नंबर-3,पाँचवा हंस्ट क्रांस रोड, गांधी नगर

वेल्तुर- 632006 No.3, Vth East Cross Road, Gandhi Nagar, Vellore - 632006

संख्या/No /S/HO/TN/03/1290(S100167)

PIN: 635117

इमेल/E-mail : dyccevellore@explosives.gov.in फोन / फ़ैक्स नंबर:/Phone/Fax No : (0416)2242513

दिनोक/Dated : 13/02/2023

M/s. NILKAMAL LIMITED, Survey No.149 to 153,226,227,229 ,Nallaganakothap, Koneripalli Post, Shoolagiri, Hosur Taluk, Nallaganakothapalli, Krishnagiri, Taluka: Hosur District: KRISHNAGIRI, State: Tamil Nadu

विषय/Sub : Survey No, 149,153&229, Nallaganakothapalli Village, Koneripalli Post, Shoolagiri, Hosur Taluk, Dist.Krishnagiri, Dist.Tamil Nadu, Pin - 635 117, Nallaganakothapalli, Hosur, Taluka: Hosur, District: KRISHNAGIRI, State: Tamil Nadu, PIN: 635117 स्थित LPG, गैस के संपीडित पात्र / पात्रों में भंडारण के लिए स्थिर एवं गतिशील दाव पात्र (अज्वलित) निपम, 2016 के अधीन PN: 635117 स्थित LPG, तस क संपाडित पात्र / पात्रा म महारण काल्ए स्थिर एव गातशाल दाव पात्र (अञ्चालत) ानपम, 2016 क अधान स्वीकृत अनुज्ञप्ति संख्या S/HO/TN/03/1290 अनुज्ञप्ति निरीक्षण एवं पृष्ठांकन के बारे में/Storage of LPG gas in pressure vessels at Survey No, 149,1538.229, Nallaganakothapalli Village, Koneripalli Post, Shoolagiri, Hosur Taluk, Dist.Krishnagiri, Dist.Tamil Nadu, Pin - 635 117, Nallaganakothapalli, Hosur, Taluka: Hosur, District: KRISHNAGIRI, State: Tamil Nadu, PIN: 635117 - Licence No: S/HO/TN/03/1290 grant in form LS-1A of SMPV(U) Rules, 2016-Endorsement of Licence

महोदय/Sir (s),

> कृपया Chief Controller of Explosives Nagpur's के ज्ञापन सं S/HO/TN/03/1290 (S100167) दिनांक 18/01/2023 का संदर्भ और अधोहस्ताक्षकर्ता/ कार्यालय के अधिकारी द्वारा उपरोक्त परिसरों के किए गए निरीक्षण दिनांक 09/02/2023 का संदर्भ ग्रहण करें/ Please refer to the Chief Controller of Explosives Nagpur's Memo No. S/HO/TN/03/1290 (S100167) Dated 18/01/2023 and inspection of the above premises by an officer of this Department on 09/02/2023 .

> इस विषय लाइसेंस के साथ इसे पृष्ठांकन किया जाता है। लाइसेंस की प्राप्ति कृपया स्वीकार कर लें।/The subject licence is forwarded herewith duly endorsed. The receipt of the licence may please be acknowledged.

> देर शुल्क से बचने के लिए एसएमपीवी (यू) नियम, 2016 के नियम 55 के अंतर्गत अनुज्ञप्ति के पुनः नवीकरण हेतु आवेदन, इस कार्यालय को इस अनुज्ञप्ति की वैधता समाप्त होने के पूर्व (दिनांक 30 सितम्बर 2025 को या इससे पूर्व) जमा कर दें // Please note that your application for further enewal shall reach this office on or before 30th September, 2025 along with all the documents required under Rule 55 of the SMPV(U) Rules, 2016 to avoid late fee.

> > भवदीय/Yours faithfully,

(डा.डी (Dr. Dasharath Laxman Kamble))

विस्फोटक नियंत्रक Controller of Explosives वैल्तुर/Vellore

(For more information regarding status fees and other details please visit our website http://pesb.gov.iff.com/

विस्त्रोतक विक्रास्क्र मेल्लर

Note:-This is system generated document does not require physical signature.

13-02-2023





FORM LS-1A/gay - एलएस-1क (See Rules 50, 51, 54 and 55)/(नियम 50 , 51, 54 और 55 देखें)

Licence to Store Compressed gas in pressure vessel or vessels दाब पात्र या पात्रों में संपीड़ित गैस भण्डारकरण के लिए अनुत्राति

अनुहासि सं/Licence No. : S/HO/TN/03/1290(S100167)

फीस शाए/Fee Rs. 42500/- per year/प्रति वर्ग

Licence is hereby granted to NILKAMAL LIMITED, Survey No.149 to 153,226,227,229 Nallaganakothap, Koneripalii Post, Shoolagiri, Hosur Taluk , Nallaganakothapalli, Krishnagiri, Taluka: Hosur, District: KRISHNAGIRI , State: Tamil Nadu PIN: 635117 valid only for the storage of compressed gas in 2 Number(s) of pressure vessels as indicated below in the licensed premises described below and shown in the plan No.S/HO/TN/03/1290(S100167) dated 18/01/2023 subject to the provisions of the Indian Explosives Act, 1884 (4 of 1884) and the rules made thereunder and to the further conditions of this licence. sh NILKAMAL LIMITED, Survey No.149 to 153,226,227,229 Nallaganakothap, Koneripalli Post,Shoolagiri,Hosur Taluk ,Nallaganakothapalli,Krishnagiri, Taluka: Hosur, District: KRISHNAGIRI , State: Tamil Nadu PIN: 635117 को नीचे वर्णित अनुसार परिसरों में और रेखांकन संख्या S/HO/TN/03/1290(S100167) dated 18/01/2023 में भारतीय विस्कोटक अधिनियम, 1884 (1884 का 4) और उसके अधीन बनाए गए नियमों तथा इस अनुज्ञति की अन्य शतों पर 2 दाव पात्र / पात्रों में संपीदित गैस के भण्डतण के लिए अनुज्ञति मंतृर की जाती है।

यह अनुज्ञमि 30 सितंबर 2025 तक प्रवृत रहेगी।

The Licence shall remain in force till the 30th September 2025.

Vessel No./बेसल नंबर	Name of Gas/गैस का नाम	State of Gas/गेस की स्थिति	Water Capacity in cubic meter/जल क्ष्मता (प.मी.)	max, working Pre.	Quantity Granted in kgs(Liquified gas)/किलोग्रॅम में जारी मात्रा (लिक्क्फाईड गैसेस)
M-PV-599	LPG	Liquified	9.99	12.0	4700
M-PV-600	LPG	Liquified		12.0	4700
Total Water capacity			19.99		4700

January 18, 2023

For Chief Controller of Explosives HQ, Nagpur कृते मुख्य विस्फोटक नियंत्रक

नागपुर

DESCRIPTION AND LOCATION OF THE LICENSED PREMISES/अनुजन्न परिसर का विवरण और अवस्थिती

The licensed premises, the layout boundaries and other particulars of which are shown in the attached approved plan No. S/HO/TN/03/1290 dated 18/01/2023 are situated at HosurNallaganakothapalli and consists of 2 Mounded Number(s) vessel(s) for storage of :/अनुहार परिसर, प्रवर्शित सीमा और अन्य विवरण को संसाम अनुगोदित रेखाचित्र क्र.S/HO/TN/03/1290 दितांक 18/01/2023 में दर्साए गए हे HosurNallaganakothapalli पर स्थित है और इसमे 2 Mounded बेसल सम्मिलित है।

- a) Flammable/Corrosive/Toxic Gases :/ज्वलनशील / संसारक / विपैली गैसों: LPG
- b) Non-Toxic Gases :/अविषेती गैसों :

and is situated at SurveyNo : 149,153&229, Village/Town : HosurNallaganakothapalli, Police Station : Shoolagiri, District : KRISHNAGIRI, State: Tamil Nadu, Pin: 635117.

/स्ताट संख्या SurveyNo : 149,153&229, गांव या नगर : HosurNallaganakothapalli, पुलीस धाना : Shoolagiri, जिला : KRISHNAGIRI, राज्य : Tamil Nadu , Pin : 635117 में स्थित है।

SPACE FOR ENDORSEMENT OF RENEWALS/नवीकरण के पृष्ठांकन के लिए स्थान

	Date of Renewal/नवीकरण की तारीख	Date of Expiry/अनुजारि की समाप्ति की तारीख	Signature and stamp of the licensing authority/अनुज्ञापन प्राधिकारी के हस्ताक्षर और कार्यालय की मुद्रा
This licence shall be renewable without any concession in fee for three years in the absence of contravention of the provision of the Indian Explosives Act. 1884, or the Static and Mobile Pressure Vessles (Unfired) Rules, 2016, framed thereunder or of the conditions of the licence./अनुब्राहि, भारतीय विस्फोटक अधिनियम, 1884 या उसके अधीन अधीन बनाए गए स्थिर एवं गितसील वाब पाव (अञ्चलित) नियम, 2016 या इस अनुब्राहि की रातों का उल्लंघन न होने की दशा में, फीस में बिया किसी छूट के तीन वर्ष तक नवीकृत की बाएगी।			

This licence is liable to be cancelled if the licenced premises are not found conforming to the description and conditions attached hereto

Conditions of FORM LS-1A

Of white points leense No. :S/HO/TN/03/1290(S100167)

नरात नर

- The fleensed premises shall conform to the description of location and facilities and to the approved plan, as mentioned on the body of the licence.
- The licensed premises shall have prominently marked thereon the number of the licence held for it.
- The emergency telephone numbers of local fire service, police and the principal marketing company or supplier of the compressed gas, and emergency instructions shall be conspicuously displayed in the licensed premises.
 - The licensed premises shall not be used for any purpose other than the purpose for which the licence is granted.
 - The compressed gas shall be stored only in the vessels specified in the licence and shown in the approved plan attached hereto.
- The storage vessel shall at all times maintain requisite safety distance from any other facility, building, boundary, fencing or protected works as specified in appropriate Table specified in rule 22.
- A suitable hard stand for parking of the vehicle during loading or unloading of any compressed gas shall be provided. The following minimum safety distances shall be provided between the centre of the hard stand and the storage vessel or boundary line of installation; as well as between the loading or unloading points and storage vessel or boundary line of installation as specified under item (ii) of sub-rule 5 of Rule 27.
- 8. All fitments of the vessel shall be maintained in good operating condition.
- 9. No alteration of the position of the vessel and no replacement of the vessel shall be effected except with the previous sanction, in writing, of the licensing authority as provided in the rules.
- 10. Every vessel before being repaired or exhumed shall be made free of compressed gas and thoroughly cleaned in a safe manner. When a vessel is opened for cleaning or repairs, no lamp of any description either ordinary or electric, electric cables or fans and no articles, appliances or equipment capable of igniting flammable vapours shall be brought near the vessel.
- 11. No person shall cause to repair or repair either by the use of fire, welding, hot riveting or brazing any vessel used for the storage of flammable gas unless it has been thoroughly cleaned and gas-freed or otherwise prepared for safely carrying out such hot work and certified in writing, by a competent person, to have been so prepared. Where the vessel has been certified as gas-free, the certificate shall be preserved by the licensee for a period of not less than three months and produced to the licensing authority on demand.
- 12. No person shall enter any vessel used for the storage of a toxic or corrosive gas unless he is adequately protected by means of protective clothing, gas masks and such other equipments as may be required in the specific case.
- 13. Compressed gas shall be filled into or removed from the vessel through designated pipes of required specification and through transfer facilities shown in the approved plan.
- 14. The vessel shall not be filled between the hours of sunset and sunrise, unless adequate lighting of approved type is provided and except in such manner and such other condition or conditions as are specifically endorsed on the licence by the licensing authority.
- 15. All operations in the licensed premises shall be carried out by persons competent in such operation. Every person managing or employed on or in connection with the licensed premises shall abstain from any act whatsoever which tends to cause fire or explosion and which is not reasonably necessary and to the best of his ability, shall prevent any other person from doing such act.
- 16. The licensee shall provide for each licensed premises a minimum of two portable foam type or dry chemical type fire extinguishers of 9 kg. capacity each, which shall be kept ready at convenient location for immediate use in the event of any fire in addition to other fire fighting or other mitigating facilities required for flammable or toxic gases.
- 17. All valves in the premises must be permanently marked in a manner clearly indicating the direction of opening and shutting the valve.
- 18. Free access to the licensed premises shall be given at all reasonable times to any of the officers specified in rule 70 and every facility shall be afforded to such officer for ascertaining that the rules and the conditions of this licence are duly observed.
- 19. If the licensing authority calls upon the holder of a licence by a notice in writing to execute any repairs in the licensed premises which are, in the opinion of such authority, necessary for the safety of the premises, the holder of the licence shall execute the repairs within such period as may be specified in the notice.
- 20. Every vessel shall be outside any building and shall be supported on well designed calculations.
- 21. No artificial light capable of igniting flammable vapour shall at any time be present within nine meters of the vehicle and the loading or unloading points during the transfer of the compressed gas and no person engaged in such transfer shall smoke.
- 22. All electrically equipment such as motors switches, starters used for transfer of liquefied petroleum gas shall be of flameproof construction conforming to IS/IEC 60079-1 to 11 or of a type approved by the Chief Controller.
- 23. Smoking, naked lights, lamps, source of fire or any other stimulant capable of igniting flammable vapours shall not be allowed inside the premises. Every person managing or employed on or in connection with licensed premises shall abstain from any act whatsoever which tends to cause fire or explosion and which is not reasonably necessary and to the best of his ability, shall prevent any other person from defing such act.
- 24. Any accident, fire explosion or untoward incident occurred within the licensed premises shall be immediately reported to the Chief Controller of Explosives, Controller, nearest police station and District Magistrate by quickest mode of communication.

For The Chief Controller of Explosives, Nagpur (M.S.)