



## D-Duraisampuram Village Pledged

| Survey No.   | Extent as per 'A' Register | Extent Eligible |
|--------------|----------------------------|-----------------|
| 349/24       | 0.56.0                     | 1.38            |
| 349/25       | 0.46.5                     | 1.15            |
| 349/26       | 0.50.5                     | 1.25            |
| 349/27       | 0.45.5                     | 1.12            |
| 349/28       | 0.48.5                     | 1.20            |
| 349/29       | 0.51.0                     | 1.26            |
| 349/30       | 0.58.0                     | 1.43            |
| 349/31       | 0.62.0                     | 1.53            |
| 349/32       | 0.54.0                     | 1.33            |
| 349/33       | 0.48.0                     | 1.19            |
| 349/34       | 0.43.5                     | 1.07            |
| 350/1        | 2.33.5                     | 5.77            |
| 350/2        | 0.38.5                     | 0.95            |
| 350/3        | 0.75.5                     | 1.86            |
| 351/1        | 0.42.5                     | 1.05            |
| 351/2        | 0.40.0                     | 0.99            |
| 351/3        | 0.36.5                     | 0.90            |
| 351/4        | 0.40.5                     | 1.00            |
| 351/5        | 0.41.5                     | 1.03            |
| 351/6        | 0.38.5                     | 0.95            |
| 351/7        | 0.31.0                     | 0.77            |
| 352/1        | 0.48.0                     | 1.19            |
| 352/2        | 0.38.5                     | 0.95            |
| 352/3        | 0.38.5                     | 0.95            |
| 352/4        | 0.95.5                     | 2.36            |
| 352/5        | 0.39.0                     | 0.96            |
| 352/6        | 0.78.5                     | 1.94            |
| 352/7        | 0.77.5                     | 1.91            |
| 353/1        | 0.52.0                     | 1.28            |
| 353/2        | 0.37.5                     | 0.93            |
| 353/3        | 0.43.0                     | 1.06            |
| 353/4        | 0.39.5                     | 0.98            |
| 353/5        | 0.35.5                     | 0.88            |
| 353/6        | 0.76.0                     | 1.88            |
| 353/7        | 0.67.0                     | 1.65            |
| <b>Total</b> |                            | <b>161.72</b>   |

## D-Duraisampuram - Not Pledged

|       |  |      |
|-------|--|------|
| 269/3 |  | 3.51 |
|-------|--|------|



12-11-2012

Coastal Breeze @ 100 Lands

D-Duraisampuram Village Pledged

| Survey No. | Extent as per | Extent   |
|------------|---------------|----------|
|            | 'A' Register  | Eligible |

Land Reforms Lands

Survey No Extent

|       |       |
|-------|-------|
| 346/6 | 1.64  |
| 347/2 | 3.00  |
| 347/3 | 3.00  |
| 347/4 | 3.00  |
| 347/5 | 0.80  |
| 347/6 | 3.00  |
|       | 14.44 |
| Total | 14.44 |

2nd 19/10





### Sea Water Pipe Line and Pump House Area

| Sl.No          | Name of the Village | Survey No | Extent |
|----------------|---------------------|-----------|--------|
| PUMP HOUSE     |                     |           |        |
| 1              | Pattinamarudur      | 202/1     | 8.22   |
|                |                     | 203       | 5.96   |
|                |                     | 199/2     | 13.74  |
|                |                     | 204/3A2B2 | 14.25  |
|                | Total               |           | 42.17  |
| PIPE LINE AREA |                     |           |        |
| 1              | Pattinamarudur      | 137/2     | 2.32   |
|                |                     | 137/3     | 2.49   |
| 2              | Pattinamarudur      | 121/1     | 0.31   |
|                |                     | 121/2     | 3.98   |
| 3              | Pattinamarudur      | 142/1A    | 1.79   |
|                |                     | 143/2A    | 0.18   |
| 4              | Pattinamarudur      | 141/5G1   | 0.83   |
|                |                     | 142/2A    | 0.38   |
|                |                     | 142/3A    | 1.04   |
|                |                     | 143/5A    | 0.57   |
| 5              | D- Duraisampuram    | 358/1     | 1.82   |
|                |                     | 358/2     | 1.72   |
|                |                     | 358/3     | 2.4    |
|                |                     | 355/1B    | 2.67   |
|                |                     | 355/2B    | 2.47   |
|                |                     | 355/3B    | 1.16   |
|                |                     | 356/1     | 1.35   |
|                |                     | 356/2     | 1.11   |
|                |                     | 356/3     | 1.19   |
|                |                     | 356/4     | 1.06   |
|                |                     | 356/5     | 1.62   |
|                |                     | 358/4     | 2.07   |
| 6              | Pattinamarudur      | 359/1     | 2.27   |
|                |                     | 136/3     | 3.54   |
|                |                     | 136/2A    | 1.52   |
|                |                     | 137/4     | 1.54   |
|                |                     | 133/1     | 0.78   |
|                |                     | 134/1     | 0.52   |
|                |                     | 134/2     | 0.51   |
|                |                     | 133/3A    | 0.23   |
| 7              | Pattinamarudur      | 134/3A    | 1.77   |
|                |                     | 143/1B    | 0.1    |
| Total          |                     |           | 47.31  |

12/15/18




Coastal Energy (P) Ltd (Chennai)

**Phase - I - Coastal Energy Pvt L**

**Melamarudur Village - Pledged**

| Survey No. | Extent as per<br>'A' Register | Extent |
|------------|-------------------------------|--------|
| 113/2A     | 1.77.0                        | 4.37   |
| 113/2B     | 2.20.0                        | 5.43   |
| 113/3      | 1.33.0                        | 3.28   |
| 114/1      | 1.10.0                        | 2.72   |
| 114/2      | 1.10.0                        | 2.72   |
| 115/1      | 1.13.5                        | 2.81   |
| 115/2      | 0.41.5                        | 1.03   |
| 115/3      | 0.35.0                        | 0.87   |
| 115/4      | 0.72.0                        | 1.78   |
| 115/5      | 0.77.0                        | 1.90   |
| 115/6      | 0.68.0                        | 1.68   |
| 116/1      | 0.90.5                        | 2.24   |
| 116/2      | 0.45.5                        | 1.12   |
| 116/3      | 0.35.5                        | 0.88   |
| 116/4A     | 0.38.5                        | 0.95   |
| 116/4B     | 0.37.0                        | 0.91   |
| 116/4C     | 0.35.0                        | 0.86   |
| 116/5A     | 0.30.0                        | 0.74   |
| 116/5B     | 0.30.5                        | 0.75   |
| 116/6      | (1.64) 0.66.5                 | 1.10   |
| 116/7      | 0.66.5                        | 1.64   |
| 117/1      | 0.01.5                        | 0.04   |
| 117/2      | 0.66.5                        | 1.64   |
| 117/3      | 0.47.0                        | 1.16   |
| 117/5      | 0.32.5                        | 0.80   |
| 117/9      | 0.28.5                        | 0.70   |
| 117/10     | 0.54.0                        | 1.33   |
| 117/11     | (1.54) 0.62.5                 | 0.63   |
| 124/4      | 0.57.0                        | 1.41   |
| 125/1A     | 0.32.0                        | 0.79   |
| 125/1B     | 0.32.0                        | 0.79   |
| 125/1C     | 0.26.0                        | 0.64   |
| 125/1D     | 0.28.0                        | 0.69   |
| 125/3      | 0.17.0                        | 0.42   |
| 125/4      | 0.20.0                        | 0.49   |
| 125/5      | 0.24.0                        | 0.59   |
| 125/7      | 0.55.5                        | 1.37   |
| 125/8      | 0.54.0                        | 1.33   |
| 125/9      | (1.91) 0.77.5                 | 1.56   |
| 125/10     | 0.79.0                        | 1.95   |
| 127/1A     | 0.33.5                        | 0.83   |
| 127/1B     | 0.29.5                        | 0.73   |



Coastal Breeze (P) Ltd (Land)

Melamarudur Village - Pledged

| Survey No. | Extent as per<br>'A' Register | Extent |
|------------|-------------------------------|--------|
| 127/2A     | 0.27.0                        | 0.67   |
| 127/2B     | 0.25.5                        | 0.63   |
| 127/3      | 0.40.5                        | 1.00   |
| 127/4B     | 0.25.0                        | 0.62   |
| 127/5      | 0.49.0                        | 1.23   |
| 130/1      | 0.37.0                        | 0.91   |
| 130/2      | 0.46.0                        | 1.14   |
| 130/3A     | (2.93) 1.18.5                 | 2.20   |
| 130/3B     | 1.60.0                        | 4.00   |
| 131/1      | 0.79.5                        | 1.96   |
| 131/2      | 0.99.0                        | 2.45   |
| 131/3      | 1.39.0                        | 3.43   |
| 131/4A     | 0.54.0                        | 1.33   |
| 131/4B     | 0.39.5                        | 0.98   |
| 131/5      | 0.72.0                        | 1.79   |
| 132/1A     | 0.25.5                        | 0.63   |
| 132/1B     | 0.41.5                        | 1.03   |
| 132/2      | 1.39.0                        | 3.43   |
| 132/4      | 1.32.0                        | 3.26   |
| 132/5      | 0.03.0                        | 0.07   |
| 133/1A1    | 49.27.5                       | 121.70 |
| 133/1A2    | 22.67.5                       | 56.00  |
| 133/1B1    | 12.91.5                       | 31.90  |
| 133/1B2    | 5.62.0                        | 13.88  |
| 133/1C     |                               | 7.00   |
| 133/2A (2) | 4.92.5                        | 12.16  |
| 133/2B     | (12.27) 4.97.0                | 11.34  |
| 133/3      | 0.37.0                        | 0.92   |
| 134/1      | 2.26.0                        | 5.58   |
| 134/2      | 2.84.5                        | 7.03   |
| 136/1      | 5.62.0                        | 13.88  |
| 136/2      | 3.36.0                        | 8.30   |
| 138/1      | 1.25.5                        | 3.15   |
| 138/2      | 1.31.5                        | 3.28   |
| 139        | 8.75.5                        | 21.62  |
| 141        | 15.96.0                       | 32.15  |
| 142        | 4.66.0                        | 11.51  |
| 143/1      | 1.37.0                        | 3.38   |
| 143/2      | 1.54.0                        | 3.80   |
| 146        | (17.05) 6.90.5                | 8.53   |
| 149        | (16.34) 6.61.5                | 6.39   |
| 150/1A     | 0.42.5                        | 1.03   |
| 150/1B     | 0.47.5                        | 1.17   |



Handwritten signature/initials.



Coastal Breeze (W) Ltd (Land)

Melamarudur Village - Pledged

| Survey No. | Extent as per<br>'A' Register | Extent |
|------------|-------------------------------|--------|
| 150/1C     | 0.40.5                        | 1.00   |
| 150/1D     | 0.40.5                        | 0.99   |
| 150/1E     | 0.25.0                        | 0.62   |
| 150/1F     | 0.23.5                        | 0.58   |
| 150/2      | 1.15.5                        | 2.85   |
| 153/1      | 0.18.0                        | 0.44   |
| 153/2      | 0.18.5                        | 0.47   |
| 153/3      | 0.23.0                        | 0.57   |
| 153/4      | 0.20.0                        | 0.49   |
| 156/1      | 6.56.5(16.21)                 | 16.21  |
| 157/2A     | 0.35.5                        | 0.88   |
| 157/2B     | 0.32.0                        | 0.79   |
| 157/3      | 0.48.5                        | 1.2    |
| 157/4      | 1.32.5                        | 3.27   |
| 158/1      | 0.02.0                        | 0.05   |
| 158/4      | (2.44) 0.99.0                 | 1.44   |
| 158/5      | 0.55.0(1.35)                  | 1.28   |
| 158/6      | 0.39.5                        | 0.98   |
| 158/7      | 0.57.5                        | 1.42   |
| 158/8      | 0.12.0                        | 0.30   |
| 159/3A     | 0.19.5                        | 0.48   |
| 159/3C     | 0.69.5                        | 1.72   |
| 159/3D     | 0.63.5                        | 1.56   |
| 159/4      | 0.65.0                        | 1.60   |
| 159/5      | 0.15.0                        | 0.37   |
| 160/1      | 0.53.5                        | 1.32   |
| 160/2      | 0.33.0                        | 0.82   |
| 160/3      | 0.80.0                        | 1.97   |
| 160/5      | 0.86.5                        | 2.13   |
| 160/6A     | 0.43.5                        | 1.07   |
| 160/6B     | 0.24.0                        | 0.59   |
| 161/1      | 0.70.0                        | 1.73   |
| 161/2      | 0.04.0                        | 0.09   |
| 161/3      | 0.07.5                        | 0.19   |
| 161/4      | 0.18.0                        | 0.44   |
| 161/5      | 0.08.0                        | 0.20   |
| 161/7      | 0.45.0                        | 1.11   |
| 161/8      | 0.17.0                        | 0.41   |
| 161/9      | 0.16.5                        | 0.41   |
| 161/10     | 0.11.5                        | 0.28   |
| 161/11     | 0.12.0                        | 0.29   |
| 161/12     | 0.06.5                        | 0.16   |
| 161/13     | 1.69.0                        | 4.17   |
| 161/14     | 0.49.5                        | 1.22   |
| 161/15     | 0.45.5                        | 1.12   |



D. M. S. S. S.

Coastal Breeze (B) 100 (Land)

Melamarudur Village - Pledged

| Survey No. | Extent as per<br>'A' Register | Extent |
|------------|-------------------------------|--------|
| 162/1      | 1.65.0                        | 4.08   |
| 162/2      | 0.92.0                        | 2.27   |
| 163/1      | 1.15.5                        | 2.86   |
| 163/2      | 0.60.5                        | 1.49   |
| 163/3      | 1.09.5                        | 2.70   |
| 164/1A     | 0.85.5                        | 2.08   |
| 164/1B     | 0.86.0                        | 2.12   |
| 165/1      | 1.21.0                        | 2.99   |
| 165/3      | 0.65.0                        | 1.61   |
| 165/4      | 1.06.5                        | 2.63   |
| 165/5      | 0.56.0                        | 1.38   |
| 166/1      | 0.39.0                        | 0.96   |
| 166/2      | 0.35.5                        | 0.88   |
| 166/3      | 0.50.0                        | 1.23   |
| 167/1      | 0.26.5                        | 0.65   |
| 167/2      | 1.72.0                        | 4.25   |
| 167/3      | 0.81.0                        | 2.00   |
| 167/4      | 1.28.5                        | 3.17   |
| 167/6      | 0.06.5                        | 0.16   |
| 167/7      | 0.14.0                        | 0.36   |
| 168/1      | 0.26.0                        | 0.64   |
| 168/2A     | 0.34.5                        | 0.85   |
| 168/2B     | 0.17.0                        | 0.42   |
| 168/3A     | 1.10.0                        | 2.72   |
| 168/3B     | 0.12.0                        | 0.30   |
| 168/3C     | 0.09.0                        | 0.22   |
| 168/4A     | 0.63.5                        | 1.57   |
| 168/4B     | 0.26.5                        | 0.65   |
| 168/4C     | 0.25.5                        | 0.63   |
| 168/6      | 0.01.5                        | 0.04   |
| 168/7      | 0.35.5                        | 0.88   |
| 169/1      | 0.56.5                        | 1.40   |
| 169/2      | 0.26.5                        | 0.65   |
| 169/3      | 0.29.5                        | 0.73   |
| 169/4      | 0.29.5                        | 0.73   |
| 169/5      | 0.27.5                        | 0.68   |
| 169/6      | 0.46.0                        | 1.14   |
| 169/7      | 0.47.0                        | 1.16   |
| 169/8      | 0.13.5                        | 0.33   |
| 169/9      | 0.14.0                        | 0.35   |
| 169/10     | 0.11.5                        | 0.28   |
| 169/11     | 0.13.0                        | 0.32   |
| 170/1      | 0.46.0                        | 1.14   |
| 170/2A     | 0.52.5                        | 1.30   |
| 170/2B     | 0.43.0                        | 1.06   |



Dr. M. S. S. S.



Coastal Breeze (D) Ltd

Melamarudur Village - Pledged

| Survey No. | Extent as per<br>'A' Register | Extent |
|------------|-------------------------------|--------|
| 170/4      | 0.61.5                        | 1.52   |
| 171/2      | 0.65.0                        | 1.61   |
| 171/3      | 0.37.0                        | 0.92   |
| 171/4      | 0.38.0                        | 0.94   |
| 171/5      | 0.99.0                        | 2.45   |
| 171/6      | 0.52.5                        | 1.30   |
| 172/1      | 0.05.5                        | 0.12   |
| 172/3A     | 0.44.0                        | 1.09   |
| 172/3B     | 0.37.0                        | 0.91   |
| 172/3C     | 0.34.5                        | 0.85   |
| 172/4A     | 0.24.0                        | 0.59   |
| 172/4B     | 0.24.0                        | 0.59   |
| 172/5      | 0.39.0                        | 0.96   |
| 173        | 2.53.0                        | 6.25   |
| 174/1      | 0.43.5                        | 1.07   |
| 174/2      | 0.73.5                        | 1.82   |
| 174/3      | 0.52.0                        | 1.29   |
| 174/4      | 0.51.0                        | 1.26   |
| 174/5      | (3.57) 1.44.5                 | 1.80   |
| 175/1      | (4.88) 1.97.5                 | 3.43   |
| 175/2      | 0.54.0                        | 1.33   |
| 175/3      | 2.99.5                        | 7.40   |
| 176/1      | 1.96.5                        | 4.85   |
| 176/2      | 0.93.5                        | 2.31   |
| 176/3      | 0.87.5                        | 2.16   |
| 177/1      | 2.22.0                        | 5.48   |
| 177/2      | (1.38) 0.56.0                 | 0.69   |
| 177/3      | 0.67.5                        | 1.67   |
| 177/4      | 0.80.0                        | 1.98   |
| 178/1      | 0.98.5                        | 2.43   |
| 178/2      | 1.02.0                        | 2.52   |
| 178/3      | 0.39.0                        | 0.96   |
| 178/4      | 0.86.0                        | 2.12   |
| 178/6      | 0.50.0                        | 1.24   |
| 179/3      | 0.74.5                        | 1.84   |
| 179/4      | 0.75.5                        | 1.86   |
| 179/5      | 1.34.0                        | 3.31   |
| 179/6      | 0.60.5                        | 1.49   |
| 179/7      | 0.65.5                        | 1.62   |
| 180/1      | 2.09.0                        | 5.16   |
| 180/2      | 0.69.0                        | 1.70   |
| 180/3      | 0.32.5                        | 0.80   |
| 180/4      | 0.32.5                        | 0.80   |
| 181/1      | 0.32.5                        | 0.80   |



12/08/2016

Coastal Breeze (P) Ltd

Melamarudur Village - Pledged

| Survey No. | Extent as per | Extent        |
|------------|---------------|---------------|
|            | 'A' Register  |               |
| 181/2      | 0.70.5        | 1.74          |
| 181/3      | 1.92.0        | 4.74          |
| 181/4      | 0.88.0        | 2.17          |
| 181/5      | (2.12) 0.86.0 | 0.80          |
| 197/1      | 0.02.5        | 0.06          |
| 197/2      | 0.20.0        | 0.49          |
| 197/3      | 0.16.0        | 0.40          |
| 197/4      | 0.35.0        | 0.86          |
| 197/5      | 0.65.0        | 1.61          |
| 197/6      | 1.38.5        | 3.42          |
| 198/1      | 0.79.5        | 1.96          |
| 198/2      | 0.71.0        | 1.75          |
| 198/4      | 0.71.5        | 1.77          |
| 199/1      | 0.72.0        | 1.78          |
| 199/2      | 0.67.0        | 1.65          |
| 199/3      | 0.72.5        | 1.79          |
| 199/4C     | 0.35.5        | 0.88          |
|            | <b>Total</b>  | <b>714.63</b> |

2/10/2018



Coastal Energen (P) Ltd (Land)

## Coastal Energen Pvt Ltd

Melamarudur Village - Not Pledged

| Survey No. | Extent as per  | Extent       |
|------------|----------------|--------------|
|            | 'A' Register   |              |
| 116/6      | (1.64) 0.66.5  | 0.54         |
| 117/11     | (1.54) 0.62.5  | 0.91         |
| 125/6      | 0.23.5         | 0.58         |
| 125/9      | (1.91) 0.77.5  | 0.35         |
| 127/4A     | 0.26.5         | 0.65         |
| 130/3A     | (2.93) 1.18.5  | 0.93         |
| 133/1A3    | 6.17.0         | 15.24        |
| 146        | (17.05) 6.90.5 | 8.52         |
| 149        | (16.34) 6.61.5 | 9.95         |
| 158/9      | 1.07.0         | 2.64         |
| 164/2      | 0.88.0         | 2.17         |
| 170/3      | 0.74.0         | 1.83         |
| 175/1      | (4.88) 1.97.5  | 1.45         |
| 177/2      | (1.38) 0.56.0  | 0.69         |
| 178/5      | 0.46.0         | 1.14         |
| 179/2      | 0.77.5         | 1.91         |
| 181/5      | (2.12) 0.86.0  | 1.32         |
| 198/3      | 0.78.5         | 1.94         |
|            | <b>Total</b>   | <b>52.76</b> |

2-11-18/10





Coastal Breeze (B) Ltd (Land)

Tharuvaikulam Village - Pledged

| Survey No. | Extent as per 'A' Register | Extent |
|------------|----------------------------|--------|
| 13/1A      | 0.20.5                     | 0.51   |
| 13/3B      | 0.08.5                     | 0.21   |
| 13/5A      | 0.58.5                     | 1.44   |
| 13/6       | 1.42.5                     | 3.52   |
| 13/7       | 0.29.5                     | 0.73   |
| 13/8       | 1.07.0                     | 2.65   |
| 14/1A      | 0.25.0                     | 0.62   |
| 14/1B      | 0.30.0                     | 0.74   |
| 14/2A      | 1.03.0                     | 2.54   |
| 14/3       | 0.81.5                     | 2.01   |
| 14/4       | 0.69.5                     | 1.72   |
| 14/5       | 0.63.0                     | 1.56   |
| 14/6       | 0.67.5                     | 1.67   |
| 15/1A      | 0.12.5                     | 0.31   |
| 15/1B      | 0.13.0                     | 0.32   |
| 15/1C      | 0.26.0                     | 0.64   |
| 15/2       | 2.22.5                     | 5.50   |
| 15/3       | 0.73.0                     | 1.80   |
| 15/4       | 0.19.0                     | 0.35   |
| 15/5B      | 0.19.0                     | 0.47   |
| 15/6       | 0.71.5                     | 1.77   |
| 16/1A      | 0.47.5                     | 1.17   |
| 16/1B      | 0.36.0                     | 0.89   |
| 16/1C      | 0.33.5                     | 0.83   |
| 16/1D      | 0.26.5                     | 0.65   |
| 16/1E      | 0.07.5                     | 0.17   |
| 16/1F      | 0.07.5                     | 0.19   |
| 16/1G      | 0.07.0                     | 0.17   |
| 16/1H      | 0.09.5                     | 0.23   |
| 18/1A      | 0.40.5                     | 1.00   |
| 18/1B      | 0.00.5                     | 0.01   |
| 31/1       | 0.99.5                     | 2.46   |
| 37/1       | (3.28) 1.33.0              | 1.65   |
| 37/2       | 0.40.0                     | 0.99   |
| 37/3       | 0.38.5                     | 0.95   |
| 37/4       | 0.71.5                     | 1.76   |
| 38/1       | 0.70.0                     | 1.73   |
| 38/2       | 2.03.0                     | 5.01   |
| 38/3       | 0.62.0                     | 1.53   |



2nd 18/10

Coastal Breeze (R) Ltd (Hend)

Tharuvaikulam Village - Pledged

| Survey No. | Extent as per 'A' Register | Extent       |
|------------|----------------------------|--------------|
| 38/4       | 0.47.0                     | 1.16         |
| 38/5       | 0.41.0                     | 1.01         |
| 39/1       | 0.20.0                     | 0.49         |
| 39/4       | 0.36.0                     | 0.89         |
| 39/5       | 0.42.5                     | 1.05         |
| 39/6       | 0.10.5                     | 0.26         |
| 39/7       | 0.43.0                     | 1.06         |
| 39/8       | 0.30.0                     | 0.74         |
| 39/9       | (2.90) 1.17.5              | 1.45         |
| 39/10      | 0.18.0                     | 0.44         |
| 40/1       | 0.52.0                     | 1.28         |
| 40/2       | 0.50.0                     | 1.23         |
| 40/3       | 1.14.0                     | 2.82         |
| 31/2       | 0.59.5                     | 1.47         |
| 31/5       | 0.87.5                     | 2.16         |
| 31/6       | 0.05.0                     | 0.12         |
|            | <b>Total</b>               | <b>70.10</b> |

21/01/20



Coastal Surge (D to Chand)

Tharuvaikulam Village - Not Pledged

| Survey No. | Extent as per | Extent      |
|------------|---------------|-------------|
|            | 'A' Register  | Eligible    |
| 13/4A      | 0.01.0        | 0.02        |
| 13/4B      | 0.01.5        | 0.04        |
| 15/5A      | 0.16.5        | 0.40        |
| 31/3       | 0.38.0        | 0.94        |
| 31/4       | 0.36.0        | 0.89        |
| 32/1C      | 1.33.5        | 3.30        |
| 37/1       | (3.28) 1.33.0 | 1.63        |
| 39/2       | 0.20.0        | 0.49        |
| 39/9       | (2.90) 1.17.5 | 1.45        |
|            | <b>Total</b>  | <b>9.16</b> |

12/10/18

