



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -

135052/UPPCB/GreaterNoida(UPPCBRO)/CTO/air/GREATER
NOIDA/2021

Dated : 27/09/2021

To ,

Shri SANJAY MATHUR

M/s EROS SAMPOORANM GROUP HOUSIG SOCIETY (AJAY ENTERPRISES PVT LTD),
PLOT NO.1 SECTOR-2, GREATER NOIDA,GAUTAM BUDH NAGAR,201308
GREATER NOIDA

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. EROS SAMPOORANM GROUP HOUSIG SOCIETY (AJAY ENTERPRISES PVT LTD),

Reference Application No. 13232936

Dated : 27/09/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s EROS SAMPOORANM GROUP HOUSIG SOCIETY (AJAY ENTERPRISES PVT LTD),. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 01/01/2022 to 31/12/2024 .
3. Inspite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Previntion and Controt of Pollution) Act, 1981 as amended.

This consent is being issued with the permission of competent authority .

VIVEK ROY Digitally signed
by VIVEK ROY
Date: 2021.09.27
12:19:46 +05'30'

For and on behalf of U.P. Pollution Control Board

CEO-1

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, UPPCB, Greater Noida.

VIVEK ROY Digitally signed
by VIVEK ROY
Date: 2021.09.27
12:20:00 +05'30'
CEO-1

U.P. Pollution Control Board

Dated : 27/09/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Group Housing Project Phase-1 and Phase-2 (1768 flats).
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	2x500 KVA DG Sets.	HSD	1	Sulphur Dioxide	As per EP Act, 1986
2	1x1010 KVA DG Set	HSD		Sulphur Dioxide	As per EP Act, 1986

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard
1	1...3	Sulphur Dioxide	As per EP Act, 1986

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. The Unit shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
2. The Unit shall dispose the hazardous waste through authorized recyclers/TSDf and comply with the provisions of Hazardous and Other Wastes (Management and Trans-boundary Movement) Amendment Rules, 2016 and The Solid Waste Management Rules, 2016
3. The Unit shall submit the point wise compliance report of the conditions imposed in the CTO issued by the Board for the year 2020 and the audited balance sheet for the current year and the details of fees deposited within a month failing which consent would be deemed void.
4. At the Unit site a display board size 4x6 feet shall be installed to display the provisions of Construction and Demolition Rules 2016.
5. This consent is only valid for emission generated from DG Sets. Project shall obtain CTE before installing any other source of emission i.e. DG Sets etc.
6. The Unit shall develop proper green belt and rain water harvesting system as per guidelines. For green belt at least 8 feet height plants should be planted which shall be properly protected as proper irrigation and maneuvering arrangements shall be made. For the development of the green belt the guidelines issued vide Board office order no. H10405/220/2018/02 Dt. 16-02-2018 shall be complied.
7. This consent is valid only for products and quantity mentioned above. The Unit shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
8. The Unit will ensure the continuous and uninterrupted data supply from the OCEMS to the CPCB server.
9. If the CPCB or UPPCB issues the Closure order against the Unit this consent order stands automatically suspended for that period.
10. The Unit shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.

Issued with the permission of competent authority .

VIVEK
ROY
Digitally signed
by VIVEK ROY
Date: 2021.09.27
12:20:23 +05'30'

For and on behalf of U.P. Pollution Control Board .

CEO-1