



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
**140074/UPPCB/Meerut(UPPCBRO)/CTO/water/
MEERUT/2021**

Dated : 03/12/2021

To ,

Shri SAURABH GUPTA
M/s SARDHANA PAPERS PVT LTD
Opp- Power sub station, Meerut Road, Sardhana , Meerut,MEERUT,250342
MEERUT

**Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SARDHANA PAPERS PVT LTD**

Reference Application No :13859026

Dated :03/12/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. SARDHANA PAPERS PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 01/01/2022 to 31/12/2024 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer (Circle 3)

**Enclosed : As above
(condition of consent):**

Copy to: Regional Officer, U.P. Pollution Control Board, Meerut to ensure the compliance of the conditions imposed in the certificate.

Chief Environmental Officer (Circle 3)

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SARDHANA PAPERS PVT LTD vide

Consent Order No. 13859026/ Water

Dated : 03/12/2021

CONDITIONS OF CONSENT

1. This consent is valid for the approved production capacity of Kraft Paper- 150 MT/Day using Waste Paper as main raw material using as main raw material.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
3. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	4 KLD	Septic Tank
2	Industrial	ZLD	ETP

4. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	4 KLD

- 4(b) The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	ZLD

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
7. The industry will have to ensure compliance of the permission from the CGWA before ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
8. The industry shall submit Environmental Statement in prescribed form V rule no.14 of E.P Rules 1986.
9. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

10. Minimum 33% of the land on which unit is established will be covered and properly maintained by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guide_160218.pdf.
11. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB and SPCB.
12. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized. The unit will ensure facility to transmit data to CPCB server and submit a regular calibration certificate of Electro Magnetic Flow meter to the Board.
13. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.
14. Industry shall abide by the directions given by Hon'ble Court, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This CTO is valid only for the production capacity KRAFT PAPER-150 MT/Day.
2. The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
3. In compliance of the Central Pollution Control Board letter no. F. No. B-190193/WQMII/CPCB/P&P/14212 dated 08/12/2017, the industry will follow the Effluent discharge standards as notified under the Environment (Protection) Rules, 1986 and only the treated effluent meeting the effluent discharge norms notified under the Environment (Protection) Rules, 1986 is allowed to discharge.
4. The unit will not use agro based raw materials in the production process.
5. The industry will ensure the continuous and uninterrupted data supply from the OCEEMS to the SPCB and CPCB server.
6. Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
7. The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 ×7 basis.
8. The industry shall submit the permission from the CGWA/State Ground Water Authority within 3 months failing which consent shall be deemed automatically cancelled.
9. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
10. Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.
11. The industry shall ensure provisions of Roof Top Rain Water Harvesting system and Ground Water Recharging Proposal/compliance report should be sent to the Board within One month.
12. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.
13. Industry shall install at sufficient height from the ground level Open to Network HD PTZ Camera at the outlet of the discharge drain of effluent from the factory premises and its URL and password shall be provided to the UPPCB Control room.
14. The industry shall provide adequate arrangement for fighting the accidental leakages/ discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
15. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
16. Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
17. Industry shall submit quarterly monitoring reports of treated effluent from a certified /approved laboratory under E.P. Act 1986.
18. Industry shall comply with various Waste Management Rules as notified by MoEF &CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016, Battery Rules 2000 and Noise Pollution (Regulation and Control) Rule, 2000.
19. Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act

1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

20. The unit shall submit the audited balance sheet for the current year.

21. This CTO is valid for ZLD. The treated effluent shall be completely reused in the process.

21. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018. The copy of this guideline is available at URL http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer (Circle 3)