



Sardhana Papers Pvt. Ltd.

Regd. Off. & Works :
Meerut Road,
SARDHANA-250 342 (Meerut)
+91 9319801326
+91 8191001926
E-mail : sardhanapapers@gmail.cc
CIN No. : U21011UP1985PTC0070

16.05.2023

Ref. No.

Date.....

To,
M/s Premier Pumps Private Limited
Plot No-38/A, I.D.A Mallapur,
Hyderabad-500076

Sub.: Purchase order for Vacuum Pump P-300 with accessories.

Dear Sir,


We are pleased to place our order for Vacuum Pump P-300 with accessories 3Nos. as per your Quotation No- PPPL/Q-286/2022-2023 dated 03.02.2023 @ Rs. 1,05,00,000/- (Rs.One Crore and five Lacs).

Kindly arrange to send the material at your earliest.

Terms & Condition:-

- | | | |
|------------|---|--|
| ➤ Dispatch | - | With in 5 to 6 Months. |
| ➤ Payment | - | Rs.10,50,000/- as advance and 20% after 2 to 3 months, rest amount against proforma invoice. |
| ➤ GST | - | Extra as per applicable. |

Thanking You
For Sardhana Papers Pvt Ltd


(Director)



PPPL/Q-286/2022-2023
Dt.03.02.2023

M/s. SARDHANA PAPER MILL
UTTAR PRADESH

Kind Attention: Mr. Sandeep Saini

Dear Sir,

We thank you for your enquiry for your requirement of Vacuum Pump along with Accessories and are pleased to give here under our offer for the same for your consideration.

TECHNICAL OFFER

PERFORMANCE TABLE OF VACUUM PUMP								
VACUUM PUMP		REC. MOTOR	SUCTION VOLUME vs POWER INPUT TO PUMP @ DIFFERENT OPERATING VACUUM LEVELS					
			BAROMETRIC PRESSURE 760 mm Hg.					
			300mm Hg.		400mm Hg.		500mm Hg.	
MODEL	SPEED							
	RPM	k.W	M ³ /hr	B.k.W	M ³ /hr	B.k.W	M ³ /hr	B.k.W
PREMIER 300	225	250	13676	168	13383	200	13286	216
	240	270	14771	186	14458	216	14380	235
	257	292	15826	209	15630	238	15396	254
	277	325	17272	238	16998	265	16803	283
	300	360	18678	280	18561	301	18209	314
	327	412	20280	328	20007	350	19772	358
	360	483	22078	393	21785	420	21257	420

1. Type of Drive:

V-Belt

2. Assumed Seal Water temperature:

30 Degree C

3. Assumed Inlet Air Temperature:

45 Degree C

Cont'd Page 2...



**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023
Dt.03.02.2023

****Page 2****

NOTE:

1. Pump characteristics given above are at sea level.
2. Tolerance on Capacity is $\pm 5\%$ and Power is $\pm 6\%$.
3. Rotor shaft assembly shall be dynamically balanced as per ISO 1940 G6.3
4. Heads & Body will be pressure tested upto 2 kg/cm^2
5. Performance test will be conducted as per B.S 1571-PART 2:1975 & PNEUROP 6612-1984.

M.O.C: PARTIAL S.S 304 Material of construction as given below.

- | | |
|-------------------------------------|---|
| 1. Heads: | C.I IS 210 FG 260 with S.S 304 Cladding and Ceramic Coating at internal Cavities, Suction and Discharge Ports |
| 2. Body: | C.I IS 210 FG 260 with S.S 304 Cladding |
| 3. Rotor, Cones and Packing glands: | ASTM A743 CF8 (S.S 304) |
| 4. Shaft with Sleeves: | EN8 with S.S 304 Sleeves |
| 5. Bearing Covers: | Carbon Steel |
| 6. Bearing Housing: | C.I IS 210 FG 260 |
| 7. Bearings: | TIMKEN make |
| 8. Fasteners: | S.S 304 (FOR WET PARTS) & H.T GRADE (FOR DRY PARTS) |

Cont'd Page 3...



PPPL/Q-286/2022-2023
Dt.03.02.2023

M/s. SARDHANA PAPER MILL
UTTAR PRADESH

Kind Attention: Mr. Sandeep Saini

Dear Sir,

We thank you for your enquiry for your requirement of Vacuum Pump along with Accessories and are pleased to give here under our offer for the same for your consideration.

TECHNICAL OFFER

PERFORMANCE TABLE OF VACUUM PUMP								
VACUUM PUMP		REC. MOTOR	SUCTION VOLUME vs POWER INPUT TO PUMP @ DIFFERENT OPERATING VACUUM LEVELS					
			BAROMETRIC PRESSURE 760 mm Hg.					
			300mm Hg.		400mm Hg.		500mm Hg.	
MODEL	SPEED							
	RPM	k.W	M ³ /hr	B.k.W	M ³ /hr	B.k.W	M ³ /hr	B.k.W
PREMIER 300	225	250	13676	168	13383	200	13286	216
	240	270	14771	186	14458	216	14380	235
	257	292	15826	209	15630	238	15396	254
	277	325	17272	238	16998	265	16803	283
	300	360	18678	280	18561	301	18209	314
	327	412	20280	328	20007	350	19772	358
	360	483	22078	393	21785	420	21257	420

1. Type of Drive:

V-Belt

2. Assumed Seal Water temperature:

30 Degree C

3. Assumed Inlet Air Temperature:

45 Degree C

Cont'd Page 2...



**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023

Dt.03.02.2023

****Page 2****

NOTE:

1. Pump characteristics given above are at sea level.
2. Tolerance on Capacity is $\pm 5\%$ and Power is $\pm 6\%$.
3. Rotor shaft assembly shall be dynamically balanced as per ISO 1940 G6.3
4. Heads & Body will be pressure tested upto 2 kg/cm^2
5. Performance test will be conducted as per B.S 1571-PART 2:1975 & PNEUROP 6612-1984.

M.O.C: PARTIAL S.S 304 Material of construction as given below.

- | | |
|-------------------------------------|---|
| 1. Heads: | C.I IS 210 FG 260 with S.S 304 Cladding and Ceramic Coating at internal Cavities, Suction and Discharge Ports |
| 2. Body: | C.I IS 210 FG 260 with S.S 304 Cladding |
| 3. Rotor, Cones and Packing glands: | ASTM A743 CF8 (S.S 304) |
| 4. Shaft with Sleeves: | EN8 with S.S 304 Sleeves |
| 5. Bearing Covers: | Carbon Steel |
| 6. Bearing Housing: | C.I IS 210 FG 260 |
| 7. Bearings: | TIMKEN make |
| 8. Fasteners: | S.S 304 (FOR WET PARTS) & H.T GRADE (FOR DRY PARTS) |

Cont'd Page 3...



PREMIER

**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023
Dt.03.02.2023


****Page 3****

ACCESSORIES OFFERED:

1. Air separator cum Silencers in S.S 304	2 Nos
2. Perforated plates for suction flanges in M.S	2 Nos
3. Pump side Pulley in C.I with Taper Lock bush, dynamically balanced	1 No
4. Motor side Pulley in C.I with Taper Lock bush, dynamically balanced	1 No
5. V-Belts	1 SET
6. Slide Rails for Motor in M.S	2 Nos
7. Skids for Pump in M.S	2 Nos
8. Vacuum Gauge	1 No
9. Pressure Gauge	1 No
10. Control valves for Seal Water	2 Nos
11. Belt Guard in M.S	1 No
12. Y-Strainer for Seal water pipeline	1 No

*** Note: Please provide Motor rpm, frame size and K.W/H.P rating to provide Motor side pulley**

Cont'd Page 4...



**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023
Dt.03.02.2023

****Page 4****

COMMERCIAL OFFER

S.NO	DESCRIPTION	QTY	PRICE/EACH
1)	PREMIER 300 Pump with Accessories	1 Set	Rs. 42,50,000/-

Cont'd Page 5...



PREMIER

**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023
Dt.03.02.2023

****Page 5****

TERMS & CONDITIONS

- | | |
|------------------------|--|
| 01. Price: | Ex-Works, Hyderabad |
| 02. Taxes: | Extra as applicable, GST@18% at present |
| 03. Payment: | 30% against issue of P.O and balance against issue of Proforma. |
| 04. Dispatch: | 12-16 Weeks from the date of receipt of Clear P.O along with advance and Drawing Approval, if applicable. |
| 05. Warranty: | 12 months from date of commissioning or 18 months from date of supply, whichever is earlier against manufacturing defects
(Site service visits are not part of standard warranty) |
| 06. Offer Validity: | 7 days from offer date and thereafter, subject to written confirmation. |
| 07. Transit Insurance: | Your scope if required. |
| 08. Packing: | NIL |
| 09. Freight: | To pay basis, as per your preference of transporter and delivery instructions |

We hope you will find our offer in line with your requirement and look forward to receive your valued order.

Thanking you and assuring the best of our services at all times.

Yours faithfully,
For PREMIER PUMPS PRIVATE LIMITED

Praveen. E

E. PRAVEEN KUMAR
MANAGER - SALES
+91-7989010920

Cc: Mr. B.K Tiwari (G.M-Sales), New Delhi
+91-9868207024



PPPL/Q-286/2022-2023
Dt.03.02.2023

****Page 3****

ACCESSORIES OFFERED:

1. Air separator cum Silencers in S.S 304	2 Nos
2. Perforated plates for suction flanges in M.S	2 Nos
3. Pump side Pulley in C.I with Taper Lock bush, dynamically balanced	1 No
4. Motor side Pulley in C.I with Taper Lock bush, dynamically balanced	1 No
5. V-Belts	1 SET
6. Slide Rails for Motor in M.S	2 Nos
7. Skids for Pump in M.S	2 Nos
8. Vacuum Gauge	1 No
9. Pressure Gauge	1 No
10. Control valves for Seal Water	2 Nos
11. Belt Guard in M.S	1 No
12. Y-Strainer for Seal water pipeline	1 No

*** Note: Please provide Motor rpm, frame size and K.W/H.P rating to provide Motor side pulley**

Cont'd Page 4...



**MFRS. OF WATER RING VACUUM PUMPS
AND PULP TRANSFER CENTRIFUGAL PUMPS**

PPPL/Q-286/2022-2023
Dt.03.02.2023

****Page 4****

COMMERCIAL OFFER

S.NO	DESCRIPTION	QTY	PRICE/EACH
1)	PREMIER 300 Pump with Accessories	1 Set	Rs. 42,50,000/-

Cont'd Page 5...



PPPL/Q-286/2022-2023
Dt.03.02.2023

Page 5

TERMS & CONDITIONS

- | | |
|------------------------|--|
| 01. Price: | Ex-Works, Hyderabad |
| 02. Taxes: | Extra as applicable, GST@18% at present |
| 03. Payment: | 30% against issue of P.O and balance against issue of Proforma. |
| 04. Dispatch: | 12-16 Weeks from the date of receipt of Clear P.O along with advance and Drawing Approval, if applicable. |
| 05. Warranty: | 12 months from date of commissioning or 18 months from date Of supply, whichever is earlier against manufacturing defects
(Site service visits are not part of standard warranty) |
| 06. Offer Validity: | 7 days from offer date and thereafter, subject to written confirmation. |
| 07. Transit Insurance: | Your scope if required. |
| 08. Packing: | NIL |
| 09. Freight: | To pay basis, as per your preference of transporter and delivery instructions |

We hope you will find our offer in line with your requirement and look forward to receive your valued order.

Thanking you and assuring the best of our services at all times.

Yours faithfully,
For PREMIER PUMPS PRIVATE LIMITED

Praveen. E

E. PRAVEEN KUMAR
MANAGER - SALES
+91-7989010920

Cc: Mr. B.K Tiwari (G.M-Sales), New Delhi
+91-9868207024