

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/423388/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

M/s. Ratnaraj Blessing Milestone, C.S.NO.2/71 of Parel Seweri Division, Mahadev Palav Marg, Currey Road, Mumbai

> Subject : Environment Clearance for Proposed redevelopment of existing building known as "Kamgar Swa-Sadan Co-Op. Housing Society Ltd." situated on property bearing C.S.NO.2/71 of Parel Seweri Division, at Mahadev Palav Marg, Currey Road, Mumbai by M/s. Ratnaraj Blessing Milestone.

Reference : Application no. SIA/MH/INFRA2/423388/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 203rd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 266th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 21st September, 2023.

Sr.	Description	Details				
No.		;				
1	Proposal Number	SIA/MH/INFRA2/423388/2023				
2	Name of Project	Proposed redevelopment of existing building known as "Kamgar				
		Swa-Sadan Co-Op. Housing Society Ltd." situated on property				
		bearing C.S.NO.2/71 of Parel Seweri Division, at Mahadev Palav				
		Marg, Currey Road, Mumbai – 400012 in F/South Ward				
ļ		proposed by M/s Ratnaraj Blessing Milestone.				
3	Project category	8(a), B2				
4	Type of Institution	Private				
5	Project Proponent	Name	Mr. Shitesh Mohanlal Madrecha			
		Regd. Office address	5, Parsi building, Bavlawadi, Dr.			
		en al companya de la companya de la La companya de la comp	B.A.Marg, Chinchpokli, Mumbai-			
		4000012.				
		Contact number 99252 07774				
		e-mail	jain726@gmail.com			
6	Consultant	Name: M/s. Enviro Analysts & Engineers Pvt. Ltd.				
		NABET Accreditation No: NABET/EIA/2124/SA 0193				
		Validity: 18.06.2024				
7	Applied for	Brownfield Project				
8	Location of the project	situated on property bearing C.S.NO.2/71 of Parel Seweri				
		Division, at Mahadev Palav Marg, Currey Road, Mumbai				
		400012 in F/South Ward.				

2. Brief Information of the project submitted by you is as below:-

9	Latitude and Longitude	Latitude- 18 ⁰ 59'40.92'' N					
	Lanuae and Longhuae	Longitude - 72 ⁰ 50'03.31'' E					
10	Plot Area (Sq.m.)	3593.1 sq.m					
11	Deductions (Sq.m.)	548.66 Sq.m					
11	Net Plot area (Sq.m.)	3044.44 sq.m					
13	Ground coverage (m ²) &	•					
15	%	1834.05 sq.m (51.04%)					
14	FSI Area (Sq.m.)	20503.39 sq.m					
15	Non-FSI (Sq.m.)	26492:37 sq.m					
16	Proposed built-up area	46995.76 sq.m					
	(FSI + Non-FSI) (Sq.m.)						
17	TBUA (m ²) approved by	Approved FSI Area – 20503.39 Sq.n	He Cart				
	Planning Authority to	Concession Approval dated: 25/11/2	.022				
	date.						
18	Earlier EC details with	None					
	Total Construction area,						
10	if any.						
19	Construction completed	None					
	as per earlier EC (FSI +						
	Non-FSI) (Sq.m.)						
20		Proposed Configuration					
'	Building	Configuration	Height				
		-	Height				
	Name	-	···· (m)				
		Basement + Ground + 1st To 22nd					
	Name Rehab Wing A	Basement + Ground + 1st To 22nd Floor	(m) 69.00 m				
	Name	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To	···· (m)				
	Name Rehab Wing A Rchab Wing B	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor	(m) 69.00 m 69.00 m				
	Name Rehab Wing A	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th	(m) 69.00 m				
1	Name Rehab Wing A Rchab Wing B	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor +	(m) 69.00 m 69.00 m				
	Name Rehab Wing A Rchab Wing B	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th	(m) 69.00 m 69.00 m				
21	Name Rehab Wing A Rchab Wing B	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor +	(m) 69.00 m 69.00 m				
21	Name Rehab Wing A Rchab Wing B Sale Wing C	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part	(m) 69.00 m 69.00 m				
21	Name Rehab Wing A Rchab Wing B Sale Wing C No. of Tenements &	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos	(m) 69.00 m 69.00 m				
	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Solution Total Population Total Water	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD	(m) 69.00 m 69.00 m				
22	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C No. of Tenements & Shops Total Population	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD	(m) 69.00 m 69.00 m				
22	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Solution Total Population Total Water	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD	(m) 69.00 m 69.00 m				
22	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Solution Total Population Total Water	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD	(m) 69.00 m 69.00 m				
22	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Solution Total Population Total Water	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD	(m) 69.00 m 69.00 m				
22 23	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Wing C Total Population Total Water Requirements CMD	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD Landscape - 2 KLD	(m) 69.00 m 69.00 m				
22 23	Name Rehab Wing A Rchab Wing B Sale Wing C Sale Wing C Sale Wing C Total Population Total Population Total Water Requirements CMD Under Ground Tank	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD Landscape - 2 KLD	(m) 69.00 m 69.00 m				
22 23 24	Name Rehab Wing A Rehab Wing B Sale Wing C Via Sale Wing C Sale Wing C Sale Wing C Via Sale Wing C Under Ground Tank (UGT) location	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD Landscape - 2 KLD Basement	(m) 69.00 m 119.15 m				
22 23 24 25	NameRehab Wing ARchab Wing BSale Wing CSale Wing CSale Wing CTotal PopulationTotal PopulationTotal WaterRequirements CMDUnder Ground Tank(UGT) locationSource of water	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD Landscape - 2 KLD Basement MCGM	(m) 69.00 m 119.15 m				
22 23 24 25	NameRehab Wing ARchab Wing BSale Wing CSale Wing CShopsTotal PopulationTotal PopulationTotal PopulationTotal Requirements CMDUnder Ground Tank(UGT) locationSource of waterSTP Capacity &	Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 22nd Floor Basement + Ground + 1st To 10th Podium + 11th To 34th Floor + 35 th Part Residential - 315 nos Shops - 17 nos 1715 nos. 226 KLD Domestic Water - 149 KLD Flushing Water - 75 KLD Landscape - 2 KLD Basement MCGM	(m) 69.00 m 119.15 m				

28	Sewage Generation CMD	202 KLD & 3	5% of excess	treated v	vater to sewer line		
20	& % of sewage discharge	202 (CD &, 5	35% of excess treated water to sewer line				
	in the sewer line						
29	Solid Waste Management	Туре	Quantity (K	(g/d)	Treatment/disposal		
27	during Construction	~ 5 P ~	Z		-		
	Phase	Dry waste	15 kg/day		Will be handed over to a		
		-			recycler		
		Wet waste	23 kg/day		Handed over to		
		.# :# 	· •••		Municipal waste collector		
	a	Construction	Top soil	0 cum	This is a redevelopment		
	ġ.	waste	· ·		project		
			Demolition	14920	We will use the 1000 cum		
			& -	cum	quantity in internal plot &		
		and and a second se Second second second Second second	Excavation	1.54	road development. Rest 13920 cum will be dispose		
			Waste	14	of at designated unloading		
					site as per SWM NOC.		
					NOC for quantity of		
			1	.*	707.50 cum is already		
				ν.	obtained dated – 23 Nov 2022.		
			Empty	28200	To be handed over to local		
			cement	Nos	recyclers		
			bags				
	·.		Steel	5 MT	To be handed over to local		
					recyclers		
		•	Aggregates	20	To be used as a layer for		
				MT	internal roads and building		
		e na Line angel	:		boundary wall.		
			Broken	515	Waste tiles to be used as		
			Tiles	sqm	china mosaic for terraces.		
			Empty	705	To be handed over to		
			Paint Cans	nos.	recycler		
			(20 litre/	2.040			
	:		can)				
30	Total Solid Waste	Туре	Quantity (Kg/d)		Treatment / disposal		
	Quantities with type	Dry waste	341 kg/day		Will be handed over to a		
	during Operation Phase		496 kg/day		recycler		
	& Capacity of OWC to be	Wet waste			Composting by OWC -		
	installed				manure produced will be		
					used at a site for		
					landscaping, 2 OWC- one		
					200 Kg/day capacity for		
					Sale building and one 400		
					Kg/day capacity for Rehab		
		<u> </u>	<u> </u>		building.		

•

.

		E-Waste	896 kg/yr	to	Vill be colle MPCB-au ecyclers.	ected and sent athorized	
		STP Sludge (dry)	10 kg/day	u	bry sewage sed as man ardening.	sludge will be ure for	
31	R.G. Area in sq.m.	RG required –324.15 sq.m					
		RG provided – 324.15 sq. m.					
		Paved R.G. – 130.15 sq.m Non–Paved RG – 194 sq. m.					
	* *** * ***						
		Existing trees on the plot as per Tree NOC Application dated 24/04/2023 - 2 nos.					
			nsplanted -0 nc)s.		<u> </u>	
			e transplanted -				
			nted till date – 0		12.1		
			after transplanta	tion - 0	nos.		
		Trees to be ret			- 10		
			be planted again				
32	Power requirement	Total no. of trees on plot - 55 + 72+ 48 = 175 During the Operation Phase:					
		Details Reliance					
		Connected lo					
		Demand load (kW) 2163 KW					
33	Energy Efficiency	a) Total Energy saving (%): 20 %					
24			y saving (%): 5	%			
34	D.G. set capacity No. of 4-W & 2-W	1 x 500 kVA					
	Parking with 25% EV	4-Wheelers – 231 Nos 2-Wheeler – 85 nos.					
	No. & capacity of	2 Nos					
	Rainwater harvesting] x 60 KLD					
	tanks /Pits	1 x 45 KLD				·.	
37	Project Cost in (Cr.)	Rs. 240 Cr		·:-			
38	EMP Cost	Construction F	The backets of a disease of a di-	· · ·	in de la constante		
		AB			Recurring		
					Cost in Rs	cost in Rs/year	
		Water sprinkling, green			No/year		
		Air	helt development				
		Environment			2.95	10.83	
		Noise	Noise barricades and				
		Environment	ironment green belt				
			developments 3.34 0.			0.13	

,

			ter nment nealth ices nment oring Belt pment tal	Mobile Toilets STP drainage sedimentation Site sanitation health ca Air, water, no monitoring of construction Tree Plantation construction	e with n tanks on and re ise soil luring phase n during	1.20 1.00 0.00 1.20 9.19	1.00 2.00 0.10	
		Sr. No.	Portioniors (Capital Cost (Rs. in Lacs)		O & M Cost (Rs. in Lacs)	
		1	Solid Waste Management		13		4	
		2	Sewage Treatment Plant- STP Cost + LFD		47		11	
		3	En	ergy Saving	63		3	
		4	R	WH system	6		0.3	
		5		RG	8		2	
		6		Basement 7 /entilation			. ¹	
			i	Total	14	4 ·	· 21	
		6		DMP	369.		21.64	
			G	Frant Total	513.	.84	42.64	
	Capital Cost- Rs. 513.84 Lakhs, O and M cost- Rs. 42.64							
39	CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018		e as pe	er the OM dated	sum Ser	tember	2020.	
40	Details of Court Cases/litigations w.r.t the project and project location if any.	NA						

i

,

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 266th (Day-2) meeting held on 21st September, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. <u>SEAC Conditions-</u>

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- PP to obtain following NOCs and remarks as per amended planning, a)Civil Aviation NOC; b) Tree NOC.
- 3. PP to maintain adequate distance between STP, OWC & fire tank by inter shifting proposed locations of pump room & fire tank.
- 4. PP to relocate substation proposed in drive way; PP to maintain minimum1.5 Mtr distance between STP, Miyawaki and Substation.
- 5. PP to provide double slab over the part of STP where fire tender movement is proposed; PP to provide minimum 40% open to sky area to Rehab STP & submit revised layout of STP with tank size details.
- 6. PP to shift OWC to ground level.
- 7. PP to relocate parking proposed near STP & OWC.
- 8. PP to relocate parking proposed in driveway & maintain 6 Mtr. clear internal driveway with in the project.
- 9. PP to ensure that fire tender movement on paved RG in the emergency only.
- 10. PP to submit revised water balance including swimming pool make up water; PP to reduce discharge of treated water up to 35%.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 314.26 m2 on mother earth without any construction. Local planning authority to ensure the compliance of the same.
- 2 PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for-FSI- 20,263.70m2, Non FSI-23,509.50m2, total BUA- 43,773.20 m2. (Plan approval No-12547/2022/(2/71)/F/South/PAREL-SEWERI/337/1/Amend, dated- 07.08.2023) (Restricted as per approval)

General Conditions:

a) <u>Construction Phase :-</u>

I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering

recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and

common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.

- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as
- is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai City.
- 6. Commissioner, Municipal Corporation of Greater Mumbai.
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.

Signature Not Verified

Digitally signed by: Shr Pravin C. Darade , I.A.S. Designation: Member Secretary Date and Time: 11/12023 12:32:34 PM of Issue EC - 01/11/2023 Page 11 of 11