WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg. No. - 10A, Block - LA, Sector-III Salt Lake City, Kolkata-700 098



[Kenewal

Consent Letter Number : C0123360

Memo Number

611-7WP80-cont(7116)/16.

Date: 30 07 2021

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (heremafter referred to as State Board) under the provisions of Section 25 &

26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to:

(Address of Regd, office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at 2000 grant

(Address of Regd, office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at 2000 grant

(Detailed address of the manufacturing unit)

for a period from 0108 2021

(Detailed address of the manufacturing unit)

to 3407 2026

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



For and on behalf of the State Board

(Member-Secretary/Chief Engr. Sr. Suv. Engr. / Fex Frommental Englanger)

Durgapur Regional Office

West Bengal Pollution Control Box

ANNEXURE

Consent to Slokum Spirits Ltd.
for its unit at VIRP 4 P.O. Kotogram, Romagash Industrial Park
P.S. Bud Bud, Pursa Bardhaman - 713148

Conditions:

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Industrial Alcohort-RS & ENA	120 KLD
0.2	DDGS	75 TPD
03	Coz (Gas)	GOTPD
04	Electricity (Co-acnoration)	3.5MW
05	WEST BEN	GAI
06		
07	B. Marie 200 and 100 a	PACE AND DESCRIPTION OF THE PA
08		
09		
10	Value of the second sec	
11		
12	A 250 A	

02.	The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.	
03.	Daily discharge of industrial liquid effluent shall not exceed N. S.	CL
04	Daily discharge of domestic liquid effluent shall not exceed	CL
05	Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed	CL
06.	The Applicant shall discharge liquid effluent to Septic funk to Se	ge

07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.

O8. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

A30/3/2021

(Member Secretary/Chief-Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer
Durgapur Reginated Office

West Bengal Pollution Control Boom

(3)	
Consent to GAOSWO Spirits Ltd	***
for its unit at Panagash Industrial Pook Ville & Po-Koto	ASTEM.
P.S-Bud Bud Puren Barthaman - 713148	0

Table-I

Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling
01	DOMETT	pH	Between: SIte 9.0	Zerry
		Total Suspended Solids	Not to exceed: / ap mg/1.	
		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed 3º mg/l.	
		Chemical Oxygen Demand	Not to exceed: 25D mg/L	
		Oil & Grease	Not to exceed: /o mg/l.	
-				
	\			
			THE REAL PROPERTY.	
			-	
		The same of the sa	The second second	
		The same of the sa		
		Value of the same		
			100	
				-

09.	The Applicant falls in the and Control of Pollution)	Cess Act, 1977 and	Rules made thereunder and	Category of the Applicant	the Water (Prevention shall comply with the
	provisions of the said Act a				, ,

10.	Daily water consumption for the following purposes should not exce	ed:-	
	Industrial cooling, spraying in mine pits and boiler feed water (Water used for gardening should be included in this category of	. 260.00	.KI

Processing whereby water gets polluted and the pollutants are easily biodegradable
 945.60

Processing whereby water gets polluted and the pollutants are not easily biodegradable

KI

The Applicant shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act

(Member Secretary/Ghref-Engr / St. Env. Engr. Environmental Engineers)

Durgapur Regional Of the West Bengal Polls Continued

(4)
Consent to Stolus Stirits Ltd.
for its unit at Passagarh Industrial Park, VIPS+PO-Kotagram
P.S. Bud Bud Purba Bordhaman - 713148

- 11. The Applicant shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.
- 12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to faciliate identification.
- 13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below:

Table-II

No.	Stack height from	Stack attached to (sources and control system.	Volume Nm³/hr.	Velocity of gas emission	Concent	rations of	paramet	ters not to	exceed	Frequency of emission sampling
	GI., (in mts.)	if any):	ME	m/sec	SPM (mg/Nm³)	CO (%v/v)	BE			(C. 5°
S-I	60 m	1×35+PH	loiler_		50 at 61/2	L1 extrion	-			guarterl Jenely
S-2	100	1 x 12 50 KVA D- 4 set			150	21	-			Jearly
S-3	_		oud l			M b		1		
S-4							- 1128	- 4	AK.	- 1. A.S.
S-5										1000
S-6										F 1
S-7										
S-8										
S-9					-		5-11-12-1	1		-
S-10										1

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer

Durgapur Regional Office West Bengal Pollution Control Boats

for its unit at Pamagarh Industrial Park, Viff & P.O. Ko

14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

15. The Applicant shall observe the following fuel consumption pattern:-

St. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01	HwoK	160Tow	1×35TPH bother
02	HSD		1 x 12 50 KVA Dh Set
03			
04			
05			

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below:-

Type of waste	Quantity	Treatment	Disposal
Asw	56 TPD		To be disposed o
ETP studge	_	_	menvisonmental

17. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below:-

Time	Limit in dB(A) Leq
Day Time (06 a.m. to 09 p.m.)	75
Night Time (09 p.m. to 06 a.m.)	70

18. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.

19. The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.

20. The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.

 The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.

22. The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

 The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

(Member Secretary Chief Engr. Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engined Durgapur Regional Office West Bengal Pollution Control Board

Globus Spirits Ltd. amagarh Industrial Park, VIRPAPO-Kotagram. Bud Bud Purba Bardhaman- 713148

- The Applicant shall maintain a separate register showing consumption of chemicals used in pollution control sys-
- The Applicant shall get the samples of hazardous wastes/leachates analysed at least once in from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board
- The Applicant shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the State Board's staff as well as State Board's authorised agencies.
- The Applicant shall submit to the State Board by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
- The Applicant shall allow the Officers of the State Board to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
- The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time
- The Application shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
- The Applicant shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
- The Applicant shall have to make registration for the use of groundwater if any, with Central Ground Water Author-32. ity.
- 33. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The Applicant Shall (1) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- The Applicant shall make an application to the State Board in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
- The Applicant shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.

The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989

Additional Conditions of Consent many the Thronger of the War valid

Durgapur Regional Office

West Bengal Pollution Control Box

Expansion

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg. No. - 10A. Block - LA, Sector-III Salt Lake City, Kolkata-700 098



Consent Letter Number	CO132147	
Memo Number 130	-dr-co-8/16/0122	

(Prevention and Control of Pollution) Act, 1981.

Date 11/04/2022

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

26 of the Water (Prevention and Control of Pollution) Act, 197 of Pollution) Act, 1981, as amended and Rules and Orders in	referred to as State Board) under the provisions of Section 25 & 4, as amended and Section 21 of the Air (Prevention and Control ade thereunder, hereby grants its consent to:
MIS Globus Sports Limited	and the second s
	(Address of Regd. office/Head/Office/City Office)
(hereinafter referred to as Applicant) for its unit located at	
P.O Kota, P.S - Bud Bud, I	sigt - Purba Bardhaman
Pin-713148	
	(Detailed address of the manufacturing unit)
for a period from Date of 1884	0 31/07/2026
to operate the industrial unit and to discharge haud effluent a	and to emit gaseous effluent from the premises/land of the indus- the Annexure to this consent letter provided on any day at any

the Table I & Hof this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

Section 2

For and on behalf of the State Board

Member Secretary Chief Engr / 51

St. Environmental Engineer
W. B. Pollution Control Board
Oneration & Execution Cell

	ANNEXURE	
Consent to	Mls. Globus Spirits Limit	ed.
for its unit	Purba Bendhaman, Pin-7131	10-Kota, PS-Bud Bud
Conditions 01 Th	is Consent is valid for the manufacture of :-	Oay.
SI. No.	Name of major products and by-products	Quantity manufactured per month
0.1	ENAJRS/Ethanol	120 KLDay
25.75		

Quantity manufactured per month
The state of the s
120 KLDay
100 MT Day
60 MT Day
4.5 Megawalt Capac
INGAL .
-
7

02.	The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03.	The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions. Discharge of industrial liquid effluent shall not exceed by processed effluent after
04	Daily discharge of domestic liquid effluent shall not exceed 24
05.	Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed The Applicant shall discharge liquid effluent to Sockoit.
06.	The Applicant shall discharge liquid effluent to place of discharge liquid effluent liqu

- 07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to in the Board and obtain prior permission of the Board in this effect.
- 08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic lives waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

(Member Secretary/Chief Engr./ Sr Env. Engr. / Bnv. Engr. / Asst Env.

Sr. Environmental Engineer
W. B. Pollution Control Board
Continued
Operation & Execution Cell

100	1 10 -	4 10 777
1. 1. 7	1 2 0	1 10 4
-	1 36-	1 44 1

Consent to Mls. Globus Sprits Limited.

for its unit at Paraganh Industrial Park, Parkota, P.S. - Bud Bud,
Dist. - Punba Bandhaman, Pin - 713148.

Table-I

Outlet No.	Nature of	Parameters	Standard	of effluent sampling
01	Domestic	pH	Between: 55 to 90	/contin
	1	Total Suspended Solids	Not to exceed : Comg/1	
		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed: 30 mg/l	
		Chemical Oxygen Demand	Not to exceed 250mg/1.	
		Oil & Grease	Not to exceed: (6 mg/1	
		(for industrial off went-	ZL) to be ZNOC condition)	
				-
	-			
	1		1,11,111,111,111,111	-
			and the street	-
	-			- Alexander
	-			
		100		-
			1	

D	aily water consumption for the following purposes should not exceed -	100	K!
•	Industrial cooling, spraying in mine pits and boiler feed water (Water used for gardening should be included in this category of use)	.30	K)
	Domestic purpose	Market Control of the State of	
6	Processing whereby water gets polluted and the pollutants are easily biodegradable		KI
•	Processing whereby water gets polluted and the pollutants are not easily biodegradable		K

The Applicant shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

(Member Secretary Chief Engs. Sr. Env. Engr. / Env. Engr. / Assl. Free Engl.)

Sr. Environmental Engineer
W. B. Pollution Control Board
Continued
Control & Execution Cell

Commented Mis Globus Sprits Limited.

for mount of Panagarh Industrial Pank, P.O. - Kota, P.S. - Bld Bard,
Dist - Purba Bendhaman, Pin - 713148

- The Applicant shall usuall suitable device for measuring the volume of water consumed for different purposes at mentioned above giving correct result to the satisfaction of the State Board.
- 12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, e and this must be painted/displayed to faciliate identification.
- 13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warrant with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below:

Table-II

			12	DIC-11				-	سدالتواحد التم
Stuck height	Stack attached 40 (sources and	Volume Nm ³ /hr.	Velocity of gas	Concen	trations o	of parame	ters not to	exceed	of emission
GL. (in mrs.)	if any):		na/sec	SPM (mg/Nm³)	CO (%y/v)	SOD_ (mg/Han3	NOx (mg/Non)	. ,
60m			10°	30	<1	100	100		Quant
10 m	D.G. Set			120	<1		1.30	445	Years
				[Me	newry	-0.0	3 (mg/	Nm3)	7
			THE				-		
1									
								1	
	height from GL_ (in mis.)	height from control system. GL. (in mis.) 60m Boiler (Control system) (40 TPH) D.G. Sot	height to (sources and Nm /hr. from control system. GI. if any): 60m Boiler (coal/hast (40 TPH) with E	Stack Stack attached Volume Neight to (sources and Nm³/hr. of gas emission (GL. if any): (in rats.) Boiler (coal hask bined (40 TPH) with ESP	height from control system. (GL. if any): (in miss.) 60m Boiler (coal hisk-bined (40 TPH) with ESP 10m D.G. Set 01x1250K/A 150	Stack Stack attached Volume Nm³/hr. of gas emission GL. if any: (in rats.) Stack attached Volume Nm³/hr. of gas emission SPM CO (mg/Nm²) (%v/v) GOm Boiler (coal/hask-bined 30 <1 10 m D.G. Sat OIX1250K/A 150 <1	Stack height to (sources and horizon) of gas emission GIL (in mis.) GOM BOILE (CONTROL DISTRICT OF SOL) (40 TPH) with ESP 10 m D.G. Sot OIX 1250 K/A Mencury - 0.0	Stack Stack attached Notione Neight Ao (sources and control system. (in miss.) 60 m Boiler (coal high fined (40 TPH) with ESP 10 m D.G. Sot OIX 1250 KIA 150 CI 1	Stack height from control system. GI. (in rats.) GOM BOILE (Coal hask bired (40 TPH) with ESD 10 m OIX 1250 KLA Meneury - 0.03 (mg/Nm3)

(Member Secretary Chief Engr. Sr. Env. Engr. Roy, Engr. / Asst. Erry, Engr. Sr. Environmental Engineer

W. B. Pollution Control Board

Cratinosa

Consent to Mls. Global Spirite Limited

for its unit at Panagenh Industrial Ponk, P.O. Kete, P.S. - Bud Bud, Dist. - Purba Bardhaman Pin - 713148

- 14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder place. etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use State Board's staff as well as State Board's authorised agencies.
- 15. The Applicant shall observe the following fuel consumption pattern:

il. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel
01	HSD	IKL/Month	Bailer
02	Coal husk	160 MT/day.	1000
03			
04			
05			of non-hazardous solid waste as

The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid, waste as sp

below :-	and the same	Treatment	Disperi
Type of waste	Quantity		To be disposed
A 1	60 TPO		envinonment
Ash	70.0		manna

The Applicant shall take adequate measures for control of noise levels from its own sources with within the limit given below -

given below -		Limit in dB(A) Leq
Time 16	-	75
Day Time (06 a.m. to 04 p.m.		70
Night Time (29 p,m to 06 a.	m.)	Line or

- The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficient control of pollution from all sources so as not to cause nuisance to surrounding areas/ir-habitants and to compliance with the terms and conditions of the consent.
- The Applicant shall bring about at least 33% of the available open land under the green coverage / plantal or
- The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control . at a installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abicate terms and conditions of the Consent regarding pollution level,
- The Applicant shall install a separate energy meter showing the consumption of energy for operation of an a
- The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clear a 1 environment in and around the factory premises.
- The Applicant shall provide drainage system for conveying industrial and domestic liquid waste, stor, -w shall be kept separate from the drainage system meant for industrial and domestic liquid waste

(Member Secretary/Chief Engr. 18) Erry Bright Sr. Environmental Engineer

W. B. Pollution Control Board

Consent to MIS. Glabus Spirits Limital
for its unit at Paragarh Industrial Perk, 80-Kota, P.S-Bud Bud,
Dist. - Purba Bandhaman, Pia 713148

- The Applicant shall maintain a separate register showing consumption of chemicals used in pollution control systems
- 26. The Applicant shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the State Board's staff as well as State Board's authorised agencies.
- 27. The Applicant shall submit to the State Board by the 30th September of every year the Environmental Statemer Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as require under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
- 28. The Applicant shall allow the Officers of the State Board to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection wire prevention & control of pollution.
- 29. The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to Office & employees of the State Board for inspection, review and to write down any direction or observation as is deemencessary during the inspection from time to time.
- The Application shall furnish to the State Board all information in respect of quality, quantity, rate of discharge place of discharge of liquid effluent and air emissions.
- 31. The Applicant shall maintain adequate number of qualified and trained personnel among his staff for proper man tenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
- 32. The Applicant shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
- 33. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence to discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to a receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event cluding natural disaster. The Applicant Shall (i) take all steps adequate to prevent such accident discharge/release poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to be persons working on the site with the information, training and equipment including antidotes necessary to their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- 34. The Applicant shall make an application to the State Board in the prescribed form for renewal of the consent at legst 60 (sixty) days before the date of expiry of this Consent.
- 35. The Applicant shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
- The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazard.
 Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions See Annexure.

(Member Secretary Chief Engr Str Environmental Engineer Secretary Chief Engr Str Environmental Engineer Secretary Chief Engr Str Environmental Engineer Secretary Chief Eng

Annexure to Consent Letter Number - CO132147

Additional Conditions issued to M/s. Globus Spirits Limited at existing factory premises Panagarh Industrial Park, P.O-Kota, P.S-Bud Bud, Dist-Purba Bardhaman, Pin-713148.

- The unit shall abide by all other condition as mentioned in Environmental Clearance (EC) issued vide no. F.No.J-11011/337/2013-1A-II(I) dated 22.03.2021 and NOC(NO164586) issued vide memo no.624-2N-09/2020(E) dated 13.09.2021 in favour of the expansion project.
- The unit should obtain all the statutory licenses as applicable from other concerned Govt. Department.
- 3. This consent may be revoked at any time on violation of environmental norms.
- The unit shall disposal the ash generation from Boiler as per CPCB guidelines of fly ash dumping and also submit annual report before the State Board.
- The unit shall comply the emission standards as prescribed in Notification No.G.S.R. 3305...
 (E) dated 07.12.2015 issued by the MOEF&CC, Govt. of India
- This consent to Operate is for production of ENA/RS/Ethanol 120 KL/day, DDGS-100 MT/day, CO₂-60 MT/day & 4.5 MW Co-generation plant at existing factory premises.

Sr. Environmental Engineer West Bengal Pollution Control Board

Sr. Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell