

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): **P/HQ/BI/15/1894(P429186)**

फीस रूपए (Fee Rs.) **50000/- per year**

M/s. GLOBUS SPIRITS LIMITED, F.0,Ground Floor,The Mira Corporate Suites,Plot No.1 & 2,, Ishwar Nagar,Mathura Road, New Delhi, District: DELHI, State: Delhi, PIN: 110065 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम **1900.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/BI/15/1894(P429186)** तारीख **09/12/2021** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **M/s. GLOBUS SPIRITS LIMITED, F.0,Ground Floor,The Mira Corporate Suites,Plot No.1 & 2,, Ishwar Nagar,Mathura Road, New Delhi, District: DELHI, State: Delhi, PIN: 110065** valid only for the importation and storage of **1900.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/BI/15/1894(P429186)** dated **09/12/2021** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2025 तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December 2025

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	1900.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1900.00 KL

December 9, 2021

For Chief Controller of Explosives
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टियां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Survey No: **651,131,737,249,165,379,737,436,349,379,249,347,593, DHANDUA, Dhandua (V), Hajipur, Taluka: Jandaha, District: VAISHALI, State: Bihar, PIN: 844504** स्थान पर अवस्थित है तथा उसमें निम्नलिखित 5 Above Ground tank(s) for CLASS A सम्मिलित हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at Survey No: **651,131,737,249,165,379,737,436,349,379,249,347,593, DHANDUA, Dhandua (V), Hajipur, Taluka: Jandaha, District: VAISHALI, State: Bihar, PIN: 844504** and consists of 5 Above Ground tank(s) for CLASS A together with connected facilities.

Note:-This is system generated document does not require signature.



Digitally signed by SHIVCHANDRA D MISHRA
Reason: Licence No.: P/HQ/BI/15/1894
Location: Nagpur [P429186]
Date 2021.12.09 05:34:26 +05:30



BIHAR STATE POLLUTION CONTROL BOARD

PARIVESH BHAWAN, PLOT NO. NS-B/2, PATLIPUTRA INDUSTRIAL AREA,

PATLIPUTRA, Patna 800 010.



DISCHARGE CONSENT ORDER

With reference to the application no 9364077, dated : 2024-05-27 16:12:17.373 of M/s Globus Spirits Ltd., At- Dhudhua, Jandaha, Vaishali, P.O. Jandaha, P.S. JANDAHA, District VAISHALI, located at F-0, Ground Floor, The Mira Corporate Suites Plot No.1&2, Ishwar Nagar, Mathura Road, New Delhi, Delhi - 110065 Dist- New Delhi. for Discharge Consent Order (Consent to Operate) under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, submitted through the Boards online auto-renewal system, he/they is/are granted Consent for renewal of the previous Discharge Consent Order No B-4793, B-4794, Dated- 03-09-2019, dated 18/07/2023. for a further period from 01/07/2024 to 01/07/2029. subject to his/their 'Undertaking' and 'Conditions' as given below:-

- : UNDERTAKING : -

i. That he/they complied with all the conditions imposed in the Discharge Consent

<https://bhocmms.nic.in/indApplicationDetails/viewAutoRenewalWaterCert/9364077>
Order referred above.

4/4

ii. That information provided in this application are correct;

iii. That he/they shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the directions given by the Central Pollution Control Board or Bihar State Pollution Control Board from time to time in pith and spirit; and

iv. That he/they did not make any alteration, addition, deletion or modification in the plant/process/product prior to submitting this application for renewal of consent.

AND

- : CONDITIONS : -

1. That, this consent order shall be subject to the same conditions which were imposed in the previous discharge consent order, referred above



2. That, this consent order is for the operation of the industrial plant to operate at a maximum production Capacity :-

Product Name	Qty	Unit
Extra Neutral Alcohol (ENA)	120	Kilo Liters/Day
Power Cogeneration	3.5	Megawatt

3. That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 24,31 and 33A of the Water (Prevention & Control of Pollution) Act,1974 and further shall extend co- operation to the Board in performing its functions entrusted under sections 20,21,23,30 and 32 of the Act;
4. That, he /they shall comply with the requirements of Rule 14 of the Environment (Protection) Rules, 1986; Rules 4, 6, 8, 9, 12, 13, 17, 18, 19, 20, 22 and 23 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016; Rules 4,5,7,8,10,11,12,13,14,15,17 and 18 of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989; and the provisions of the Public Liability Insurance Act, 1991, whichever is applicable;
5. TThat, he/they shall monitor his/their effluent(s) regularly and maintain its quality in conformity with Boards standards and shall produce its proof, as and when asked for;
6. That, he/they shall submit renewal application for consent before 30 days of the date of expiration of the consent from the same login ID;
7. That, they shall deposit the balance consent fee, if any found due at any stage because of increase in investment cost/capital investment of the unit at any later stage;
8. That, the unit shall operate and maintain their pollution control devices/measures/ETP/STP with energy meter regularly and effectively and should conform all applicable parameters of environmental pollutants within standards/norms as prescribed under the Environment (Protection) Rules, 1986 and as amended;
9. That they shall maintain logbook (whichever applicable, if any) for operation of ETP/STP/control devices for the record;
10. That, they shall provide adequate facilities for treatment of effluent generated, if any industrial wastewater is generated and make effort to re-use treated effluent to maintain Zero Liquid Discharge from the plant premises and water consumption shall be reduced by adopting 3 Rs (reduce, reuse and recycle) concept;
11. That, they shall install online continuous effluent monitoring system, if required, as

per the direction of CPCB/BSPCB issued from time-to-time in this regard and will connect the same to transfer data with the servers of CPCB and BSPCB;

12. That, the environmental statement for each financial year ending 31 st Sept. in Form-V as is amended to be submitted by the proponent to the Board as prescribed in the Environment (Protection) Rules, 1986;

13. That, they shall make provisions for display of data outside main factory gate about quantity and quality of water discharge and air emission along with name & address of the unit, validity of consent order and solid waste generated within the factory premises;

14. That, notwithstanding anything stated above, the units proponent shall abide by all the provisions of the environmental laws including policies and guidelines made thereunder; and

15. That, in the event of any information/document submitted by the proponent found false or misleading at any stage, this consent shall be revoked followed by all necessary legal action(s) including applicable environmental compensation.

To

Mr Bhaskar Roy

F-0, Ground Floor , The Mira Corporate Suites Plot No.1&2 , Ishwar Nagar, Mathura Road , New Delhi , Delhi - 110065

New Delhi

110065

(This is computer generated certificate and no need of signature)

Note:-

1. The Board shall at any time cause the unit inspected to verify the self-declaration & compliance of the unit to the consent conditions, direction (if any) & rules & regulation as may be applicable.

2. All correspondences from this Board shall be done through OCMMS. So, the occupier/ applicant is requested to keep himself updated through the application number in the ocmms system.

3. No postal/off-line correspondence shall be done for any of the matters henceforth from this Board

4. No offline correspondence shall be accepted.





BIHAR STATE POLLUTION CONTROL BOARD

PARIVESH BHAWAN, PLOT NO. NS-B/2, PATLIPUTRA INDUSTRIAL AREA,

PATLIPUTRA, Patna 800 010.



EMISSION CONSENT ORDER

With reference to the application no 9364077 , dated : 2024-05-27 16:12:17.373 of M/s Globus Spirits Ltd., At- Dhudhua, Jandaha, Vaishali, P.O. Jandaha, P.S. JANDAHA, District VAISHALI, located at F-0, Ground Floor , The Mira Corporate Suites Plot No.1&2 , Ishwar Nagar, Mathura Road , New Delhi , Delhi - 110065 Dist- New Delhi. for Emission Consent Order (Consent to Operate) under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, submitted through the Board's online auto- renewal system, he/they is/are granted Consent for renewal of the previous Emission Consent Order No B-4793, B-4794, Dated- 03-09-2019, dated : 18/07/2023 . for a further period from 01/07/2024 to 01/07/2029. subject to his/their 'Undertaking' and 'Conditions' as given below:-

- : UNDERTAKING : -

- i. That he/they complied with all the conditions imposed in the Emission Consent Order referred above ;
- ii. That information provided in this application are correct ;
- iii. That he/they shall comply with the provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the directions given by the Central Pollution Control Board or Bihar State Pollution Control Board from time to time in pith and spirit; and
- iv. That he/they did not make any alteration, addition, deletion or modification in the plant/process/product prior to submitting this application for renewal of consent.

AND

- : CONDITIONS: -


1. That, this consent order shall be subject to the same conditions which were imposed in the previous emission consent order, referred above



2. That, this consent order is for the operation of the industrial plant to operate at a maximum production Capacity :-

Product Name	Qty	Unit
Extra Neutral Alcohol (ENA)	120	Kilo Liters/Day
Power Cogeneration	3.5	Megawatt

3. That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 22,23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and further shall extend co- operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act;
4. That, he /they shall comply with the requirements of Rule 14 of the Environment (Protection) Rules, 1986; Rules 4, 6, 8, 9, 12, 13, 17, 18, 19, 20, 22 and 23 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016; Rules 4, 5, 7, 8, 10, 11, 12, 13, 14, 15, 17 and 18 of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989; and the provisions of the Public Liability Insurance Act, 1991, whichever is applicable;
5. That, he/they shall monitor his/their emission(s) and the ambient air quality from representative point regularly and shall maintain its quality in conformity with Board standards and shall produce its proof, as and when asked for;
6. That, he/they shall submit renewal application for consent before 30 days of the date of expiration of the previous consent from the same login ID;
7. That, they shall deposit the balance consent fee, if any found due at any stage because of increase in investment cost/capital investment of the unit at any later stage;
8. That, the unit shall operate and maintain their pollution control devices/measures and energy meter regularly and effectively and should conform all applicable parameters of environmental pollutants within standards/norms as prescribed under the Environment (Protection) Rules, 1986 and as amended;
9. That they shall maintain logbook (whichever applicable, if any) for operation of air pollution control devices for the record;
10. That, they shall install online continuous emission monitoring system if required as per the direction of CPCB/BSPCB issued from time-to-time in this regard and will connect the same to transfer data with the servers of CPCB and BSPCB;
11. That, the environmental statement for each financial year ending 31 st Sept. in



Form-V as is amended to be submitted by the proponent to the Board as prescribed in the Environment (Protection) Rules, 1986;

12. That, they shall make provisions for display of data outside main factory gate about quantity and quality of water discharge and air emission along with name & address of the unit, validity of consent order and solid waste generated within the factory premises;

13. That, notwithstanding anything stated above, the unit proponent shall abide by all the provisions of the environmental laws including policies and guidelines made thereunder; and

14. That, in the event of any information document submitted by the proponent found false or misleading at any stage, this consent shall be revoked followed by all necessary legal action(s) including applicable environmental compensation.

To

Mr Bhaskar Roy

F-0, Ground Floor , The Mira Corporate Suites Plot No.1&2 , Ishwar Nagar, Mathura Road , New Delhi , Delhi - 110065

New Delhi

110065

(This is computer generated certificate and no need of signature)

Note:-

1. The Board shall at any time cause the unit inspected to verify the self-declaration & compliance of the unit to the consent conditions, direction (if any) & rules & regulation as may be applicable.

2. All correspondences from this Board shall be done through OCMMS. So, the occupier/ applicant is requested to keep himself updated through the application number in the ocmms system.

3. No postal/off-line correspondence shall be done for any of the matters henceforth from this Board

4. No offline correspondence shall be accepted.



कार्यालय, निदेशक-सह-राज्य अग्निशमन पदाधिकारी, बिहार, पटना।

पत्रांक.....8550 I.D-30-F.O-2022-Part-IX
दिनांक.....10/7/2024



☎ 0612-2222020
✉ sfocumdirector-bih@gov.in

सेवा में,

ग्लोबरा स्पिरिट्स लि0,
धंघुआ, हाजीपुर, वैशाली।
Email I.D- baoobna_vishal@gmail.com

विषय:- अग्नि अंकेक्षण प्रमाण-पत्र के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि ग्लोबरा स्पिरिट्स लि0, धंघुआ, हाजीपुर, वैशाली में अवस्थित है। अनुमण्डल अग्निशामालय पदाधिकारी, महुआ द्वारा दिनांक 09.09.2023 को अग्नि अंकेक्षण किया गया है। पुनः दिनांक 09.05.2024 को जाँच कर अनुपालन प्रतिवेदन समर्पित किया गया है। राष्ट्रीय भवन संहिता 2016 एवं बिहार अग्निशमन सेवा नियमावली 2021 के तहत लगाये गये अग्निशमन यंत्र एवं अन्य अग्नि सुरक्षा उपकरण पर्याप्त प्रतीत होते हैं।


अतः उक्त संस्थान का वार्षिक अग्नि अंकेक्षण प्रमाण-पत्र निर्गत किया जाता है। इसकी वैधता दिनांक 08.09.2024 को समाप्त हो जायेगी। संस्थान प्रबंधक/मालिक पुनः दिनांक 09.09.2024 को अग्नि अंकेक्षण कराना सुनिश्चित करें।

ह0/-

निदेशक-सह-राज्य अग्निशमन पदाधिकारी,
बिहार, पटना।

प्रतिलिपि:-01.जिला समादेष्टा-सह-जिला अग्निशमन पदाधिकारी हाजीपुर, वैशाली को सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित।

02.अनुमण्डल अग्निशामालय पदाधिकारी, महुआ को सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित।


निदेशक-सह-राज्य अग्निशमन पदाधिकारी,
बिहार, पटना।







Schedule III - Form No. 609 A

FORM VI

BIHAR BOILER INSPECTION DEPARTMENT

No. CO(PT)/884/2024

CERTIFICATE FOR USE OF A BOILER
(Regulation 389)

Registry Number of Boiler :- BR/9402 Type of Boiler :- AFBC Bi Drum

Boiler Rating :- 1220 M² Place and year of manufacture Cheema Boilers Ltd - 2016

Maximum Continuous Evaporation :

Name of Owner :- M/s Globus Spritz Ltd.

Situation of Boiler :- do - Dhandhua, Basantpur, Jandaha,

Repairs : Vaishali - 844504

Remarks :- Certified BOC's and Boilers attendants to
be employed.

Hydraulically tested on 27.04.24 to 84.0 kg/cm² (G)

I hereby certify that the above described boiler is permitted by me/the Chief Inspector under the provisions of Section 7/8 of the Indian Boilers Act No. V of 1923, to be worked at a maximum pressure of 67.0 kg/cm² (G) For the period from 28/04/2024 to 27/04/2025

The loading of the Spring loaded
Safety valves is not to exceed 67.0 kg/cm² (G)

Fee Rs. paid paid on

Dated at Patna

This 28th day of April 2024

Inspector / Competent Person

Countersigned

Satyawar Kumar
Chief Inspector

CHIEF INSPECTOR OF BOILERS

BIHAR

See reverse for "Conditions"



CONDITION (Reverse of Form VI)

- 1) No. structural alteration, addition or renewal shall be made to the boiler otherwise than in accordance with Section 12 to the Act.
- 2) Under the provisions of Section 8 of the Act this certificate shall cease to be in force
 - a) On the expiry of the period for which it was granted; or
 - b) When any accident occurs to the boiler, or
 - c) When the boiler is moved, the boiler not being vertical boiler the heating surface of which is less than 18.58 square meters or a portable or vehicular boiler, or
 - d) When any structural alteration, addition or renewal is made in or to the boiler; or
 - e) If the Chief Inspector in any particular case so directs when any structural alteration, addition or renewal is made in or to any steam - pipe attached to the boiler or
 - f) On the communication to the owner of the boiler of an order the Chief Inspector or Inspector prohibiting its use on the ground that it or any steasm. pipe attached there to is in a dangerous condition.

Under Section 10 of the Act, when the period of a certificate relating to a boiler has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the Certificate, be entitled to use the boiler at the maximum pressure entered in the former certificate pending the issue of orders on the application but their shall not be deemed to authorise the use of a boiler in any of the cases referred to in clause (b), (c), (d), (e), and (f) of Sub-Section (1) of Section 8 occurring after the expiry of the period of the Certificate.

- 3) The boiler shall not be used at a pressure greater than the pressure entered in the certificate as the maximum pressure nor with the Safety valve set to a pressure exceeding such maximum pressure.

The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatibel with safe working.

NOTE : The particular and dimensions regarding this boiler may be obtained by the owner on payment with prescribed manner an appliation to the Chief Inspector.



अनुमंडल कार्यालय, महुआ

जिला - वैशाली

आद संख्या - 05/2015-16

विहार कृषि भूमि (गैर कृषि प्रयोजन के लिए सम्पत्तिवर्तन) अधिनियम 2010 के अंतर्गत धारा-3 उप धारा 7(1) के अंतर्गत सम्पत्तिवर्तन की अनुमति का प्रमाण-पत्र

अंचल अधिकारी, जंदाहा के पत्रांक-343, दिनांक-08.07.2016 एवं 340, दिनांक 12.07.2016 के द्वारा प्राप्त जीव प्रतिवेदन के आधार पर एवं आवेदक प्रीतम सिंह (प्रबंधक एवं प्रशासन) मेसर्स ग्लोबल स्प्रिटर्स लिमिटेड, रजि० कार्यालय ए-40, फैंडस कॉलोनी ईस्ट, न्यू दिल्ली-110085 ने राजस्व गान-धधुआ, थाना नं०-304 रकबा-10.35 (अगरह मशालम रोड, पॉच) एकड़ भूमि जिराका बाजार मूल्य 18353000.00 (एक करोड़ तेरह लाख शिरेपन हजार) रुपये है। सम्पत्तिवर्तन शुल्क नं० 18353000.00 (अगरह लाख पैंतीस हजार तीन सौ) रुपये होता है। विहार कृषि भूमि गैर कृषि प्रयोजन के लिए सम्पत्तिवर्तन अधिनियम 2010 की धारा 3 उप धारा 7(1) के एवं निदेशक, तकनीकी विकास विहार, पटना के पत्रांक 141/पटना, दिनांक 19.01.2016 के द्वारा निर्गत प्राधिकार-पत्र के आलोक में निम्न वर्णित कृषि भूमि को गैर कृषि प्रयोजन में सम्पत्तिवर्तन की अनुमति सम्पत्तिवर्तन फीस में छुट के साथ दी जाती है। शेषत को सम्पत्तिवर्तित भूमि में वार्षिक लगान/सेस के दर से पूर्व में भुगतान की जा रही लगान/सेस का भुगतान करेगा।

सम्पत्तिवर्तित भूमि का विवरण निम्न प्रकार है:-

जिला का नाम	अनुमंडल का नाम	अंचल का नाम	रैयत का नाम	राजस्व ग्राम	राजस्व थाना संख्या	खता संख्या	खेसरा संख्या	गैर कृषि प्रयोजन में प्रयुक्त रकबा (एकड़) में	चौहदो	गैर कृषि प्रयोजन का प्रकार	उक्त प्रयोजन हेतु संबंधित उद्योग विभाग विहार सरकार की अधिसूचना नं० एवं दिनांक
1	2	3	4	5	6	7	8	9	10	11	12
वैशाली	महुआ	जंदाहा	प्लोबल स्प्रिट्स लि०	धधुआ	364	651 134 737 737 249 165 379 737 436 349 379 249 347 593 261 833 242 686 593 490 593 280 749 206 436 426	4233 4271 4228 4228 4241 4244 4227 4228 4226 4235 4235 4250 4251 4247 4254 4237 4238 4239 4240 4232 4243 4278 4152 4270 4147 4148 4155 4226 4159	0.10.00 0.25.00 0.8.75 0.14.00 0.30.00 0.15.00 0.25.00 0.11.33 0.09.80 0.28.00 0.25.00 0.27.50 0.23.00 0.10.00 0.35.00 0.14.00 0.10.00 0.48.00 0.22.00 0.12.00 0.35.00 0.13.50 0.10.00 0.23.00 0.10.00	उत्तर-सीमा बसंतपुर गाँव दक्षिण - भगवानपुर सीवान पुरव- तालाब दिलिप सिंह वगैरह पश्चिम-सीमा गाँव धधुआ मेसर्स ग्लोबल स्प्रिट्स लि० नई दिल्ली	निदेशक तकनीकी विभाग, विहार पटना के पत्रांक-608, दिनांक-20.05.014	

देशाली					
महुआ					
जंदाहा					
ग्लोबल स्पीट्स लि०					
घघूआ					
	71	4270	0.14.00		
	447	4201	0.25.00		
	070	4202	0.35.00		
	71	4200	0.05.00		
	660	4144	0.12.00		
	91	4150	0.38.00		
	51	4242	0.58.00		
	202	4157	0.07.25		
		4161	0.10.25		
		4153	0.14.00		
		4237	0.14.60		
		4161	0.20.50		
	435	4245	0.48.00		
	436	4226	0.40.50		
		4229	0.11.00		
	1	4234	0.00.00		
	651	4233	0.05.00		
	135	4142	0.92.00		
	288	4155	0.09.00		
	126	4149	0.39.00		
	4(क)	4143	0.07.00		
	536	4230	0.58.00		
	911	4154	0.46.00		
		4150			
	288	4155	0.09.00		
	347	4151	0.20.00		
	249	4251	0.22.00		
	666	4243	0.10.00		
	911	4269	0.05.00		
	911	4272	0.47.00		
	345	4277	0.14.50		
		4277	0.16.50		
		4277	0.31.00		
उत्तर-सीमा बसतपुर गाँव दक्षिण - भगवानपुर सीवान पुरव- तालाब दिलिप सिंह वगैरह पश्चिम-सीमा गाँव धघूआ मेसर्स ग्लोबल स्पीट्स लि० नई दिल्ली					
निदेशक तथानीकी विभाग, बिहार पटना के पत्रांक-668, दिनांक-20.05.014					

देशाली					
महुआ					
जंदाहा					
ग्लोबल स्पीट्स लि०					
	205	4160	0.34.00		
	171	4158	0.28.00		
	033	4239	0.10.00		
	345	4261	0.40.00		
	347	4151	0.20.00		
	487	4252	0.49.00		
		4249	0.15.00		
	134	4231	0.20.00		
	345	4255	0.16.00		
	242	4232	0.31.00		
	134	4271	0.25.00		
	267	4145	0.26.00		
	71	4270	0.19.00		
	69	4162	0.38.00		
	439	4259	0.22.00		
	171	4275	0.93.33		
	171	4276			
	382	4141	0.02.00		
	771	4118	0.30.00		
	546	4117	0.19.00		
	726	4116	0.07.00		
	1123		0.02.00		
उत्तर-सीमा बसतपुर गाँव दक्षिण - भगवानपुर सीवान पुरव- तालाब दिलिप सिंह वगैरह पश्चिम-सीमा गाँव धघूआ मेसर्स ग्लोबल स्पीट्स लि० नई दिल्ली					
निदेशक तथानीकी विभाग, बिहार पटना के पत्रांक-668, दिनांक-20.05.014					

(2) उप धारा (1) में उपबंधित कृषि भूमि के मामलों में जो मूलतः छूट की श्रेणी में थी। वाद में ऐसा उपयोग किया जाये, जिसके लिए छूट ग्राही हो उस अधिनियम के प्रावधानों के अधीन सम्पत्तिवर्तन फीस प्रभार्य होगा।

हठ
अनुमंडल पदाधिकारी,
महुआ।

ज्ञापक..... 6.4.17 दिनांक 22-2-18 /
प्रो.सि.सिंह, (प्रबंधक एवं प्रशासन) मेसर्स ग्लोबस स्ट्रिप्स लिमिटेड, रजि० कार्यालय ए-48, फेंडस
कॉलोनी ईस्ट, न्यू दिल्ली-110065 ग्राम-धुआ, अंचल-जन्दाहा, जिला-वैशाली, को सूचनार्थ प्रेषित।
अंचल अधिकारी, जन्दाहा को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
निदेशक तकनीकी विभागास, बिहार पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

हठ
अनुमंडल पदाधिकारी,
महुआ।