

---

**Fwd: observation of IFCI in baseline certificate**

---

**Abhilasha .** <abhilasha.anand@rkassociates.org>

Sun, Apr 20, 2025 at 6:37 PM

To: "Business Operations R.K Associates" &lt;bo@rkassociates.org&gt;

Thanks &amp; Regards,

Abhilasha Anand

Sr. Manager - Business Monitoring, Compliances &amp; Deliveries



*World's first fully digital Automated Platform for  
Integrating Valuation Life Cycle -  
A product of R.K. Associates*

**R.K Associates Valuers & Techno Engineering Consultants (P) Ltd.,**

Phone: 0120-4110117, Mobile No. 8130709093

=====

We assure our best services and response to you all the time.

In case of any concern regarding our services, you may refer to the escalation matrix below to reach out to my manager/ supervisor or write to us at [valuers@rkassociates.org](mailto:valuers@rkassociates.org) regarding your concern.

**First Level Escalation** – Col. Anil Kumar–Chief Administrative officer- Mobile No. 8860055857– [anil.kumar@rkassociates.org](mailto:anil.kumar@rkassociates.org)

**Second Level Escalation – Mrs. Chetna Gupta– Assistant Vice President - Business Operations** Mobile No-9899882156- [chetna.gupta@rkassociates.org](mailto:chetna.gupta@rkassociates.org)

**Corporate Office:**

D-39, 2nd Floor,  
Sector-2, Noida- 201301 (Delhi NCR)

**Other Offices at:** Mumbai, Kolkata, Dehradun, Lucknow, Shahjahanpur

**Satellite office:** Meerut, Agra, Ahmedabad, Bangalore

**Website:** [www.rkassociates.org](http://www.rkassociates.org)

-----  
**Note :** The e-mail content is intended for the sole use of the intended recipient/s and may contain material that is **CONFIDENTIAL AND PRIVATE COMPANY INFORMATION**. Any review or reliance by others or copying or distribution or forwarding of any or all of the contents in this message is **STRICTLY PROHIBITED**. If you have erroneously received this message, please delete it immediately and notify the sender. Before opening any attachments please check them for viruses and defects.

----- Forwarded message -----

From: **Geetanjali Taneja** <[geetanjali.taneja@halonix.co.in](mailto:geetanjali.taneja@halonix.co.in)>

Date: Fri, 18 Apr 2025 at 5:42 PM

Subject: observation of IFCI in baseline certificate

To: Manmohan Dubey <[manmohan.dubey@rkassociates.org](mailto:manmohan.dubey@rkassociates.org)>

Cc: Abhilasha . <[abhilasha.anand@rkassociates.org](mailto:abhilasha.anand@rkassociates.org)>, Sanjeev Malhan <[sanjeev.malhan@halonix.co.in](mailto:sanjeev.malhan@halonix.co.in)>

Dear Manmohan

The IFCI has pointed out few observations in the Base line certificate submitted. Please note the same and rectify.

**CE Certificate**

1. **Qualified CE report won't be taken into consideration.(D.1,13)**
2. **CE must carry out due diligence while performing his duties. (D.3)**
3. "Important Notice" section shall not be a part of CE report and its content should not be there on cover page as well.(Page-3)
4. Caveats/Disclaimers shall **NOT** be there pertaining to his opinion. (D)
5. Signing date and report date mismatch is there. Please check and correct.
6. Target segment shall be "LED Component- Normal Investment".
7. **Table on page 6**
  - a. In point 4, remove words "at the time of site visit" and only LED modules should be mentioned against this requirement.
  - b. Update terms in point 6 and point 7 of table on page 6 of certificate to make it in accordance with standard format of CE certificate.

8. **CE comments on page 6**

a. Point number 1 - Inspection should be for **ALL** the machines. Major machines won't suffice the requirements.

b. Point number 2 under CE comments shall be deleted on page 6.

9. Declarations- incomplete/modified. Refer standard format of CE certificate. (Page-9)

10. Insert words "plant & machinery installed" in paragraph above table on page 6 of certificate in place of "plant".

11. Use word "Manufacturing" in column number 6 of table on page 7 of certificate.

12. On signing page- Full signature must be there.

We can discuss the same on a call.

Regards

Geetanjali

---

The information transmitted in this email is solely for the addressee. It is confidential and may be legally privileged. Access to this email by anyone else is unauthorized. Any disclosure, copying, distribution or any action taken by anyone other than by the intended recipient is prohibited and may be unlawful. If you are not the intended recipient then kindly delete the mail from your system and notify us by e-mail at [admin.hpl@halonix.co.in](mailto:admin.hpl@halonix.co.in). Any opinion or views expressed in this mail may not necessarily reflect that of the company. The company considers unencrypted email as an insecure mode of communication.

---

**Fwd: observation of IFCI in baseline certificate**

---

**Abhilasha .** <abhilasha.anand@rkassociates.org>

Wed, May 28, 2025 at 6:20 PM

To: Geetanjali Taneja &lt;geetanjali.taneja@halonix.co.in&gt;

Cc: Manmohan Dubey &lt;manmohan.dubey@rkassociates.org&gt;, "Business Operations R.K Associates" &lt;bo@rkassociates.org&gt;, Sanjeev Malhan &lt;sanjeev.malhan@halonix.co.in&gt;

Dear Ma'am,

Greetings of the day!!

This rectification work requires detailed and minute observation of all the machinery which will be a complete assignment where seniors will be involved to pay attention to all the key details. In order to cover the cost & expenses done in field work as well as administrative work and infrastructure expenses, the reasonable fees for the assignment would be Rs.75,000/- as per the cost, complexity, risk & responsibility involved.

Keeping the urgency of the rectification on priority, Er. Manmohan Dubey will come for the site inspection on 30/05/2025 so that we can subsequently work on the report and complete it at the earliest.

Thanks &amp; Regards,

Abhilasha Anand

Sr. Manager - Business Monitoring, Compliances &amp; Deliveries



World's first fully digital Automated Platform for  
Integrating Valuation Life Cycle -  
A product of R.K. Associates

**R.K Associates Valuers & Techno Engineering Consultants (P) Ltd.,**  
Phone: 0120-4110117, Mobile No.8130709093

=====

We assure our best services and response to you all the time.

In case of any concern regarding our services, you may refer to the escalation matrix below to reach out to my manager/ supervisor or write to us at [valuers@rkassociates.org](mailto:valuers@rkassociates.org) regarding your concern.

**First Level Escalation** – Col. Anil Kumar–Chief Administrative officer- Mobile No. 8860055857– [anil.kumar@rkassociates.org](mailto:anil.kumar@rkassociates.org)

**Second Level Escalation** – Mrs. Chetna Gupta– Assistant Vice President - Business Operations Mobile No-9899882156- [chetna.gupta@rkassociates.org](mailto:chetna.gupta@rkassociates.org)

**Corporate Office:**

D-39, 2nd Floor,  
Sector-2, Noida- 201301 (Delhi NCR)

**Other Offices at:** Mumbai, Kolkata, Dehradun, Lucknow, Shahjahanpur

**Satellite office:** Meerut, Agra, Ahmedabad, Bangalore

**Website:** [www.rkassociates.org](http://www.rkassociates.org)

-----  
**Note** : The e-mail content is intended for the sole use of the intended recipient/s and may contain material that is **CONFIDENTIAL AND PRIVATE COMPANY INFORMATION**. Any review or reliance by others or copying or distribution or forwarding of any or all of the contents in this message is **STRICTLY PROHIBITED**. If you have erroneously received this message, please delete it immediately and notify the sender. Before opening any attachments please check them for viruses and defects.

[Quoted text hidden]



Kirti Lakra <kirti.lakra@rkassociates.org>

---

## Fwd: observation of IFCI in baseline certificate

---

'Geetanjali Taneja' via Business Operations R.K Associates <bo@rkassociates.org>

Thu, May 29, 2025 at 12:19 PM

Reply-To: Geetanjali Taneja <geetanjali.taneja@halonix.co.in>

To: "Abhilasha ." <abhilasha.anand@rkassociates.org>

Cc: Manmohan Dubey <manmohan.dubey@rkassociates.org>, "Business Operations R.K Associates" <bo@rkassociates.org>, Sanjeev Malhan <sanjeev.malhan@halonix.co.in>

Dear Abhilasha

Please go ahead and try to close the report within this week.

Regards

Geetanjali

[Quoted text hidden]

[Quoted text hidden]